



Clinical Characteristics and Outcomes Associated with Nasal Intermittent



全部

图片

新闻

地图

更多

设置

工具

找到约 283,000 条结果 (用时 0.44 秒)

## Google 学术: Clinical Characteristics and Outcomes Associated with Nasal Intermittent Mandatory Ventilation in Acute Pediatric Respiratory Failure

... mechanical ventilation in patients with acute respiratory ... - Antonelli - 被引用次数: 1172

... infiltrates, fever, and acute respiratory failure - Hilbert - 被引用次数: 1098

Non-invasive ventilation in acute respiratory failure - Guideline - 被引用次数: 884

## Initial Treatment of Respiratory Distress Syndrome with Nasal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4336985/> ▼ 翻译此页

作者: AM Armanian - 2014 - 被引用次数: 12 - 相关文章

Neonatal respiratory distress syndrome (RDS) in premature infants who ... Nasal intermittent mandatory ventilation has been performed by two methods .... Outcomes and clinical characteristics of study infants .... Variables associated with the early failure of nasal CPAP in very low birth weight infants. .... Pediatric Respir Rev.

## Initial synchronized intermittent mandatory ventilation versus assist ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4703647/> ▼ 翻译此页

作者: J Luo - 2015 - 被引用次数: 5 - 相关文章

Acute respiratory distress syndrome (ARDS) is a type of acute diffuse, ... Therefore, the effects of SIMV + PS on clinical outcomes in patients with ARDS are still ... Data on demographic and physiologic characteristics were recorded within 24 ... well as SIMV + PS success and failure to explore the

**Name of Journal:** World Journal of Critical Care Medicine

**Manuscript NO:** 40047

**Manuscript type:** ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Clinical characteristics and outcomes associated with nasal intermittent mandatory ventilation in acute pediatric respiratory failure**

Billy C Wang, Theodore Pei, Cheryl B Lin, Rong Guo, David Elashoff, James A Lin  
Carol Pineda

## Abstract

### AIM

To characterize the clinical course and outcomes of nasal intermittent mandatory ventilation (NIMV) use in acute pediatric respiratory failure.

### METHODS

We identified all patients treated with NIMV in the PICU or inpatient general pediatrics

## Match Overview

1	<b>Internet</b> 16 words crawled on 03-Dec-2013 <a href="http://www.cincinnatichildrens.org">www.cincinnatichildrens.org</a>	1%
2	<b>Internet</b> 14 words crawled on 01-Jun-2017 <a href="http://bmccancer.biomedcentral.com">bmccancer.biomedcentral.com</a>	1%
3	<b>Crossref</b> 13 words Quintero, R.B.. "A comparison of letrozole to gonadotropin ... or ovulation induction, in subjects who failed to conceive wit	1%
4	<b>Crossref</b> 13 words Paria M. Wilson, Todd A. Florin, Guixia Huang, Matthew Fen chel, Matthew R. Mittiga. "Is Tachycardia at Discharge From	1%
5	<b>Internet</b> 12 words crawled on 22-Feb-2017 <a href="http://www.omicsonline.com">www.omicsonline.com</a>	1%



Google 学术搜索

Clinical characteristics and outcomes associated with nasal intermittent man...

登录

文章

找到约 17,200 条结果 (用时0.18秒)

我的个人学术档案 我的图书馆

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☐ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] A comparison of noninvasive positive-pressure ventilation and conventional mechanical ventilation in patients with acute respiratory failure

M Antonelli, G Conti, M Rocco, M Bufi... - ... England Journal of ..., 1998 - Mass Medical Soc

... Patients in whom clinical manifestations of pneumonia developed, including radiographic evidence of persistent pulmonary ... of patient outcomes are shown in Table 3Table 3 Characteristics of Patients ... acute physiologic scores of at least 16 had similar outcomes regardless of ...

☆ 被引用次数: 1174 相关文章 所有 17 个版本

[HTML] Noninvasive ventilation in immunosuppressed patients with pulmonary infiltrates, fever, and acute respiratory failure

G Hilbert, D Gruson, F Vargas... - ... England Journal of ..., 2001 - Mass Medical Soc

... adjusted on the basis of continuous monitoring of arterial oxygen saturation, clinical data, and ... than 70 mm Hg or evidence on electrocardiography of ischemia or clinically significant ventricular ...

The base-line characteristics of the two groups were similar (Table 1). Blood cultures ...

☆ 被引用次数: 1095 相关文章 所有 15 个版本

Non-invasive ventilation in acute respiratory failure

BTS Guideline - Thorax, 2002 - thorax.bmj.com

... PDF. BTS guideline. Non-invasive ventilation in acute respiratory failure. Free. British Thoracic Society Standards of Care Committee. S Baudouin, S Blumenthal, B Cooper, C Davidson, A Davison, M Elliot, W Kinnear (Chairman), R Paton, E Sawicka, L Turner (Secretary) ...

☆ 被引用次数: 898 相关文章 所有 19 个版本

[HTML] Noninvasive ventilation for treatment of acute respiratory failure in patients undergoing solid organ transplantation: a randomized trial

M Antonelli, G Conti, M Bufi, MG Costa, A Lappa... - Jama, 2000 - jamanetwork.com

... 14 Patients in whom clinical manifestation of pneumonia developed 15 underwent bronchoscopy with ... The baseline characteristics of the 2 groups were similar (Table 1). Reasons for ... In the NIV group, 2 patients had radiographic manifestations suggestive of pneumonia before ...

☆ 被引用次数: 781 相关文章 所有 16 个版本

Noninvasive ventilation via bilevel positive airway pressure support in pediatric practice

[HTML] nejm.org

[HTML] nejm.org

[PDF] bmj.com

[HTML] jamanetwork.com