

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 5,790 条结果 (用时 0.50 秒)

### PNPLA3 rs1010023 Predisposes Chronic Hepatitis B to Hepatic ...

<https://www.hindawi.com/journals/jdr/2017/4740124/> ▼ [翻译此页](#)作者: Q Pan - 2017 - [相关文章](#)

2017年5月16日 - Whether it underlies the hepatic **steatosis** and glucose homeostasis in ... some other **PNPLA3** SNPs (rs2281135, **rs139051**, and rs2294918) .... chronic hepatitis B, which reflects the chronic **hepatic inflammation**, ... **PNPLA3** rs1010023 **Associated** with Lipid **Metabolism** and Hepatic **Steatosis** in CHB Patients.

缺少字词: phospholipid profile

### PNPLA3 Variants Specifically Confer Increased Risk for Histologic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3070300/> ▼ [翻译此页](#)作者: EK Speliotes - 2010 - 被引用次数: 270 - [相关文章](#)

The G allele of rs738409 in **PNPLA3** was **associated** with increased odds of histologic ... **Nonalcoholic** steatohepatitis (NASH) is characterized by **hepatic steatosis**, ... laboratory data including the lipid **profile** and **liver** enzymes were obtained in all cases ... **Inflammation** was graded from 0-3 and cytologic ballooning from 0-2.

缺少字词: rs139051 phospholipid

### PNPLA3 I148M variant in nonalcoholic fatty liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4299331/> ▼ [翻译此页](#)作者: LZ Chen - 2015 - 被引用次数: 9 - [相关文章](#)

2015年1月21日 - **Nonalcoholic fatty liver disease** (NAFLD) is defined histologically or by ... NASH is the late stage of NAFLD, in which **hepatic inflammation** and fibrosis co-exist. ... on hepatic triglyceride **metabolism**: increased synthesis of fatty acids ... These findings confirm that the **PNPLA3** I148M variant is **associated** not ...

缺少字词: rs139051 phospholipid

### (I148M) associated with nonalcoholic fatty liver disease. - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pubmed/21878620> ▼ [翻译此页](#)作者: Y Huang - 2011 - 被引用次数: 136 - [相关文章](#)

2011年8月30日 - To determine the biological substrates of **PNPLA3** and the effect of the I148M ... A /genetics; Acyl Coenzyme A/**metabolism**; Amino Acid Substitution; Cell Line; Fatty ... **Non-alcoholic Fatty Liver Disease**; **Phospholipids**/chemistry ...

缺少字词: rs139051 profile hepatic inflammation

## Match Overview



1	Internet 54 words crawled on 25-Nov-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
2	Internet 35 words crawled on 14-Jun-2017 <a href="http://darchive.mblwhoilibrary.org">darchive.mblwhoilibrary.org</a>	1%
3	Crossref 34 words Xiao-Nan Yang, Xue-Mei Liu, Jian-He Fang, Xu Zhu, Xiu-Wei Yang, Xue-Rong Xiao, Jian-Feng Huang, Frank J. Gonzalez ...	1%
4	Internet 30 words crawled on 28-Apr-2016 <a href="http://www.twinsuk.ac.uk">www.twinsuk.ac.uk</a>	1%
5	Crossref 11 words La Torre, D., T. Seppanen-Laakso, H. E. Larsson, T. Hyotylainen, S. A. Ivarsson, A. Lernmark, and M. Oresic. "Decrease ...	<1%

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 40160

**Manuscript Type:** BASIC STUDY

***PNPLA3* rs139051 is associated with phospholipid metabolite profile and hepatic inflammation in nonalcoholic fatty liver disease**

Luo JJ *et al.* *PNPLA3* rs139051 is associated with phospholipids and liver inflammation



找到约 5 条结果 (用时 0.59 秒)

## PNPLA3 I148M variant in nonalcoholic fatty liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4299331/> ▼ [翻译此页](#)

作者：LZ Chen - 2015 - 被引用次数：11 - [相关文章](#)

2015年1月21日 - **Nonalcoholic fatty liver disease** (NAFLD) is defined histologically or by ... NASH is the late stage of NAFLD, in which **hepatic inflammation** and ... on hepatic triglyceride **metabolism**: increased synthesis of fatty acids and ... These findings confirm that the **PNPLA3** I148M variant is **associated** ..... [GEO Profiles](#).

缺少字词：rs139051 phospholipid pancreas orbit

## PNPLA3 Variants Specifically Confer Increased Risk for Histologic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3070300/> ▼ [翻译此页](#)

作者：EK Speliotes - 2010 - 被引用次数：263 - [相关文章](#)

The G allele of rs738409 in **PNPLA3** was **associated** with increased odds of histologic ... **Nonalcoholic** steatohepatitis (NASH) is characterized by **hepatic steatosis**, ... laboratory data including the lipid **profile** and **liver** enzymes were obtained in all cases ... **Inflammation** was graded from 0-3 and cytologic ballooning from 0-2.

缺少字词：rs139051 phospholipid pancreas orbit

## PNPLA3 rs1010023 Predisposes Chronic Hepatitis B to Hepatic ...

<https://www.hindawi.com/journals/jdr/2017/4740124/> ▼ [翻译此页](#)

作者：Q Pan - 2017 - [相关文章](#)

2017年5月16日 - Whether it underlies the hepatic **steatosis** and glucose homeostasis in ... some other **PNPLA3** SNPs (rs2281135, **rs139051**, and rs2294918) .... chronic hepatitis B, which reflects the chronic **hepatic inflammation**, ... **PNPLA3** rs1010023 **Associated** with Lipid **Metabolism** and Hepatic **Steatosis** in CHB Patients.

缺少字词：phospholipid profile pancreas orbit

## Phospholipase Domain-containing Protein 3 Promotes Transfers of ...

[www.jbc.org/content/early/2018/03/19/jbc.RA118.002333](http://www.jbc.org/content/early/2018/03/19/jbc.RA118.002333) - [翻译此页](#)

作者：MA Mitsche - 2018 - 被引用次数：1 - [相关文章](#)

2018年3月19日 - **Pnpla3**/Adiponutrin deficiency in mice does not contribute to **fatty liver disease** or metabolic syndrome[S]. Mahesh K. Dasgupta et al. The Journal of Lipid Research. Berilinin 2 Deletion

找到约 7 条结果 (用时 0.36 秒)

## PNPLA3 I148M variant in nonalcoholic fatty liver disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4299331/> ▼ 翻译此页

作者: LZ Chen - 2015 - 被引用次数: 11 - 相关文章

2015年1月21日 - **Nonalcoholic fatty liver disease** (NAFLD) is defined histologically or by ... NASH is the late stage of NAFLD, in which **hepatic inflammation** and ... on hepatic triglyceride **metabolism**: increased synthesis of fatty acids and ... These findings confirm that the **PNPLA3** I148M variant is **associated** ..... **GEO Profiles**.

缺少字词: rs139051 phospholipid

## PNPLA3 Variants Specifically Confer Increased Risk for Histologic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3070300/> ▼ 翻译此页

作者: EK Speliotes - 2010 - 被引用次数: 263 - 相关文章

The G allele of rs738409 in **PNPLA3** was **associated** with increased odds of histologic ... **Nonalcoholic** steatohepatitis (NASH) is characterized by **hepatic steatosis**, ... laboratory data including the lipid **profile** and **liver** enzymes were obtained in all cases ... **Inflammation** was graded from 0-3 and cytologic ballooning from 0-2.

缺少字词: rs139051 phospholipid

## PNPLA3 rs1010023 Predisposes Chronic Hepatitis B to Hepatic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5488317/> - 翻译此页

作者: Q Pan - 2017 - 相关文章

2017年6月14日 - As a result, hepatic **steatosis** occurs on the basis of chronic hepatitis B .... chronic hepatitis B, which reflects the chronic **hepatic inflammation**, .... rs1010023 **Associated** with Lipid **Metabolism** and Hepatic **Steatosis** ..... characterizes the NAFLD patients with T-allele at **PNPLA3** **rs139051** [24]. ..... **GEO Profiles**.

缺少字词: phospholipid

## <sup>[PDF]</sup> Genomic Studies in Non-Alcoholic Fatty Liver Disease - Newcastle ...

<https://theses.ncl.ac.uk/dspace/bitstream/10443/3822/1/Liu%2C%20Y-L.%202017.pdf>

作者: YL Liu - 2017 - 相关文章

**associated** with **steatosis**, steatohepatitis and fibrosis in the largest ..... TM6SF2 rs58542926 Influences **Hepatic** Fibrosis Progression in Patients ..... Table 3.6: Genotype frequency of **PNPLA3** **rs139051** in FLIP NAFLD Cohort vs. the ..... analysis of coexpressed gene **profiles** based on Mouse Genome Informatics (MGI).