

## Match Overview

1

**Name of Journal:** *World Journal of Cardiology*

**Manuscript NO:** 40509

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**Incidental congenital coronary artery vascular fistulas in adults: evaluation with adenosine-<sup>13</sup>N-ammonia PET-CT**

There are no matching sources for this report.

Salah AM Said, Aly Agool, Arno HM Moons, Mounir WZ Basalus, Nils RL Wagenaar, Rogier LG Nijhuis, Jutta M Schroeder-Tanka, Riemer HJA Slart

**Abstract**

**AIM** To assess the functionality of congenital coronary artery fistulas (CAFs) using adenosine stress <sup>13</sup>N-ammonia positron emission tomography computed

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多](#)[设置](#) [工具](#)

找到约 4,460 条结果 (用时 0.62 秒)

### [Coronary artery-bronchial artery fistulas: report of two Dutch cases ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3954926/> ▾ 翻译此页

作者 : SAM Said - 2014 - 被引用次数 : 4 - 相关文章

2014年1月26日 - Keywords: Congenital anomaly, Coronary bronchial artery **fistulas**, Multi-detector ...Coronary bronchial artery **fistulas** (CBFs) are usually found **incidentally** during invasive ... Gated adenosine stress/rest <sup>13</sup>N-ammonia PET/CT visually ..... assessment of coronary artery fistulas in adults may yield additional ...

### [Diagnostic value of <sup>13</sup>N-ammonia myocardial perfusion PET: added ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/22776752> ▾ 翻译此页

作者 : M Fiechter - 2012 - 被引用次数 : 110 - 相关文章

2012年6月29日 - Diagnostic value of <sup>13</sup>N-ammonia myocardial perfusion PET: added value of ... We evaluated the added diagnostic value of MFR over MPI alone as assessed with (<sup>13</sup>)N-ammonia and PET/CT to predict angiographic **coronary artery** ... underwent 1-d **adenosine** stress-rest (<sup>13</sup>)N-ammonia PET/CT MPI, and ...

缺少字词 : incidental congenital vascular fistulas adults

### [Surgical Management of a Coronary-Bronchial Artery Fistula ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5460972/> - 翻译此页

作者 : HJ Choi - 2017 - 相关文章

2017年6月5日 - Keywords: **Coronary artery** disease, **Fistula**, Bronchial arteries ... artery (LCX) and the bronchial artery was discovered **incidentally** (Fig. .... tomography (PET)-computed tomography scan with an **adenosine** stress test .... Coronary flow reserve measured by <sup>13</sup>N-ammonia PET for physiologic **assessment** of ...[\[PDF\] Unilateral and Multilateral Congenital Coronary-Pulmonary Fistulas in...](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4,650 条结果 (用时 0.52 秒)

### [Coronary artery-bronchial artery fistulas: report of two Dutch cases ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3954926/> ▾ 翻译此页

作者: SAM Said - 2014 - 被引用次数: 4 - 相关文章

2014年1月26日 - Keywords: **Congenital anomaly**, Coronary bronchial artery **fistulas**, Multi-detector computer ... are usually found **incidentally** during invasive coronary angiography (CAG) [1] ... Gated adenosine stress/rest <sup>13</sup>N-ammonia PET/CT visually .... **assessment of coronary artery fistulas in adults** may yield additional ...

### [Coronary artery fistula in adults: evaluation with dual-source CT ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4628480/> ▾ 翻译此页

作者: K Zhou - 2015 - 被引用次数: 10 - 相关文章

2015年4月16日 - **Coronary-pulmonary artery fistula in adults** was found more often than in previous studies. ... **CT** in chest and **cardiac** imaging, the number of **incidentally** found CAFs .... An **atherosclerotic** plaque is shown at the proximal segment of the LAD, .... **Congenital heart** surgery nomenclature and database project: ...

缺少字词: adenosine 13n ammonia pet

### [Surgical Management of a Coronary-Bronchial Artery Fistula ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5460972/> - 翻译此页

作者: HJ Choi - 2017 - 相关文章

2017年6月5日 - Keywords: **Coronary artery** disease, **Fistula**, Bronchial arteries ... artery (LCX) and the

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,260 条结果 (用时 0.59 秒)

### [Coronary artery-bronchial artery fistulas: report of two Dutch cases ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3954926/> ▾ 翻译此页

作者 : SAM Said - 2014 - 被引用次数 : 4 - 相关文章

2014年1月26日 - Keywords: Congenital anomaly, Coronary bronchial artery **fistulas**, ... Coronary bronchial artery **fistulas** (CBFs) are usually found **incidentally** during invasive .... artery embolisation of bronchial-to-pulmonary **vascular** fistula for ... The use of <sup>13</sup>N-ammonia PET-CT for functional assessment of coronary artery ...

### [Diagnostic value of <sup>13</sup>N-ammonia myocardial perfusion PET: added ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/22776752> ▾ 翻译此页

作者 : M Fiechter - 2012 - 被引用次数 : 110 - 相关文章

2012年6月29日 - Diagnostic value of <sup>13</sup>N-ammonia myocardial perfusion PET: added value of ... We evaluated the added diagnostic value of MFR over MPI alone as assessed with (<sup>13</sup>)N-ammonia and PET/CT to predict angiographic coronary artery ... underwent 1-d adenosine stress-rest (<sup>13</sup>)N-ammonia PET/CT MPI, and ...

缺少字词 : incidental congenital vascular fistulas adults

### [Myocardial perfusion imaging with PET - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3650901/> ▾ 翻译此页

作者 : R Nakazato - 2013 - 被引用次数 : 25 - 相关文章

2013年2月1日 - In **cardiac** PET imaging, the entire region around the **heart** is covered ... A total of 3 min after the **adenosine** infusion, 20 mCi of <sup>13</sup>N-ammonia is administered using a .... agreement in flow and flow reserve for each **vascular** territory [45]. .... in PET/CT studies with <sup>13</sup>N-ammonia: evaluation in healthy **adults**.

缺少字词 : incidental congenital fistulas