

[全部](#) [图片](#) [视频](#) [新闻](#) [更多](#)[设置](#) [工具](#)

找到约 625 条结果 (用时 0.53 秒)

[PDF] Spontaneous Fistulization of Hepatic Hydatid Cyst into the Duodenu...applications.emro.who.int/.../J_Coll_Physicians_Surg_Pak_2013_23_6_424... ▼ [翻译此页](#)作者: S Daldoul - 2013 - 被引用次数: 8 - [相关文章](#)

Hydatid disease is an anthroozoonoses that is rife in an endemic mode in the great ... **Duodenal** fistulization is an extremely rare complication of this disease.¹ The ... The surgical **treatment** of the lesion and its complications was complex but ...

缺少字词: coexistence derived fibromatosis paraduodenal

Full text of "Journal of The Mount Sinai Hospital" - Internet Archivehttps://archive.org/stream/.../journalofmountsi4193moun_djvu.txt

It was quite evident that the **disease** must have begun 4 HOWARD First, there may be a **coexisting** acute rheumatic fever; pericarditis is a common feature of ... These hemorrhages into the wall of the **duodenum**, between the **duodenum** and However, mesodermal tumors of the liver are **derived** either from Glisson's ...

Full text of "Surgical diagnosis and treatment" - Internet Archivehttps://archive.org/stream/.../surgicaldiagnosi03ochsuoft_djvu.txt

The true small intestine *intestinum mesenteriale* is **derived** from the midgut. of the gastric or **duodenal** ulcer should be sought for and, if present, removed. The diagnosis may be made through consideration of **coexisting** signs and about as common as solid tumors The **echinococcus** cyst is rare, usually secondary ...

[PDF] EDiR Notebook (For European Diploma in Radiology)gynecology.sbm.ac.ir/uploads/4_575973715896959722.pdf

Hydatid cyst rupture leads to air fluid level, a floating membrane (water lily Atypical thymoma has poor margins & **aggressive** but shows absence of ... **Fibroma** can also lead to HPOA (check the question if no bone erosion or a well defined pleural lesion). Coil embolization is commonly used for **gastro-duodenal** artery.

Hydatid cyst as a cause of common bile duct obstruction (a case report ...www.jpgmonline.com/article.asp?issn=0022-3859;year=1983;... ▼ [翻译此页](#)作者: SK Mathur - 1983 - 被引用次数: 4 - [相关文章](#)

Association of hepatic **hydatid cyst** with bile duct obstruction is not a common occurrence. cholecystitis was made; the patient improved with conservative **treatment**. ... Bake's dilater could be passed into the **duodenum** through the papilla of ...

缺少字词: coexistence derived fibromatosis paraduodenal

Coexistence of duodenum derived aggressive fibromatosis and paraduodenal hydatid cyst

Akbulut S *et al.* Approach to desmoid type fibromatosis

Sami Akbulut, Mehmet Yilmaz, Saadet Alan, Mehmet Kolu, Nese Karadag

Abstract

Intraabdominal aggressive fibromatosis is a locally aggressive tumor mostly originating from the mesentery or retroperitoneal space, infiltrating adjacent tissues, and very rarely metastasizing to distant organs. There are only two case reports in the English language literature where intraabdominal aggressive fibromatosis originated from the intestinal wall. In this study we aimed to report a case of

Match Overview

1	Crossref 16 words Ching-Wei Chang. "Unusual presentation of desmoid tumor ... the small intestine: a case report", <i>Medical Oncology</i> , 01/27/2...	1%
2	Internet 15 words crawled on 20-Apr-2016 doktori.bibl.u-szeged.hu	1%

[全部](#)[图片](#)[视频](#)[新闻](#)[更多](#)[设置](#)[工具](#)

找到约 686 条结果 (用时 0.52 秒)

An extremely large primary omental hydatid cyst: report of a rare case

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3917491/> ▼ [翻译此页](#)

作者：A Aghaei - 2013 - 被引用次数：1 - [相关文章](#)

The omental hydatid cyst is a very rare manifestation of the disease. The aim of hydatid cyst **treatment** is to remove current cyst as well as preventing ...

缺少字词：coexistence duodenum fibromatosis paraduodenal

Primary mesenteric hydatid cyst. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/22778458> ▼ [翻译此页](#)

作者：JK Kushwaha - 2012 - 被引用次数：8 - [相关文章](#)

BMJ Case Rep. 2012 Jul 9;2012. pii: bcr0320125996. doi: 10.1136/bcr.03.2012.5996. Primary mesenteric hydatid cyst. Kushwaha JK(1), Gupta R, Mohanti S, ...

缺少字词：coexistence duodenum derived aggressive fibromatosis paraduodenal

[PDF] Spontaneous Fistulization of Hepatic Hydatid Cyst into the Duodenu...

applications.emro.who.int/.../J_Coll_Physicians_Surg_Pak_2013_23_6_424... ▼ [翻译此页](#)

作者：S Daldoul - 2013 - 被引用次数：7 - [相关文章](#)

Hydatid disease is an anthroozoonoses that is rife in an endemic mode in the great ... Duodenal fistulization is an extremely rare complication of this disease.1 The ... The surgical **treatment** of the lesion and its complications was complex but ...

缺少字词：coexistence derived fibromatosis paraduodenal

找到约 8,840 条结果 (用时 0.52 秒)

Answer to the Letter to the Editor of F.-A. Dauchy et al. concerning ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3585625/> - 翻译此页

作者: I Lotfinia - 2013 - 相关文章

2012年12月6日 - The cysts consist of an outer fibrous layer and a cestode-derived inner ... For the treatment of spinal hydatid disease, surgery is currently ... In 56 % of reported intradural extramedullary hydatid cysts cases, the cysts were univesicular [22]. hydatid cyst of the spine: a case report and review of literature.

缺少字词: coexistence fibromatosis paraduodenal

Primary hydatid cyst of brain: Two cases report - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4421967/> - 翻译此页

作者: SB Senapati - 2015 - 被引用次数: 8 - 相关文章

The literature concerning isolated cerebral hydatid disease is reviewed. Balkanski G. Albendazole treatment of multiple cerebral hydatid cysts: Case report.

缺少字词: coexistence duodenum derived fibromatosis paraduodenal

Chest wall hydatidosis as the unique location of the disease: Case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2094934/> - 翻译此页

作者: CN Foroulis - 2003 - 被引用次数: 4 - 相关文章

This report describes a case of chest wall hydatidosis, which was the primary ... treatment resulted in a cure with no evidence of local recurrence or disease at ...

缺少字词: coexistence duodenum derived fibromatosis paraduodenal

Abstracts of Current Literature - RSNA Publications Online

<https://pubs.rsna.org/doi/pdf/10.1148/62.2.278> - 翻译此页

raphy in Congenital Heart Disease Corre- ... Its Relation to the Stomach and Duodenum. 75Oases with ... graphic Study Before Treatment of Bursitis. . 299 The authors reviewed the 474 cases of brain tumor ... 5 glioblastomas, 2 astrocytomas, 1 fibroma, 1 meta- Coexisting Pulmonary Coccidioidomycosis and Tu-

Abstracts of Current Literature - RSNA Publications Online

<https://pubs.rsna.org/doi/pdf/10.1148/77.1.138> - 翻译此页

Rupture into the Duodenum of an Aortic- ... the Literature and a Report of Five Cases.. 161 ... BLOOM, H. J. G. Treatment of Carcinoma of the tion of structures and analysis of movements which pre- "cysts" may be observed in association with primary suggested that the coexistence of intracranial aneurysms.