

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 112,000 条结果 (用时 0.50 秒)

### Factors Associated with Hepatitis B Testing Among Vietnamese ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2881980/>  翻译此页

作者: TT Nguyen - 2010 - 被引用次数: 40 - 相关文章

2010年3月20日 - Chronic **hepatitis B** and **hepatitis B-associated** liver cancer is a ... Physician recommendation and **patient** request were the **factors** most strongly **associated** with test ... **vaccination** for hepatitis A, and possibly **screening** for liver cancer) ..... chronic **hepatitis B** virus **infection** and hepatocellular carcinoma **risk**. a ...

### Focus: Vaccines: Multilevel Factors Influencing Hepatitis B Screening ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4257033/>  翻译此页

作者: PM Frew - 2014 - 被引用次数: 2 - 相关文章

2014年12月12日 - Chronic **hepatitis B** virus (HBV) **infection** may lead to liver cirrhosis, chronic ... Asian Americans/Pacific Islanders (AAPIs) have the **highest** rate of liver cancer in ... Ethnic Approaches to Community Health (REACH) 2010 **Risk Factor** Survey ... **HBV-related** discussions in **clinical** encounters with **patients** [36].

### A comparison of effectiveness of hepatitis B screening and linkage to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4294123/>  翻译此页

作者: E Chandrasekar - 2015 - 被引用次数: 7 - 相关文章

2015年1月6日 - **Clinical** settings integrated into Asian American communities, where ... In Asia, the proportion of liver cancer deaths is **higher** from **HBV** than from the ... **factors associated** with **HBV screening** and **vaccination** behaviors. .... Figure 1 presents the **risk factors associated** with **HBV infection** and their frequencies.

### Prevalence and Factors Associated with Hepatitis B Immunization and ...

Match Overview

1	Internet 75 words crawled on 11-Jan-2018 <a href="http://eventscribe.com">eventscribe.com</a>	1%
2	Internet 51 words crawled on 10-Jan-2014 <a href="http://www.cdc.gov">www.cdc.gov</a>	1%
3	Internet 50 words crawled on 08-Jun-2018 <a href="http://allafrica.com">allafrica.com</a>	1%
4	Crossref 48 words Lu, P.J.. "Hepatitis B vaccination coverage among high-risk adults 18-49 years, U.S., 2009", <i>Vaccine</i> , 20110916	1%
5	Crossref 36 words "Abstracts of the 26th Annual Conference of APASL, February 15-19, 2017, Shanghai, China", <i>Hepatology International</i>	1%
6	Internet 25 words crawled on 24-Sep-2016 <a href="http://issuu.com">issuu.com</a>	<1%

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 41015

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

Clinical factors associated with hepatitis B screening and vaccination in high-risk adults

Ayoola R *et al.* HBV screening/vaccination in high-risk cohorts

Rotimi Ayoola, Sebastian Larion, David M Poppers, Renee Williams

**Abstract**

**BACKGROUND**

Hepatitis B virus is a viral infection that can lead to acute and/or chronic liver disease, and hepatocellular carcinoma (HCC). Hepatitis B vaccination is 95% effective in preventing infection and the development of chronic liver disease and HCC due to hepatitis B. In 2011, the Centers for Disease Control updated their guidelines recommending that adults at high-risk for hepatitis B infection be vaccinated against hepatitis B including those with diabetes mellitus (DM). We hypothesize that adults at high-risk for hepatitis B infection are not being



文章

找到约 43,000 条结果 (用时0.46秒)

我的个人学术档案

我的图书馆

时间不限

2018以来

2017以来

2014以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

Google 已关闭此广告

停止显示此广告

为什么显示该广告?

Google 已关闭此广告

停止显示此广告

为什么显示该广告?

**Hepatitis B vaccine: demonstration of efficacy in a controlled clinical trial in a high-risk population in the United States**

W Szmunes, CE Stevens, EJ Harley... - ... England Journal of ..., 1980 - Mass Medical Soc ... HBsAg-Positive End Points and Vaccine Efficacy Ratios in Subgroups of Participants According to Various Risk Factors.\*) ... overwhelming evidence that the hepatitis B virus is the single most important causative factor of hepatocellular ... Clinical laboratory studies of HBsAg vaccine ...

☆ 99 被引用次数: 1362 相关文章 所有 6 个版本

[sci-hub 下载](#)**[PDF] A comprehensive immunization strategy to eliminate transmission of hepatitis B virus infection in the United States**

EE Mast, HS Margolis, AE Fiore, EW Brink... - MMWR, 2005 - researchgate.net ... been reported for up to 18 days after hepatitis B vaccination and is clinically insignificant (29 ... for diagnosis of acute hepatitis B should be limited to persons for whom clinical evidence of ... and age (97), and infection is associated most often with nonoccupational risk factors (97,98) ...

☆ 99 被引用次数: 1457 相关文章 所有 17 个版本

[\[PDF\] researchgate.net](#)**Meta-analysis of the relationship between risk perception and health behavior: the example of vaccination.**

NT Brewer, GB Chapman, FX Gibbons... - Health ..., 2007 - psycnet.apa.org ... Alternatively, the smaller effect sizes may be related to some clinicians having been required by their employers to be ... quite small when reported as a correlation coefficient (or effect size r) even though it is a clinically important effect ... Clinical Infectious Diseases , 43, 1379-1386 ...

☆ 99 被引用次数: 955 相关文章 所有 16 个版本

[\[PDF\] albacharia.ma](#)**Hepatitis B virus infection: epidemiology and vaccination**

CW Shepard, EP Simard, L Finelli... - Epidemiologic ..., 2006 - academic.oup.com Abstract. Worldwide, two billion people have been infected with hepatitis B virus (HBV), 360 million have chronic infection, and 600000 die each year from HBV.

☆ 99 被引用次数: 1093 相关文章 所有 11 个版本

[\[PDF\] oup.com](#)

找到约 3,200,000 条结果 (用时 0.63 秒)

## Google 学术 : Clinical factors associated with hepatitis B screening and vaccination in high-risk adults

Hepatitis B vaccine: demonstration of efficacy in a ... - Szmunes - 被引用次数 : 1362

A comprehensive immunization strategy to eliminate ... - Mast - 被引用次数 : 1460

... and health behavior: the example of vaccination. - Brewer - 被引用次数 : 956

## Prevention of Hepatitis B Virus Infection in the United States - CDC

<https://www.cdc.gov/mmwr/volumes/67/rr/rr6701a1.htm> ▼ 翻译此页

作者 : S Schillie - 2018 - 被引用次数 : 54 - 相关文章

2018年1月12日 - ACIP recommends vaccination of adults at risk for HBV infection, including universal ... The literature searches included clinical trials and comparative studies .... Risk factors associated with sexual transmission among MSM include ... is rare because of donor screening and viral inactivation procedures.

## Epidemiology of Hepatitis B Virus Infection and Impact of Vaccination ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5582972/> - 翻译此页

作者 : NP Nelson - 2016 - 被引用次数 : 41 - 相关文章

Adult Vaccination. High-risk adults should also receive the 3 doses of hepatitis B vaccine<sup>41</sup> (Box 2). High-risk adults include persons at risk for infection by sexual exposure, and persons at risk for infection by percutaneous or mucosal exposure to blood and other infectious fluids.

## Evaluation of hepatitis B vaccine immunogenicity among older adults ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4610903/> ▼ 翻译此页

作者 : RA Tohme - 2011 - 被引用次数 : 27 - 相关文章

Keywords: Hepatitis B vaccine, Seroprotection, Older adults, Immunity, Outbreaks ... and adolescents, as well as adults who are at high risk for HBV infection [2]. ... the influence of demographic and clinical factors on vaccine response. ... from CDC implemented hepatitis B screening and vaccination of residents in the four ...

## Hepatitis B Virus Infection: Screening, 2014 - US Preventive Services ...

<https://www.uspreventiveservicestaskforce.org/.../hepatitis-b-virus-infection-...> ▼ 翻译此页

Three doses of HBV vaccine result in a protective antibody response of greater than 90% in adults and greater than 95% in adolescents<sup>1</sup>. The CDC recommends that susceptible persons who are screened for HBV infection may, if indicated, receive the first dose of the HBV vaccine at the same medical visit<sup>2, 13</sup>.