

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 41169

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Establishment, functional and genetic characterization of three novel patient-derived rectal cancer cell lines

Gock M *et al.* Patient-derived rectal cancer cell lines

Michael Gock, Christina S Mullins, Carina Bergner, Friedrich Prall, Robert Ramer, Anja Göder, Oliver H Krämer, Falko Lange, Bernd J Krause, Ernst Klar, Michael Linnebacher

Abstract

AIM

To establish patient-individual tumor models of rectal cancer for analyses of novel

Match Overview

1	Crossref 263 words Michael Gock, Christina S Mullins, Christine Harnack, Friedrich Prall et al. "Establishment, functional and genetic charac...	4%
2	Internet 73 words crawled on 22-May-2018 archivesofpathology.org	1%
3	Internet 63 words crawled on 12-Sep-2018 www.wjgnet.com	1%



Articles

About 14,800 results (0.38 sec)

My

- Any time
- Since 2018
- Since 2017
- Since 2014
- Custom range...

- Sort by relevance
- Sort by date

- include patents
- include citations

Create alert

Patient-derived tumour xenografts as models for oncology drug development [HTML] nih.gov

JJ Tentler, AC Tan, CD Weekes, A Jimeno... - Nature reviews Clinical ..., 2012 - nature.com
 ... He has been involved with the **creation** of **patient-derived tumour** xenograft banks from ... **tumour** when enzymatically dispersed and cultured in vitro, and that successful **establishment** requires initial ... 24 Finally, in CRC, PDX models have been used to **establish** and **characterize** a ...

☆ Cited by 601 Related articles All 14 versions

Phenotypic characterization of human colorectal cancer stem cells [HTML] pnas.org

P Dalerba, SJ Dylla, IK Park, R Liu... - Proceedings of the ..., 2007 - National Acad Sciences
 ... Ecology; Environmental Sciences; Evolution; **Genetics**; Immunology and Inflammation; Medical Sciences; Microbiology; Neuroscience; Pharmacology; ...
 Phenotypic **characterization** of human **colorectal cancer** stem cells ...

☆ Cited by 2039 Related articles All 18 versions

Characterization of 911: a new helper cell line for the titration and propagation of early region 1-deleted adenoviral vectors

FJ Fallaux, O Kranenburg, SJ Cramer... - Human gene ..., 1996 - liebertpub.com
 ... the **characterization** of a new E1-complementing **cell line** 911 **established** by transformation ... E in the Modulation of High-Density Lipoprotein Composition and **Function**. Biochemistry, Vol ... **3**. Efficient incorporation of a **functional** hyper-stable single-chain antibody fragment protein ...

☆ Cited by 619 Related articles All 3 versions

Establishment of patient-derived non-small cell lung cancer xenografts as models for the identification of predictive biomarkers [PDF] aacrjourn

I Fichtner, J Rolff, R Soong, J Hoffmann, S Hammer... - Clinical cancer ..., 2008 - AACR
 Skip to main content.

☆ Cited by 233 Related articles All 11 versions

Patient-derived xenograft models: an emerging platform for translational cancer [PDF] aacrjourn

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 14,400,000 条结果 (用时 0.68 秒)

Establishment, functional and genetic characterization of a colon ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6127660/> - 翻译此页

作者: M Gock - 2018

2018年9月7日 - To **establish cell line** and **patient-derived** xenograft (PDX) models for and **functional characterization** of a **novel** NEC **colon** derived **cell line** with In addition, **three genes** involved in **tumor** immune modulation could be ...

Establishment, functional and genetic characterization of a colon ...

https://www.researchgate.net/.../327511758_Establishment_functional_and_... - 翻译此页

2018年9月23日 - PDF | AIM To **establish cell line** and **patient-derived** xenograft (PDX) models for ... of a **colon** derived large cell neuroendocrine **carcinoma cell line** ... CONCLUSION We successfully **established** and **characterized** a **novel patient- derived** NEC **cell line** in **three genes** involved in **tumor** immune modulation.

Establishment, functional and genetic characterization of a colon ...

<https://www.wjgnet.com/1007-9327/articlehighlights/v24/i33/3749.htm> ▾ 翻译此页

作者: M Gock - 2018

2018年9月7日 - **Establishment, functional** and **genetic characterization** of a **colon** derived large cell neuroendocrine **carcinoma cell line**. ... Full Article (Word), **3** study was the **establishing** and profound **characterization** of an **patient derived** ultra-low ... the biology of NECs, but also to **establish novel** therapeutic options.

Establishment and Characterization of a Cell Line ... - Cancer Research

<cancerres.aacrjournals.org/content/75/5/892> ▾ 翻译此页

作者: L Cayrefourcq - 2015 - 被引用次数: 160 - 相关文章

2015年3月1日 - **Functional** studies showed that CTC-MCC-41 cells induced rapidly in vitro endothelial cell ... The **establishment** of this first **colon cancer** CTC line allows now a wealth of To **characterize** the CTC-MCC-41 **cell line** at the **gene** expression level at Real-time liquid biopsy in cancer **patients: fact or fiction?**

Establishment of Highly Tumorigenic Human Colorectal Cancer Cell ...

找到约 16,400,000 条结果 (用时 0.71 秒)

Google 学术: Establishment, functional and genetic characterization of three novel patient-derived rectal cancer cell lines

Patient-derived tumour xenografts as models for ... - Tentler - 被引用次数: 654

... characterization of human colorectal cancer stem cells - Dalerba - 被引用次数: 2071

Characterization of 911: a new helper cell line for the ... - Fallaux - 被引用次数: 623

Establishment, functional and genetic characterization of a colon ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6127660/> - 翻译此页

作者: M Gock - 2018

2018年9月7日 - To establish cell line and patient-derived xenograft (PDX) models for and functional characterization of a novel NEC colon derived cell line with In addition, three genes involved in tumor immune modulation could be ...

Establishment, functional and genetic characterization of a colon ...

<https://www.wjgnet.com/1007-9327/articlehighlights/v24/i33/3749.htm> - 翻译此页

作者: M Gock - 2018

2018年9月7日 - Establishment, functional and genetic characterization of a colon derived large cell neuroendocrine carcinoma cell line. ... Full Article (Word), 3 study was the establishing and profound characterization of an patient derived ultra-low ... the biology of NECs, but also to establish novel therapeutic options.

Establishment of three novel cell lines derived from African American ...

<https://www.spandidos-publications.com/10.3892/ijo.2018.4510> - 翻译此页

作者: J Paredes - 2018

2018年7月31日 - A total of three AA CRC cell lines derived from primary tumors were ... of cell lines that span diverse populations for use in functional in vitro and ... In the present study, we established, characterized and validated three cancer cell lines To confirm conservation of the genetic profile of the original patient ...

Establishment and Characterization of a Cell Line ... - Cancer Research