

找到约 5,790 条结果 (用时 0.54 秒)

Endoscopic mucosal resection for high-grade dysplasia and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5373727/> - 翻译此页

作者: DT Yamashita - 2017 - 相关文章

2016年11月10日 - We reviewed our experience with endoscopic treatment of BE with HGD ... resection (EMR) and radiofrequency ablation, are associated with lower ... for the treatment of high grade dysplasia and intramucosal carcinoma. ... in Barrett's esophagus-related neoplasia: a systematic review and pooled-analysis.

Tu1191 Systematic Review of the Endoscopic Treatment of High ...

[www.giejournal.org/article/S0016-5107\(17\)31517-1/fulltext](http://www.giejournal.org/article/S0016-5107(17)31517-1/fulltext) - 翻译此页

作者: MV de Matos - 2017

... of High-Grade Dysplasia and Intramucosal Carcinoma: Resection With ... with the endoscopic resection associated with radiofrequency ablation (EMR + RFA), ...

Management of High-Grade Dysplasia and Intramucosal ...

[https://www.cghjournal.org/article/S1542-3565\(12\)00384-9/fulltext](https://www.cghjournal.org/article/S1542-3565(12)00384-9/fulltext) - 翻译此页

作者: S Wani - 2012 - 被引用次数: 18 - 相关文章

2012年4月16日 - Surgical management; Endoscopic eradication therapies; Endoscopic resection of all ... Radiofrequency ablation; Cryotherapy Histopathologic Changes in High-Grade Dysplasia and Mucosal Cancer a T-stage concordance rate of 65% in a systematic review, using EMR/surgical pathology as the ...

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript No: 41220

Manuscript Type: META-ANALYSIS

Treatment of high-grade dysplasia and intramucosal carcinoma using RFA or EMR+RFA: Meta-analysis and systematic review

Matos MV *et al.* BE treatment

Mileine Valente de Matos, Alberto Machado da Ponte Neto, Diogo Turiani Hourneaux De Moura, Ethan Dwane Maahs, Dalton Marques Chaves, Elisa Ryoka Baba, Edson Ide, Rubens Sallum, Wanderley Marques Bernardo, Eduardo Guimarães Hourneaux de Moura

Match Overview

| | | |
|---|---|-----|
| 1 | Internet 15 words crawled on 23-Aug-2013 lordsurgery.com | 1% |
| 2 | Crossref 12 words Ron Ram, Liat Vidal, Ronit Gurion, Pia Raanani, Ofer Shp ... berg, "Chapter 15 Evidence-Based Guided Interventions in | <1% |
| 3 | Internet 12 words crawled on 02-Oct-2018 pure.uva.nl | <1% |

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 6,690 条结果 (用时 0.53 秒)

High-grade Dysplasia and Intramucosal Adenocarcinoma in Barrett's ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4389732/> - 翻译此页

作者: CL Leggett - 2012 - 被引用次数: 10 - 相关文章

[7] Staging with EMR has been shown to correlate well with pathology at esophagectomy. ... This treatment modality is best suited for discrete lesions that are less than Radiofrequency Ablation in Barrett's Esophagus with High-grade Dysplasia after endoscopic ablative therapy: a meta-analysis and systematic review.

Tu1191 Systematic Review of the Endoscopic Treatment of High ...

[https://www.giejournal.org/article/S0016-5107\(17\)31517-1/abstract](https://www.giejournal.org/article/S0016-5107(17)31517-1/abstract) - 翻译此页

作者: MV de Matos - 2017

Tu1191 Systematic Review of the Endoscopic Treatment of High-Grade Dysplasia and Intramucosal Carcinoma: Resection With Radiofrequency Ablation Versus Isolated Ablation ... This meta-analysis aims to compare two endoscopic techniques, ... associated with radiofrequency ablation (EMR + RFA), for the treatment of ...

Tu1191 Systematic Review of the Endoscopic Treatment of High ...

[https://www.giejournal.org/article/S0016-5107\(17\)31517-1/fulltext](https://www.giejournal.org/article/S0016-5107(17)31517-1/fulltext) - 翻译此页

作者: MV de Matos - 2017

... Endoscopic Treatment of High-Grade Dysplasia and Intramucosal Carcinoma: Resection With ... This meta-analysis aims to compare two endoscopic techniques, ... associated with radiofrequency ablation (EMR + RFA), for the treatment of ...

Management of oesophageal intramucosal carcinoma | BMJ Case ...

<https://casereports.bmj.com/content/2018/bcr-2018-224893> - 翻译此页

作者: D Ashrafi - 2018

We present an interesting case of an intramucosal carcinoma (IMC) in the setting of ... dysplasia to high-grade dysplasia (HGD) and to invasive carcinoma.³ The They found a pool recurrence rate of 9.2% per patient-year for RFA+EMR, for superficial esophageal carcinoma: a systematic review and meta-analysis.