

2
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 41562

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Neonatal rhesus monkeys as animal model for rotavirus infection

Na Yin, Feng-Mei Yang, Hong-Tu Qiao, Yan Zhou, Su-Qin Duan, Xiao-Chen Lin, Jin-Yuan Wu, Yu-Ping Xie, Zhan-Long He, Mao-Sheng Sun, Hong-Jun Li

Abstract

AIM

To establish a Rotavirus (RV)-included diarrhea model using RV SA11 in

Match Overview

1	Internet 15 words crawled on 01-Feb-2010 jvi.asm.org	<1%
2	Internet 15 words crawled on 05-Oct-2017 real.mtak.hu	<1%
3	Internet 13 words crawled on 03-Jul-2017 ca.gsk.com	<1%

找到约 26,300 条结果 (用时 0.58 秒)

Google 学术 : Neonatal rhesus monkeys as animal model for rotavirus infection

... extraintestinal viral infection in the neonatal rat model - Crawford - 被引用次数 : 149

... of a rotavirus-shedding model in rhesus macaques, ... - McNeal - 被引用次数 : 85

... a quadrivalent rhesus rotavirus-based human rotavirus ... - Kapikian - 被引用次数 : 244

Development of a Rotavirus-Shedding Model in Rhesus Macaques ...

jvi.asm.org/content/79/2/944.full [▼ 翻译此页](#)

作者 : MM McNeal - 2005 - 被引用次数 : 86 - [相关文章](#)

Therefore, this study was designed to develop a rhesus macaque model for rotavirus studies. ... Although natural rotavirus infection has been found to provide substantial ... A number of animal models have been developed to help understand the Diarrhea in newborn cynomolgus monkeys infected with human rotavirus.

Group A Rotavirus Infection and Age-Dependent Diarrheal Disease in ...

jvi.asm.org/content/76/1/41.full [▼ 翻译此页](#)

作者 : M Ciarlet - 2002 - 被引用次数 : 80 - [相关文章](#)

In addition, infection of neonatal rats with RRV but not with PBS resulted in ... The use of animal models of rotavirus infection has provided key insights in our G3) was originally isolated from the feces of a 3-month-old rhesus monkey with ...

A gastrointestinal rotavirus infection mouse model for immune ...

<https://virologyj.biomedcentral.com/articles/10.1186/1743-422X-8-109> [▼ 翻译此页](#)

作者 : K Knipping - 2011 - 被引用次数 : 17 - [相关文章](#)

2011年3月8日 - Therefore, neonatal mice were inoculated with a rhesus rotavirus strain (RRV) at ...



全部 图片 新闻 视频 购物 更多 设置 工具

找到约 35,500 条结果 (用时 0.55 秒)

Google 学术: Neonatal rhesus monkeys as animal model for rotavirus infection

... extraintestinal viral infection in the neonatal rat model - Crawford - 被引用次数: 151

... of a rotavirus-shedding model in rhesus macaques, ... - McNeal - 被引用次数: 87

... a quadrivalent rhesus rotavirus-based human rotavirus ... - Kapikian - 被引用次数: 246

Development of a Rotavirus-Shedding Model in Rhesus Macaques ...

<https://jvi.asm.org/content/79/2/944> - 翻译此页

作者: MM McNeal - 2005 - 被引用次数: 87 - 相关文章

Therefore, this study was designed to develop a rhesus macaque model for rotavirus ... Although natural rotavirus infection has been found to provide substantial ... Every animal was monitored for diarrhea and signs of lethargy on a daily basis. Passive immunity to bovine rotavirus in newborn calves fed colostrum ...

A gastrointestinal rotavirus infection mouse model for immune ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3061940/> - 翻译此页

作者: K Knipping - 2011 - 被引用次数: 17 - 相关文章

2011年3月8日 - Therefore, neonatal mice were inoculated with a rhesus rotavirus strain (RRV) at ... was grown in African green monkey kidney MA104 cells (ECACC, Salisbury, UK) ... Schematic design of

找到约 25,000 条结果 (用时 0.69 秒)

Google 学术: Neonatal rhesus monkeys as animal model for rotavirus infection

... extraintestinal viral infection in the neonatal rat model - Crawford - 被引用次数: 151

... of a rotavirus-shedding model in rhesus macaques, ... - McNeal - 被引用次数: 87

... a quadrivalent rhesus rotavirus-based human rotavirus ... - Kapikian - 被引用次数: 246

Development of a Rotavirus-Shedding Model in Rhesus Macaques ...

<https://jvi.asm.org/content/79/2/944> - 翻译此页

作者: MM McNeal - 2005 - 被引用次数: 87 - 相关文章

Therefore, this study was designed to develop a rhesus macaque model for rotavirus studies. ...

Although natural rotavirus infection has been found to provide substantial ... A number of animal models have been developed to help understand the Diarrhea in newborn cynomolgus monkeys infected with human rotavirus.

A gastrointestinal rotavirus infection mouse model for immune ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3061940/> - 翻译此页

作者: K Knipping - 2011 - 被引用次数: 17 - 相关文章

2011年3月8日 - Therefore, neonatal mice were inoculated with a rhesus rotavirus strain (RRV) at ... was grown in African green monkey kidney MA104 cells (ECACC, Salisbury, UK) ... Schematic design of the rotavirus double infection model.

Rotavirus Viremia and Extraintestinal Viral Infection in the Neonatal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1472071/> - 翻译此页

作者: SE Crawford - 2006 - 被引用次数: 151 - 相关文章

The neonatal rat model of rotavirus infection was used to determine the ... of a 3 1/2-month-old rhesus monkey with diarrhea) and human HAL1166 (P11[14], G8, ...

Macaque Models of Human Infectious Disease | ILAR Journal | Oxford ...

<https://academic.oup.com/ilarjournal/article/49/2/220/675289> - 翻译此页