

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 8,170 条结果 (用时 0.48 秒)

[PDF] Diagnostic value of liver function enzymes for choledocholithiasis

www.ijcem.com/files/ijcem0018089.pdf - 翻译此页

作者: G Li - 2016 - 相关文章

2016年7月30日 - had markedly increased serum levels of ALT, AST, ACP, GGT, DBIL ... and GGT had low sensitivity (74.20%; 67.50%; 56.70%) and high ... The liver function test could only serve as a subsidiary diagnostic method. ... Approximately, 7-20% of cholelithiasis cases ... parameter: normal subgroup and abnormal.

Role of Liver Function Enzymes in Diagnosis of Choledocholithiasis in ...

https://www.researchgate.net/.../51788527_Role_of_Liver_Function_Enzym... - 翻译此页

2018年8月1日 - PDF | Liver functional tests due to inflammatory process which induced by cholecystitis ... Elevated level of liver enzymes had not main role in CBD diagnosis and ERCP had no to ...

Keywords: Liver functional tests; Cholelithiasis; Common bile duct ... sex, serum level of AST, ALT, ALP and bilirubin and.

Diagnostic value of liver function enzymes for choledocholithiasis

https://www.researchgate.net/.../306225732_Diagnostic_value_of_liver_func... - 翻译此页

The study aimed to investigate the diagnostic value of liver function enzymes in ... had markedly increased serum levels of ALT, AST, ACP, GGT, DBIL and IBIL than the ... ALT, AST and GGT had low sensitivity (74.20%; 67.50%; 56.70%) and high ... concomitant asymptomatic choledocholithiasis cholecystolithiasis patients.

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 42596

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Combination of serum GGT and ALP in the predicting the diagnosis of asymptomatic choledocholithiasis secondary to cholecystolithiasis

Mei Y *et al.* Diagnostic value of GGT and ALP in asymptomatic
¹choledocholithiasis

Yong Mei, Li Chen, Peng-Fei Zeng, Ci-Jun Peng, Jun Wang, Wen-Ping Li,
¹Chao Du, Kun Xiong, Kai Leng, Chun-Lin Feng, Ji-Hu Jia

Match Overview

7 matches

1	Internet 105 words crawled on 07-Dec-2018 www.wjnet.com	4%
2	Internet 21 words crawled on 05-Apr-2010 www.ptolemy.ca	1%
3	Internet 17 words crawled on 18-May-2016 www.bioinfopublication.org	1%

找到约 9,750 条结果 (用时 0.46 秒)

Predicting the presence of choledocholithiasis in patients with ...

https://www.researchgate.net/.../14523697_Predicting_the_presence_of_chol... - 翻译此页

Accurate preoperative **prediction** of **choledocholithiasis** is essential in order to ... those patients with symptomatic **cholelithiasis** who would most likely benefit from **diagnostic** accuracy of **serum** bilirubin and **serum ALP** at two cut-offs for each test. ... to their likelihood (low, intermediate, and **high**) of harboring **CBD stones** at ...

Choledocholithiasis: Evolving standards for diagnosis and management

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4087957/> ▼ 翻译此页

作者 : ML Freitas - 2006 - 被引用次数 : 214 - 相关文章

2006年5月28日 - Cholecystectomy is no longer routinely performed for **asymptomatic** gallstones in those ... Liver function tests (LFT) can be used to **predict CBD stones**[4,5]. Elevated **serum** bilirubin and **alkaline phosphatase** typically reflect biliary ... Intravenously administered contrast agents, **combined** with **high** resolution ...

Predictor factors for choledocholithiasis. - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26176246> ▼ 翻译此页

作者 : J Tozatti - 2015 - 被引用次数 : 15 - 相关文章

The preoperative **diagnosis** guides the interventional treatment on the bile duct AIM: ... In regard to imaging studies, ultrasound was fairly accurate for **cholelithiasis** and ... **choledocholithiasis**; **GGT** showed better sensitivity and **alkaline phosphatase** ... magnetic resonance cholangiopancreatography showed **high** specificity.

缺少字词 : combination serum asymptomatic

[PDF] Diagnostic value of liver function enzymes for choledocholithiasis

www.ijcem.com/files/ijcem0018089.pdf ▼ 翻译此页

作者 : G Li - 2016 - 相关文章

2016年7月30日 - sion model was established to assess the **combined predictive** ... had markedly increased **serum** levels of ALT, AST, ACP, **GGT**, DBIL and ... and **GGT** had low sensitivity (74.20%; 67.50%; 56.70%) and **high** ... Approximately, 7-20% of **cholelithiasis** cases [7] Montariol T. **Diagnosis of asymptomatic** com-

[PDF] Evaluation and Management of Gallstone-Related Diseases in Non ...

www.med.umich.edu/1info/FHP/practiceguides/gallstone/Gallstonefinal.pdf ▼ 翻译此页

choledocholithiasis, cholangitis, or mild gallstone pancreatitis. Pregnant ... acute cholecystitis In rare cases where the **diagnosis** of cholecystitis remains uncertain after this clinical findings above, in

找到约 9,850 条结果 (用时 0.50 秒)

Predicting the presence of choledocholithiasis in patients with ...

https://www.researchgate.net/.../14523697_Predicting_the_presence_of_chol... - 翻译此页

Accurate preoperative prediction of choledocholithiasis is essential in order to ... those patients with symptomatic cholelithiasis who would most likely benefit from ... diagnostic accuracy of serum bilirubin and serum ALP at two cut-offs for each test. ... to their likelihood (low, intermediate, and high) of harboring CBD stones at ...

[PDF] Diagnostic value of liver function enzymes for choledocholithiasis

www.ijcem.com/files/ijcem0018089.pdf - 翻译此页

作者: G Li - 2016 - 相关文章

2016年7月30日 - sion model was established to assess the combined predictive ... had markedly increased serum levels of ALT, AST, ACP, GGT, DBIL and ... and GGT had low sensitivity (74.20%; 67.50%; 56.70%) and high ... Approximately, 7-20% of cholelithiasis cases [7] Montariol T. Diagnosis of asymptomatic com-

The Predictivity of Serum Biochemical Markers in Acute Biliary ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3168389/> - 翻译此页

作者: B Güngör - 2011 - 被引用次数: 12 - 相关文章

2010年11月24日 - Obstructions of biliary ducts, idiopathic pancreatitis may be related with ... Serum Alkaline Phosphatase, total bilirubin, direct bilirubin, amylase ... The diagnosis of acute pancreatitis was established by increased ... The accuracy of USG in detecting cholelithiasis and choledocholithiasis decreases during the ...

缺少字词: asymptomatic

Choledocholithiasis: Evolving standards for diagnosis and management

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4087957/> - 翻译此页

作者: ML Freitas - 2006 - 被引用次数: 214 - 相关文章

2006年5月28日 - Cholecystectomy is no longer routinely performed for asymptomatic gallstones in those ... Liver function tests (LFT) can be used to predict CBD stones[4,5]. Elevated serum bilirubin and alkaline phosphatase typically reflect biliary ... Intravenously administered contrast agents, combined with high resolution ...

[PDF] Evaluation and Management of Gallstone-Related Diseases in Non ...

www.med.umich.edu/1info/FHP/practiceguides/gallstone/Gallstonefinal.pdf - 翻译此页

choledocholithiasis, cholangitis, or mild gallstone pancreatitis. Pregnant ... acute cholecystitis In rare cases where the diagnosis of cholecystitis remains uncertain after this ... clinical findings above, in