

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 42672

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Pelvic exenterations for primary rectal cancer: Analysis from a 10-year national prospective database**

Pellino G *et al.* PE for LAPRC

Gianluca Pellino, Sebastiano Biondo, Antonio Codina Cazador, José María Enríquez-Navascues, Eloy Espín-Basany, Jose Vicente Roig-Vila, Eduardo García-Granero

**Abstract**

**AIM**

To identify short-term and oncologic outcomes of pelvic exenterations (PE) for locally advanced primary rectal cancer (LAPRC) in patients included in a national prospective database.

**METHODS**

Few studies report on PE in patients with LAPRC. For this study, we included PE for LAPRC performed between 2006 and 2017, as available, from the Rectal Cancer Registry of the Spanish Association of Surgeons [Asociación Española de

Match Overview

1	<b>Crossref</b> 18 words Maurice B. Loughrey. "Pelvic Exenteration Specimens", <i>Histo pathology Specimens</i> , 2004	<1%
2	<b>Internet</b> 16 words crawled on 27-Dec-2016 <a href="http://www.beta.esmo.org">www.beta.esmo.org</a>	<1%
3	<b>Internet</b> 14 words crawled on 02-Nov-2018 <a href="http://misjournal.net">misjournal.net</a>	<1%
4	<b>Internet</b> 14 words crawled on 12-May-2018 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%
5	<b>Internet</b> 12 words crawled on 21-Dec-2013 <a href="http://www.cancernewstoday.com">www.cancernewstoday.com</a>	<1%
6	<b>Internet</b> 12 words crawled on 07-Apr-2018 <a href="http://docplayer.net">docplayer.net</a>	<1%
7	<b>Internet</b> 12 words crawled on 07-Oct-2018 <a href="http://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 22,000 条结果 (用时 0.67 秒)

您是不是要找: **Pelvic *exenteration*** for primary rectal cancer: analysis from a 10-year National prospective database

**Outcomes of pelvic exenteration for recurrent or primary locally ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559615/> - 翻译此页

作者: HY Yang - 2015 - 被引用次数: 5 - 相关文章

2015年8月24日 - The 5-year overall survival was significantly different between primary ... Recent data suggest that approximately 10% of primary rectal carcinomas ... Pelvic exenteration for primary rectal cancer can provide a ... or LRCRC underwent pelvic exenteration at the National Cancer Center, Republic of Korea.

**PubMed Result - NCBI**

[https://www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed\\_pubmed...](https://www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed_pubmed...) - 翻译此页

Outcome in patients with resectable locally recurrent rectal cancer after total mesorectal ... factors of local recurrent rectal cancer: a pooled analysis of 150 patients. ... Laurberg S. A 10-year experience of total pelvic exenteration for primary advanced and locally recurrent rectal cancer based on a prospective database.

**(PDF) Outcomes of pelvic exenteration for recurrent and primary ...**

[https://www.researchgate.net/.../320332335\\_Outcomes\\_of\\_pelvic\\_exenterati...](https://www.researchgate.net/.../320332335_Outcomes_of_pelvic_exenterati...) - 翻译此页

2018年8月1日 - This was a retrospective analysis of prospectively collected data. ... follow-up time of 32.5 and 56.6 months (p 0.01), the 5-year DFS was significantly ... locally advanced primary rectal cancer (ARC) or locally recurrent rectal .... Wanebo et al. published the outcomes of 10 patients with RRC undergoing pelvic.

**Kirk Austin's research works | Royal Prince Alfred Hospital ...**

[https://www.researchgate.net/scientific-contributions/30800946\\_Kirk\\_Austin](https://www.researchgate.net/scientific-contributions/30800946_Kirk_Austin) - 翻译此页

OBJECTIVE: The aim of the study was to analyze data from an international ... BACKGROUND: With improved national screening programs fewer patients ... 21 , and 10 months (P < 0.001) with a 3-year survival of 56.4%, 29.6%, and 8.1%, .... Outcomes of pelvic exenteration for locally advanced primary rectal cancer: Overall



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 27,800 条结果 (用时 0.62 秒)

您是不是要找: **Pelvic *exenteration*** for primary rectal cancer: Analysis from a 10-year national prospective database

**Outcomes of pelvic exenteration for recurrent or primary locally ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559615/> ▾ [翻译此页](#)

作者: HY Yang - 2015 - 被引用次数: 5 - 相关文章

2015年8月24日 - US **National** Library of Medicine ... The 5-**year** overall survival was significantly different between **primary** LACRC ... Multivariate **analysis** revealed that radicality (R0 vs. ... Recent **data** suggest that approximately **10%** of **primary** rectal carcinomas ... **Pelvic exenteration for primary rectal cancer** can provide a ...

**Total pelvic exenteration for rectal cancer: outcomes and prognostic ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3238342/> ▾ [翻译此页](#)

作者: TS Domes - 2011 - 被引用次数: 30 - 相关文章

With the advent of total mesorectal excision for **rectal carcinoma**, several studies ... to postoperative morbidity. In the face of disparate **data** regarding the morbidity ..... **analysis** was performed by multiple pathologists over the **10-year** study period . .... Total **pelvic exenteration for primary** and locally recurrent **rectal cancer**.

**New Horizons In Rectal Cancer Management: Locally Advanced ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5711537/> - [翻译此页](#)

2017年12月1日 - Locally Advanced Disease and **Pelvic Exenterations** ... activities as these patients are not generally included in standard **national databases**, ... therapies, recurrence may occur as late as **10 years** following **primary** surgery. .... advanced and locally recurrent **rectal cancer** based on a **prospective database**.

**Kirk Austin's research works | Royal Prince Alfred Hospital ...**

[https://www.researchgate.net/scientific-contributions/30800946\\_Kirk\\_Austin](https://www.researchgate.net/scientific-contributions/30800946_Kirk_Austin) - [翻译此页](#)

OBJECTIVE: The aim of the study was to **analyze data** from an international ... BACKGROUND: With improved **national** screening programs fewer patients ... 21 , and **10** months (P < 0.001) with a 3-**year** survival of 56.4%, 29.6%, and 8.1%, .... Outcomes of **pelvic exenteration** for locally advanced **primary** **rectal cancer**. Overall

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 29,800 条结果 (用时 0.67 秒)

您是不是要找: **Pelvic exenteration** for primary rectal cancer: Analysis from a 10-year national prospective database

**Outcomes of pelvic exenteration for recurrent or primary locally ...**

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4559615/> - 翻译此页

作者: HY Yang - 2015 - 被引用次数: 5 - 相关文章

2015年8月24日 - US National Library of Medicine ... The 5-year overall survival was significantly different between primary LACRC ... Multivariate analysis revealed that radicality (R0 vs. ... Recent data suggest that approximately 10% of primary rectal carcinomas ... Pelvic exenteration for primary rectal cancer can provide a ...

**PubMed Result - NCBI**

[https://www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed\\_pubmed...](https://www.ncbi.nlm.nih.gov/pubmed?linkname=pubmed_pubmed...) - 翻译此页

Outcome in patients with resectable locally recurrent rectal cancer after total mesorectal ... A. Management and prognosis of locally recurrent rectal cancer - A national ... Laurberg S. A 10-year experience of total pelvic exenteration for primary advanced and locally recurrent rectal cancer based on a prospective database.

**A 10-year experience of total pelvic exenteration for primary advanced ...**

[https://www.researchgate.net/.../51820745\\_A\\_10-year\\_experience\\_of\\_total\\_...](https://www.researchgate.net/.../51820745_A_10-year_experience_of_total_...) - 翻译此页

2018年7月31日 - A 10-year experience of total pelvic exenteration for primary advanced and locally recurrent rectal cancer based on a prospective database.

**(PDF) Outcomes of pelvic exenteration for recurrent and primary ...**

[https://www.researchgate.net/.../320332335\\_Outcomes\\_of\\_pelvic\\_exenterati...](https://www.researchgate.net/.../320332335_Outcomes_of_pelvic_exenterati...) - 翻译此页

2018年8月1日 - This was a retrospective analysis of prospectively collected data. ... follow-up time of 32.5 and 56.6 months (p 0.01), the 5-year DFS was significantly ... locally advanced primary rectal cancer (ARC) or locally recurrent rectal .... Wanebo et al. published the outcomes of 10 patients with RRC undergoing pelvic.