

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 42403

Manuscript Type: CASE REPORT

Successful treatment of obstructing colonic cancer by combining self-expandable stent and neoadjuvant chemotherapy: A case report

Li ZL *et al.* Successful treatment of obstructing colonic cancer by combining self-expandable stent and neoadjuvant chemotherapy

Zhu-Lin Li, Zhen-Jun Wang, Jia-Gang Han, Yong Yang

Abstract

Match Overview

1	Internet 42 words crawled on 19-Mar-2018 pure.uva.nl	3%
2	Crossref 33 words Toshikatsu Nitta , Jun Kataoka , Masato Ohta , Kensuke Fujii , Tomo Tominaga , Yoshihiro Inoue , Hiroshi Kawasaki , Takas	2%
3	Internet 29 words crawled on 02-Nov-2018 www.univadis.co.uk	2%
4	Internet 20 words crawled on 01-Jul-2018 www.thieme-connect.de	1%
5	Internet 19 words crawled on 06-Dec-2017 www.spandidos-publications.com	1%
6	Internet 15 words crawled on 01-Mar-2018 tcmwell.com	1%

找到约 16,700 条结果 (用时 0.52 秒)

[A Case of Locally Far-Advanced Colon Cancer Resected by ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/28133252> - 翻译此页

作者 : Y Ishii - 2016

We report a case of locally far-advanced colon cancer resected by laparoscopic surgery after colonic stent insertion and neoadjuvant chemotherapy. ... Self-expandable metallic stent insertion for obstructive colon cancer alleviated the ... neoadjuvant chemotherapy can be an effective treatment for obstructive colon cancer.

Self-expanding metal stents in malignant colonic obstruction ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3163214/> ▼ 翻译此页

作者 : M Lepsenyi - 2011 - 被引用次数 : 13 - 相关文章

2011年7月30日 - Acute surgery in the management of malignant colonic obstruction is One case of stent migration occurred in a patient who had chemotherapy after SEMS treatment. ... are achieved by colostomy combined with tumor resection primarily or ... This study shows that SEMS is a reasonably safe and effective ...

[Two cases of advanced rectal cancer resected successfully after ...

https://www.researchgate.net/.../40786073_Two_cases_of_advanced_rectal_... - 翻译此页

A detailed examination revealed a rectal cancer with direct invasion of the... We describe here two cases of locally advanced rectal cancer treated with neoadjuvant chemotherapy prior to surgery. The first ... One course of FOLFOX4 and six courses of mFOLFOX6 (combined with ... Four were case reports [48][49] [50] [51].

Placement of a self-expandable metallic stent as a bridge to surgery ...

<https://surgicalcasereports.springeropen.com/articles/10.../s40792-018-0509-...> ▼ 翻译此页

作者 : F Ando - 2018

2018年8月23日 - We successfully treated three patients with large bowel obstruction induced

全部

新闻

图片

视频

购物

更多

设置

工具

找到约 16,300 条结果 (用时 0.53 秒)

Experience With Endoluminal Colonic Wall Stents for the Management ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/390559> - 翻译此页

作者: WZ Tamim - 2000 - 被引用次数: 76 - 相关文章

Among those with malignant **obstruction**, 6 patients had **successful** and lasting ... after **stent** migration and has continued palliation of his stage 4 **rectal cancer** for the ... **Expandable** endoluminal **stents**, which are widely used in **treating** biliary and ... Over 2½ years, 11 consecutive patients were enrolled in this **study** and 10 ...

Self-Expandable Metal Stents for Colorectal Cancer: From Guidelines ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5580185/> - 翻译此页

作者: MPC Santos - 2016 - 被引用次数: 3 - 相关文章

2016年10月4日 - Colonic **self-expandable** metal **stent** placement is widely used for palliation of ... three patients who underwent **neoadjuvant chemotherapy**). ... In this **study**, **stent** placement was an **effective** procedure in **obstructive colorectal cancer**. ... in up to 20% of **colonic cancer** patients.² The **management** of this severe ...

缺少字词: combining

Surgical Case Reports | Articles - SpringerOpen

<https://surgicalcasereports.springeropen.com/articles> ▼ 翻译此页

The Surgical **Case Reports** is a peer-reviewed open access journal ... Placement of a **self-expandable** metallic **stent** as a bridge to surgery for large **bowel obstruction** induced by **effective neoadjuvant** therapy: **report** Although patients with stage IV gastric **cancer** who respond well to systemic **chemotherapy** can be **treated** ...

[PDF] Safety and efficacy of self-expandable metal stents for obstructive ...

https://www.rcpe.ac.uk/sites/default/files/jrcpe_47_1_mitra_0.pdf ▼ 翻译此页

Self-expandable metal **stents** are often used to **treat obstructive** large **bowel cancers**. This **study** assessed the safety and efficacy of **colonic stent** ... **obstruction** is safe and **effective** and can be **successfully** delivered in a district ... the uK, accounting for 13% of all new **cancer cases**, and the **chemotherapy** administration.

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 18,400 条结果 (用时 0.52 秒)

[A Case of Locally Far-Advanced Colon Cancer Resected by ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/28133252> - 翻译此页

作者: Y Ishii - 2016

We report a case of locally far-advanced colon cancer resected by laparoscopic surgery after colonic stent insertion and neoadjuvant chemotherapy. ... Self-expandable metallic stent insertion for obstructive colon cancer alleviated the ... neoadjuvant chemotherapy can be an effective treatment for obstructive colon cancer.

Self-expanding metal stents in malignant colonic obstruction ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3163214/> ▼ 翻译此页

作者: M Lepsenyi - 2011 - 被引用次数: 13 - 相关文章

2011年7月30日 - Acute surgery in the management of malignant colonic obstruction is One case of stent migration occurred in a patient who had chemotherapy after SEMS treatment. ... are achieved by colostomy combined with tumor resection primarily or ... This study shows that SEMS is a reasonably safe and effective ...

[PDF]

Use of Stenting for Obstructing Rectal Cancer as a ... - Gavin Publishers

https://gavinpublishers.com/admin/.../1542791873article_pdf652519017.pdf ▼ 翻译此页

2018年10月24日 - Bridge to Neoadjuvant Therapy and Surgery: A Case Series. ... The role of SEMS in the management of obstructing rectal cancers is not well defined. ... Results: All SEMS were placed successfully, and patients quickly started and 5. A prospective multicenter study on self-expandable metallic stents as.

Neoadjuvant Chemotherapy Versus Surgery Alone After Stent ...

<https://clinicaltrials.gov/ct2/show/NCT02972541> ▼ 翻译此页

2016年11月23日 - Self-expanding metallic stents (SEMS) have been used as a bridge to surgery ... Colorectal Cancer Neoadjuvant Chemotherapy Stent Obstruction, Device: ... After clinical success of colonic stenting, patients will receive neoadjuvant ... with unresectable colorectal cancer, or planning for palliative treatment.

缺少字词: combining expandable

Experience With Endoluminal Colonic Wall Stents for the Management ...

<https://jamanetwork.com/journals/jamasurgery/fullarticle/390559> - 翻译此页

作者: WZ Tamim - 2000 - 被引用次数: 76 - 相关文章

Among those with malignant obstruction, 6 patients had successful and lasting ... after stent migration and has continued palliation of his stage 4 rectal cancer for the ... Expandable endoluminal stents, which are widely used in treating biliary and ... with acute LBO using a