

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 471,000 条结果 (用时 0.40 秒)

The most well known criteria for the diagnosis of gastroduodenal **Crohn's disease** are those of Nugent and Roy, which include either 1) histologic finding of noncaseating granulomatous inflammation of the **stomach** or **duodenum**, with or without concomitant **Crohn's disease** in the remaining gastrointestinal tract, and the ...

Gastroduodenal Crohn's disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1201000/>

关于这条结果的详细信息 反馈

Gastroduodenal Crohn's disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1201000/> ▾ [翻译此页](#)

作者: CH Kefalas - 2003 - 被引用次数: 34 - [相关文章](#)

The most well known criteria for the diagnosis of gastroduodenal **Crohn's disease** are those of Nugent and Roy, which include either 1) histologic finding of noncaseating granulomatous inflammation of the **stomach** or **duodenum**, with or without concomitant **Crohn's disease** in the remaining gastrointestinal tract, and the ...

[BRIEF CASE REPORT](#) · [DEFINITION/EPIDEMIOLOGY](#) · [DIAGNOSIS](#) · [TREATMENT](#)

High incidence of upper gastrointestinal tract involvement in children ...

<https://www.ncbi.nlm.nih.gov/pubmed/2717294> ▾ [翻译此页](#)

作者: C Lenaerts - 1989 - 被引用次数: 170 - [相关文章](#)

This retrospective study of **Crohn disease** in 230 children and adolescents with a mean age of 12.5 years at the time of diagnosis and an average follow-up of 6.6 years showed that 30% had lesions of the **esophagus, stomach, and duodenum**. Three patients had **Crohn disease** isolated to the upper gastrointestinal tract.

What is gastroduodenal Crohn's disease? | IBDrelief

<https://www.ibdrelief.com/...crohns-disease/gastroduodenal-crohns-disease> ▾ [翻译此页](#)

Gastroduodenal **Crohn's disease** is a form of **Crohn's disease** that causes inflammation to the **oesophagus, stomach** and/or **duodenum** (the first part of the **small intestine**). ... It is a lifelong chronic condition which cannot currently be cured and is part of a group of conditions known as **inflammatory**

Name of Journal: *World Journal of Gastrointestinal Pharmacology and Therapeutics*

Manuscript NO: 42976

Manuscript Type: REVIEW

Crohn's disease of esophagus, stomach and duodenum

Pimentel AM *et al.* Crohn's disease in upper gastrointestinal tract

Andréa Maia Pimentel, Raquel Rocha Dos Santos, Genoile Oliveira Santana

Abstract

Crohn's disease with involvement of the esophagus, stomach and duodenum has a prevalence of 0.5% to 4% in symptomatic adult patients, but some studies have shown that these results may be underestimated, since upper

Match Overview

1	Internet 53 words crawled on 01-Apr-2018 academic.oup.com	1%
2	Internet 42 words crawled on 13-Jun-2017 www.wjgnet.com	1%
3	Crossref 31 words De Felice, Kara M., David A. Katzka, and Laura E. Raffals. "Crohn's Disease of the Esophagus : Clinical Features and ...	1%
4	Crossref 11 words Harry L. Reynolds, Thomas A. Stellato. "Crohn's Disease of the Foregut", <i>Surgical Clinics of North America</i> , 2001	<1%
5	Crossref 10 words Oberhuber, G.. "Focally enhanced gastritis: A frequent type of gastritis in patients with Crohn's disease", <i>Gastroenterol</i>	<1%
6	Crossref 10 words E.F. Stange, S.P.L. Travis, S. Vermeire, W. Reinisch et al. "European evidence-based Consensus on the diagnosis and ...	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 763,000 条结果 (用时 0.37 秒)

The most well known criteria for the diagnosis of gastroduodenal **Crohn's disease** are those of Nugent and Roy, which include either 1) histologic finding of noncaseating granulomatous inflammation of the **stomach** or **duodenum**, with or without concomitant **Crohn's disease** in the remaining gastrointestinal tract, and the ...

Gastroduodenal Crohn's disease - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1201000/>[? 关于这条结果的详细信息](#) [反馈](#)

List Crohn's Disease Can Affect My What? - Verywell Health

<https://www.verywellhealth.com> > ... > Crohn's Disease ▼ [翻译此页](#)

2018年7月5日 - The **Stomach**. In about 5% of patients with **Crohn's disease**, the **stomach** may be affected. The two forms that affect the **stomach** are called jejunoileitis and gastroduodenal **Crohn's Disease**. In jejunoileitis, the middle part of the **small intestine**, which is called the **jejunum**, is also affected.

Crohn's disease of the esophagus, stomach and duodenum: a review ...

<https://www.ncbi.nlm.nih.gov/pubmed/5027454> - [翻译此页](#)作者 : RJ Bagby - 1972 - 被引用次数 : 27 - [相关文章](#)

South Med J. 1972 May;65(5):515-23. **Crohn's disease** of the **esophagus**, **stomach** and **duodenum**: a review with emphasis on the radiographic findings.

Crohn's disease of the duodenum. - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1411288/> ▼ [翻译此页](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 702,000 条结果 (用时 0.51 秒)

Background. **Crohn's disease** (CD) may involve any part of the gastrointestinal tract. ... The rates of **Crohn's** specific lesion in the **esophagus**, upper-to-middle **stomach**, lower **stomach**, **duodenal** bulb, and 2nd portion of the **duodenum** were 6.5%, 47.8%, 24.6%, 31.9%, and 18.1%, respectively. 2013年12月21日

Endoscopic and Pathologic Changes of the Upper Gastrointestinal ...

<https://www.hindawi.com/journals/bmri/2014/610767/>

关于这条结果的详细信息 反馈

Crohn's disease of the esophagus, stomach and duodenum: a review ...

<https://www.ncbi.nlm.nih.gov/pubmed/5027454> - 翻译此页

作者: RJ Bagby - 1972 - 被引用次数: 26 - 相关文章

South Med J. 1972 May;65(5):515-23. **Crohn's disease** of the **esophagus**, **stomach and duodenum**: a review with emphasis on the radiographic findings.

The endoscopic findings of the upper gastrointestinal tract in patients ...

<https://www.ncbi.nlm.nih.gov/pubmed/28695451> - 翻译此页

作者: Y Nomura - 2017 - 被引用次数: 2 - 相关文章

2017年7月10日 - **Crohn's disease** (CD) is a type of chronic **inflammatory bowel disease** ... (GIT), including the **esophagus**, **stomach and duodenum**, inflammatory ...

List Crohn's Disease Can Affect My What? - Verywell Health

<https://www.verywellhealth.com> > ... > **Crohn's Disease** ▼ 翻译此页

2018年7月5日 - The Mouth, **Esophagus**, **Stomach**, and Perianal Area Can Also Be ... **Crohn's disease**, the first part of the **small intestine**, the **duodenum**, is also ...

Endoscopic and Pathologic Changes of the Upper Gastrointestinal ...

<https://www.hindawi.com/journals/bmri/2014/610767/> ▼ 翻译此页

作者: A Sakuraba - 2014 - 被引用次数: 22 - 相关文章

2013年12月21日 - Background. **Crohn's disease** (CD) may involve any part of the gastrointestinal tract. ... The rates of **Crohn's** specific lesion in the **esophagus**, upper-to-middle **stomach**, lower **stomach**, **duodenal** bulb, and 2nd portion of the **duodenum** were 6.5%, 47.8%, 24.6%, 31.9%, and 18.1%, respectively.