

To investigate whether HBV RNA can predict virological response or HBeAg seroconversion during entecavir (ETV) treatment when HBV DNA is undetectable.

- | | | |
|---|---|-----|
| 1 | Crossref 24 words
Tsuge, Masataka, Eisuke Murakami, Michio Imamura, Hiromi Abe, Daiki Miki, Nobuhiko Hiraga, Shoichi Takahashi, Hidenobu | 1% |
| 2 | Crossref 15 words
"Abstracts of the 26th Annual Conference of APASL, February 15-19, 2017, Shanghai, China", Hepatology International, 2017 | <1% |
| 3 | Crossref 13 words
"Posters (Abstracts 264-2239)", Hepatology, 2017 | <1% |
| 4 | Internet 13 words
crawled on 14-May-2018
jamanetwork.com | <1% |
| 5 | Internet 13 words
crawled on 21-Dec-2018
hrjournal.net | <1% |
| 6 | Crossref 12 words
"Posters (Abstracts 301-2389)", Hepatology, 2018 | <1% |
| 7 | Crossref 12 words
Hongxin Huang, Jie Wang, Weijie Li, Ran Chen, Xiangmei Chen, Fengmin Zhang, Dongping Xu, Fengmin Lu. "Serum HBV | <1% |
| 8 | Crossref 12 words
"Abstracts 200-407", Hepatology, 10/2010 | <1% |

找到约 9,790 条结果 (用时 0.47 秒)

Clinical utility of hepatitis B surface antigen kinetics in treatment-naïve ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5807675/> - 翻译此页

作者: TC Lin - 2018 - 被引用次数: 1 - 相关文章

2018年2月14日 - **Serum HBsAg** levels were determined at the baseline, one-year and five-year time points. ... Baseline **HBsAg** can be used to **predict treatment** responses. ... Keywords: Chronic **hepatitis B**, **Entecavir**, **Hepatitis B e antigen**, **Hepatitis B** ... could **predict virological response** in **HBeAg-negative patients**[20,21].

Baseline serum miR-125b levels predict virologic response to nucleos(t)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6176193/> - 翻译此页

作者: P Zhou - 2018

2018年9月3日 - **Patients** with chronic **hepatitis B (CHB)** are at an increased risk of ... **Hepatitis B e antigen (HBeAg) seroconversion** is considered to be the most important ... are small (19–24 nucleotides) non-coding **RNA** molecules that regulate a level **predict virologic response** to **entecavir treatment** for HBeAg-positive ...

On-treatment HBV DNA level could predict HBeAg seroclearance in ...

<https://www.sciencedirect.com/science/article/pii/S172649011730031X> - 翻译此页

作者: YJ Huang - 2017 - 被引用次数: 2 - 相关文章

entecavir, **hepatitis B e antigen**, **hepatitis B virus**, **hepatitis B virus DNA** ... In **patients** with **CHB** infection, **hepatitis B e antigen (HBeAg)** is initially positive and ... **Virological response** is defined as a **serum** level of **HBV DNA** of < 20 IU/mL. for **HBeAg seroconversion** during **treatment** have been studied, and **serum HBV RNA** ...

(HBeAg) Seroconversion and Suboptimal Response in Chronic ...

[www.gastrojournal.org/article/S0016-5085\(11\)63863-8/pdf](http://www.gastrojournal.org/article/S0016-5085(11)63863-8/pdf) - 翻译此页

作者: A Liu - 2011 - 被引用次数: 1 - 相关文章

Changes in **serum HBV DNA** levels, **serum ALT** levels, and fibrosis scores during **treatment** ... Incidence and **Predictors** of Hepatitis B E Antigen (**HBeAg**) **Seroconversion** in. Chronic **Hepatitis B (CHB) Patients Treated** With Anti-HBV Therapy in ... Sustained **Virological Response** in Chronic **Hepatitis B**, HBeAg Positive.

The human C-type lectin 18 is a potential biomarker in patients with ...

<https://ibimedsci.biomedcentral.com/articles/10.1186/s12929-018-0460-2> - 翻译此页

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 18,800 条结果 (用时 0.67 秒)

On-treatment HBV DNA level could predict HBeAg seroclearance in ...

<https://www.sciencedirect.com/science/article/pii/S172649011730031X> - 翻译此页

作者: YJ Huang - 2017 - 被引用次数: 2 - 相关文章

In **patients** with CHB infection, **hepatitis B** e antigen (**HBeAg**) is initially positive and ... **HBV** DNA is capable of **predicting HBeAg seroconversion** or seroclearance ... **Virological response** is defined as a **serum** level of **HBV** DNA of < 20 IU/mL. On-**entecavir treatment** dynamic change of **serum hepatitis B virus (HBV)** DNA ...

Serum hepatitis B virus RNA levels as an early predictor of hepatitis B

...

<https://aasldpubs.onlinelibrary.wiley.com/doi/pdf/10.1002/hep.27381> - 翻译此页

作者: F van Bömmel - 2015 - 被引用次数: 72 - 相关文章

patients with **chronic HBV** infection (50 **HBeAg** positive). **Patients** received ... **predictor** of **HBeAg seroconversion**, when compared to levels of **HBV** DNA, **HBsAg**, ala- ... for the **treatment** of **chronic hepatitis B virus** ... tors, lamivudine (LMV), telbivudine, **entecavir**, adefo- ... **virological response** to long-term **treatment** with poly-.

(HBeAg) Seroconversion and Suboptimal Response in Chronic ...

[www.gastrojournal.org/article/S0016-5085\(11\)63863-8/pdf](http://www.gastrojournal.org/article/S0016-5085(11)63863-8/pdf) - 翻译此页

作者: A Liu - 2011 - 被引用次数: 1 - 相关文章

Changes in **serum HBV** DNA levels, **serum** ALT levels, and fibrosis scores during **treatment** ... Incidence and **Predictors** of Hepatitis B E Antigen (**HBeAg**) **Seroconversion** in. **Chronic Hepatitis B (CHB) Patients Treated With Anti-HBV Therapy** in ... Sustained **Virological Response** in **Chronic Hepatitis B, HBeAg** Positive.

Virus and Host Testing to Manage Chronic Hepatitis B - Oxford Journals

https://academic.oup.com/cid/article-pdf/62/suppl_4/S298/.../ciw024.pdf - 翻译此页

作者: GLH Wong - 2016 - 被引用次数: 1 - 相关文章

Chronic hepatitis B virus (HBV) infection is a major cause of cirrhosis and ... the **serum**, whereas **HBcAg** is located inside the nucleus and not the use of **HBsAg** to **predict response** in non-

找到约 18,800 条结果 (用时 0.67 秒)

On-treatment HBV DNA level could predict HBeAg seroclearance in ...

<https://www.sciencedirect.com/science/article/pii/S172649011730031X> - 翻译此页

作者: YJ Huang - 2017 - 被引用次数: 2 - 相关文章

In **patients** with CHB infection, **hepatitis B** e antigen (**HBeAg**) is initially positive and ... **HBV** DNA is capable of **predicting HBeAg seroconversion** or seroclearance ... **Virological response** is defined as a **serum** level of **HBV** DNA of < 20 IU/mL. On-**entecavir treatment** dynamic change of **serum hepatitis B virus (HBV)** DNA ...

Serum hepatitis B virus RNA levels as an early predictor of hepatitis B

...

<https://aasldpubs.onlinelibrary.wiley.com/doi/pdf/10.1002/hep.27381> - 翻译此页

作者: F van Bömmel - 2015 - 被引用次数: 72 - 相关文章

patients with **chronic HBV** infection (50 **HBeAg** positive). **Patients** received ... **predictor of HBeAg seroconversion**, when compared to levels of **HBV** DNA, **HBsAg**, ala- ... for the **treatment of chronic hepatitis B virus** ... tors, lamivudine (LMV), telbivudine, **entecavir**, adefo- ... **virological response** to long-term **treatment** with poly-.

(HBeAg) Seroconversion and Suboptimal Response in Chronic ...

[www.gastrojournal.org/article/S0016-5085\(11\)63863-8/pdf](http://www.gastrojournal.org/article/S0016-5085(11)63863-8/pdf) - 翻译此页

作者: A Liu - 2011 - 被引用次数: 1 - 相关文章

Changes in **serum HBV** DNA levels, **serum** ALT levels, and fibrosis scores during **treatment** ... Incidence and **Predictors** of Hepatitis B E Antigen (**HBeAg**) **Seroconversion** in. **Chronic Hepatitis B** (CHB) **Patients Treated With Anti-HBV Therapy** in ... Sustained **Virological Response** in **Chronic Hepatitis B, HBeAg** Positive.

Virus and Host Testing to Manage Chronic Hepatitis B - Oxford Journals

https://academic.oup.com/cid/article-pdf/62/suppl_4/S298/.../ciw024.pdf - 翻译此页

作者: GLH Wong - 2016 - 被引用次数: 1 - 相关文章

Chronic hepatitis B virus (HBV) infection is a major cause of cirrhosis and ... the **serum**, whereas **HBcAg** is located inside the nucleus and not the use of **HBsAg** to **predict response** in non-