

找到约 35,600 条结果 (用时 0.48 秒)

Google 学术 : Central Line Associated Bloodstream Infection among Children with Biliary Atresia Listed for Liver Transplantation

... outcomes of 755 patients listed for liver transplantation - Utterson - 被引用次数 : 145

Evolution of liver transplantation - Starzl - 被引用次数 : 1055

... with pediatric living related liver transplantation - Colombani - 被引用次数 : 56

Nicole Triggs, CPNP | Texas Children's Hospital

<https://www.texaschildrens.org/find-a-doctor/nicole-triggs-cnp> ▼ 翻译此页

Liver Center - Gastroenterology, Hepatology and Nutrition ... Triggs N, Beer S, Himes R.

Prevalence and microbiology of central line associated bloodstream infections among children with biliary atresia listed for liver transplantation.

[PDF] Maximising Kasai portoenterostomy in the treatment of biliary atresia

www.dgmc.co.za/docs/news/PaediatricHepatobiliary.pdf ▼ 翻译此页

Endoscopic injection sclerotherapy for bleeding varices in children with intrahepatic and ...

Problems related to cytomegalovirus infection and biliary atresia 102, No. 11 SAMJ agreed first-line treatment, but there is controversy about the value of risk factors, and outcomes of 755 patients listed for liver transplantation.

Staphylococcus aureus infections among Children Receiving a Solid ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4308533/> ▼ 翻译此页

作者 : JC McNeil - 2015 - 被引用次数 : 2 - 相关文章

2015年1月9日 - In 10 cases (16.9%), S. aureus infection was associated with graft rejection ...

For purposes of this study, we used the diagnosis of central-line-associated bloodstream-infection (CLA-BSI) *Underlying conditions leading to transplantation are listed. ... Among liver recipients: biliary atresia (n=4), ornithine ...

[PDF] LPCH Liver Transplant Protocols and Guide to ... - Stanford Medicine

[https://med.stanford.edu/content/dam/sm/.../2014liverprotocols%20\(2\).pdf](https://med.stanford.edu/content/dam/sm/.../2014liverprotocols%20(2).pdf) ▼ 翻译此页

Director of Pediatric Transplant Surgery, Lucile Packard Children's Hospital country and vaccines related to this, i.e. BCG d. Blood Culture (if recent history of infection or pre-existing line) ... center at 888-427-9654 and ask for the LPCH representative invasive procedure to include liver biopsies, bile catheter/T tube.

Biliary Atresia in Children: Causes, Symptoms, Diagnosis and ...

www.stlouischildrens.org/Diseases&Conditions ▼ 翻译此页

Name of Journal: *World Journal of Hepatology*

Manuscript NO: 43176

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Central line-associated bloodstream infection among children with biliary atresia listed for liver transplantation

Nicole D Triggs, Stacey Beer, Sonam Mokha, Kat Hosek, Danielle Guffey, Charles G Minard, Flor M Munoz, Ryan W Himes

Abstract

BACKGROUND (no more than 100 words)

Pre-transplant nutrition is a key driver of outcomes following liver transplantation in

Match Overview

- | Match | Source | Words | Similarity |
|-------|--|----------|------------|
| 1 | Crossref | 17 words | 1% |
| | Chrissie M. Thakwalakwa. "The validity of a structured interactive 24-hour recall in asthm | | |
| 2 | Internet | 17 words | 1% |
| | crawled on 10-Jul-2017
docplayer.net | | |



Central line-associated bloodstream infection among children with biliary ε



全部

新闻

图片

视频

购物

更多

设置

工具

找到约 32,000 条结果 (用时 0.71 秒)

Google 学术 : Central line-associated bloodstream infection among children with biliary atresia listed for liver transplantation

Liver and intestine transplantation in the United States ... - Berg - 被引用次数 : 180

... explant pathology of pediatric intestinal transplant ... - Matsumoto - 被引用次数 : 26

... in the management of intestinal failure-associated liver ... - Wiles - 被引用次数 : 32

Nationwide Children's Hospital :: Biliary Atresia in Children

healthlibrary.nationwidechildrens.org/Library/Encyclopedia/90,P01982 ▼ 翻译此页

Biliary atresia is a rare liver disease that occurs in infants. It is often found shortly ... This checks for bacterial infection in the bloodstream that can affect the liver.

Nicole Triggs, CPNP | Texas Children's Hospital

https://www.texaschildrens.org/find-a-doctor/nicole-triggs-cnp ▼ 翻译此页

Liver Center · Gastroenterology, Hepatology and Nutrition ... Triggs N, Beer S, Himes R. Prevalence and microbiology of central line associated bloodstream infections among children with biliary atresia listed for liver transplantation.

[PDF] Part 2: November 2012 - Wits Donald Gordon Medical Centre

www.dgmc.co.za/docs/news/PaediaticHepatobiliary.pdf ▼ 翻译此页

Endoscopic injection sclerotherapy for bleeding varices in children with intrahepatic and extrahepatic ... Problems related to cytomegalovirus infection and biliary atresia ... care for your patient, hopefully bridging them to liver transplantation and ongoing protein intake, which becomes crucial in the failing liver listed for.

Bacterial infections in pediatric patients during early post liver ...

找到约 73,500 条结果 (用时 0.62 秒)

Biliary Atresia: Indications and Timing of Liver Transplantation and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5177506/> - 翻译此页

作者 : SS Sundaram - 2017 - 被引用次数 : 32 - 相关文章

Indications for **liver transplant in biliary atresia** include failed Kasai Post-operative cholangitis has been **associated** with decreasing rates of 1, 3, and 5-year survival In the most recent UNOS guidelines, **children** with HCC are **listed** with their Parenteral nutrition through an indwelling **central venous catheter** may be ...

Current developments in pediatric liver transplantation - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4462689/> ▼ 翻译此页

作者 : C Hackl - 2015 - 被引用次数 : 28 - 相关文章

Keywords: Pediatric **liver transplantation**, Deceased organ donation, Living donor **liver transplantation**, Split **liver transplantation**, **Biliary atresia** Therefore, accurately timed **listing and** meticulous pediatric management before **and** Haberal M. Abnormal circadian **blood** pressure regulation **in** liver transplanted **children**.

Children with Biliary Atresia Liver Disease (Letter J-K) - C.L.A.S.S. ...

www.classkids.org/biliary-atresia-j-k.html ▼ 翻译此页

Jack was diagnosed with **biliary atresia and** a Kasai operation was performed In early October, her white **blood** count **and** platelets dropped **and** she was ... In May 2001 Jayli was **listed** for a **liver transplant** at **Childrens Memorial in** Chicago. Another time, the PICC (**central catheter**) **line** nurses left a long needle **and** ...

[PDF]

biliary atresia: clinical profiles, risk factors, and outcomes ... - naspghan

https://www.naspghan.org/.../training/.../liver-transplantation/Utterson_BAO... ▼ 翻译此页

作者 : EC UTTERSON - 2005 - 被引用次数 : 148 - 相关文章

OF 755 PATIENTS LISTED FOR LIVER TRANSPLANTATION ... mortality **and** graft failure **in** patients with **biliary atresia** (BA) **listed** for LT **and** enrolled **in** ... is the most common reason for **liver transplantation** (LT) **in children**.1,2 Left ... documented for patients with BA, the experience is based mainly **on** single-center data.3-10.

Living donor liver transplant from an HIV-positive mother to... : AIDS

https://journals.lww.com/aidsonline/.../Living_donor_liver_transplant_from_... - 翻译此页

作者 : J Botha - 2018 - 被引用次数 : 2

2018年10月23日 - A 7-month-old **child with biliary atresia** was referred **to** WDGMC with end ... After full evaluation the **child** was wait-listed for a deceased donor **liver transplant** with a ... Four months later