

**Name of journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 43429

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Adenoma and advanced neoplasia detection rates increase from 45 years of age**

Karsenti D *et al.* ADR and NDR according to age

David Karsenti, Gaelle Tharsis, Pascal Burtin, Franck Venezia, Gilles Tordjman, Agnès Gillet, Joelle Samama, Karine Nahon-Uzan, Philippe Cattan, Maryan Cavicchi

**Abstract**

**BACKGROUND**

Colonoscopy is considered a valid primary screening tool for colorectal cancer

## Match Overview

1	<b>Internet</b> 83 words crawled on 25-Jan-2018 <a href="http://www.thieme-connect.de">www.thieme-connect.de</a>	2%
2	<b>Internet</b> 57 words crawled on 15-May-2018 <a href="http://pure.uva.nl">pure.uva.nl</a>	2%
3	<b>Crossref</b> 48 words "FUNCTIONAL BOWEL DISORDERS", The American Journal of Gastroenterology, 09/2008	1%
4	<b>Crossref</b> 45 words Nio, Yung, Rogier E. Van Gelder, and Jaap Stoker. "Computed tomography colonography: Current issues", Scan	1%
5	<b>Crossref</b> 43 words D Karsenti, G Tharsis, F Venezia, P Cattan, G Tordjman, A Gillet, K Nahon-Uzan, J Samama, M Cavicchi. "Taux de	1%
6	<b>Internet</b> 26 words crawled on 03-Jan-2010 <a href="http://gut.bmj.com">gut.bmj.com</a>	1%
7	<b>Crossref</b> 24 words Megan Noe. "Increased cancer risk for individuals with a family history of prostate cancer, colorectal cancer, and	1%
8	<b>Internet</b> 19 words <a href="http://cancerres.aacrjournals.org">cancerres.aacrjournals.org</a>	1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 23,400,000 条结果 (用时 0.55 秒)

### Mo1661 ADENOMA AND ADVANCED NEOPLASIA DETECTION ...

[https://www.giejournal.org/article/S0016-5107\(18\)32294-6/fulltext](https://www.giejournal.org/article/S0016-5107(18)32294-6/fulltext) - [翻译此页](#)

作者: D Karsenti - 2018

Mo1661 ADENOMA AND ADVANCED NEOPLASIA DETECTION RATES INCREASE FROM 45 YEAR OF AGE: RESULTS OF A MONOCENTRIC ONE-YEAR ...

### adenoma and advanced neoplasia detection rates increase from 45 ...

[https://www.giejournal.org/article/S0016-5107\(18\)32294-6/pdf](https://www.giejournal.org/article/S0016-5107(18)32294-6/pdf) - [翻译此页](#)

作者: D Karsenti - 2018

RATES INCREASE FROM 45 YEAR OF AGE: RESULTS OF A ... number of polyps (MNP), and advanced neoplasia detection rate (ANDR). Results:..

### Colonoscopic Adenoma and Advanced Neoplasia Detection Rates ...

<https://clinicaltrials.gov/ct2/show/NCT03361904> - [翻译此页](#)

2017年12月5日 - Target Follow-Up Duration: 7 Days. Official Title: Adenoma and Advanced Neoplasia Detection Rates Increase From 45 Year of Age: Results of ...

### UEG Week: Colorectal cancer screening should start at 45, new ...

<https://www.ueg.eu/.../ueg-week-colorectal-cancer-screening-should-start-at-45-new-r...> ▼

2017年10月30日 - The neoplasia detection rate was also 8% higher in people aged between ... and the

找到约 36,300,000 条结果 (用时 0.51 秒)

### adenoma and advanced neoplasia detection rates increase from 45 ...

[https://www.giejournal.org/article/S0016-5107\(18\)32294-6/pdf](https://www.giejournal.org/article/S0016-5107(18)32294-6/pdf) - 翻译此页

作者: D Karsenti - 2018

RATES INCREASE FROM 45 YEAR OF AGE: RESULTS OF A ... number of polyps (MNP), and advanced neoplasia detection rate (ANDR). Results:.

### Mo1661 ADENOMA AND ADVANCED NEOPLASIA DETECTION ...

[https://www.giejournal.org/article/S0016-5107\(18\)32294-6/fulltext](https://www.giejournal.org/article/S0016-5107(18)32294-6/fulltext) - 翻译此页

作者: D Karsenti - 2018

Mo1661 ADENOMA AND ADVANCED NEOPLASIA DETECTION RATES INCREASE FROM 45 YEAR OF AGE: RESULTS OF A MONOCENTRIC ONE-YEAR ...

### Colonoscopic Adenoma and Advanced Neoplasia Detection Rates ...

<https://ichgcp.net/clinical-trials-registry/NCT03361904> ▼ 翻译此页

Adenoma and Advanced Neoplasia Detection Rates Increase From 45 Year of Age: Results of a Monocentric One-year Observational Cohort Study on 6027 ...

### Colonoscopic Adenoma and Advanced Neoplasia Detection Rates ...

<https://clinicaltrials.gov/ct2/show/NCT03361904> - 翻译此页

2017年12月5日 - Target Follow-Up Duration: 7 Days. Official Title: Adenoma and Advanced Neoplasia Detection Rates Increase From 45 Year of Age: Results of ...

### Detection Rates of Proximal and Distal Advanced Neoplasia With FIT ...

[annals.org/.../divergent-long-term-detection-rates-proximal-distal-advanced-...](https://annals.org/.../divergent-long-term-detection-rates-proximal-distal-advanced-...) - 翻译此页

2018年11月6日 - To assess the long-term detection rates for advanced adenoma and ... Residents aged 50 to 69 years were invited to receive a FIT every 2 years. .... The increase was greatest for proximal (detection rate of 5.07 at ages 65 to 70 years vs. .... adenoma detection and cecal intubation



找到约 35,500,000 条结果 (用时 0.52 秒)

### adenoma and advanced neoplasia detection rates increase from 45 ...

[https://www.giejournal.org/article/S0016-5107\(18\)32294-6/pdf](https://www.giejournal.org/article/S0016-5107(18)32294-6/pdf) - 翻译此页

作者: D Karsenti - 2018

RATES INCREASE FROM 45 YEAR OF AGE: RESULTS OF A ... number of polyps (MNP), and advanced neoplasia detection rate (ANDR). Results:..

### Mo1661 ADENOMA AND ADVANCED NEOPLASIA DETECTION ...

[https://www.giejournal.org/article/S0016-5107\(18\)32294-6/fulltext](https://www.giejournal.org/article/S0016-5107(18)32294-6/fulltext) - 翻译此页

作者: D Karsenti - 2018

Mo1661 ADENOMA AND ADVANCED NEOPLASIA DETECTION RATES INCREASE FROM 45 YEAR OF AGE: RESULTS OF A MONOCENTRIC ONE-YEAR ...

### Colonoscopic Adenoma and Advanced Neoplasia Detection Rates ...

<https://clinicaltrials.gov/ct2/show/NCT03361904> - 翻译此页

2017年12月5日 - Target Follow-Up Duration: 7 Days. Official Title: Adenoma and Advanced Neoplasia Detection Rates Increase From 45 Year of Age: Results of ...

### Detection Rates of Proximal and Distal Advanced Neoplasia With FIT ...

[annals.org/.../divergent-long-term-detection-rates-proximal-distal-advanced-...](https://annals.org/.../divergent-long-term-detection-rates-proximal-distal-advanced-...) - 翻译此页

2018年11月6日 - To assess the long-term detection rates for advanced adenoma and ... Residents aged 50 to 69 years were invited to receive a FIT every 2 years. .... The increase was greatest for proximal (detection rate of 5.07 at ages 65 to 70 years vs. .... adenoma detection and cecal intubation rates were 45% and 93%, ...

### Adenoma detection rate increases with each decade of life after 50 ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3878149/> ▼ 翻译此页

作者: SJ Diamond - 2011 - 被引用次数: 71 - 相关文章

The ADR in men under age 50 was 24.7 [95% CI 18.2-31.2]; 50-59 years: 27.8 ... Adenoma detection rate, and importantly, the rate of advanced neoplasia, ...

### Surveillance of colonic polyps: Are we getting it right? - NCBI - NIH