



Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 44654

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Efficacy of Detoxsan® powder on diarrhea caused by gastrointestinal neuroendocrine tumors

Langbein T *et al.* Efficacy of Detoxsan® powder on diarrhea

Thomas Langbein, Wilfried Dathe, Anika Deuerling, Richard P Baum

Abstract

BACKGROUND

Match Overview

| | | |
|---|---|-----|
| 1 | Crossref 19 words Gershon, Michael D.. "5-Hydroxytryptamine (serotonin) in ... e gastrointestinal tract :"; Current Opinion in Endocrinology | 1% |
| 2 | Internet 16 words crawled on 23-Nov-2018 www.nature.com | 1% |
| 3 | Internet 13 words crawled on 30-Sep-2006 www.endocrine-surgeon.co.uk | <1% |
| 4 | Internet 11 words crawled on 13-Dec-2009 www.docguide.com | <1% |
| 5 | Crossref 11 words Muhammad Masab, Muhammad Wasif Saif. "Telotristat ethyl: proof of principle and the first oral agent in the management | <1% |

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 6 条结果 (用时 0.47 秒)

[Meeting Library | The antidiarrheal efficacy of a proprietary amino acid ...](#)

<https://meetinglibrary.asco.org/record/155963/abstract> ▾ [翻译此页](#)

2018年1月19日 - We conducted a **pilot study** of Enterade in **neuroendocrine tumor** ... with quality of life limiting **diarrhea** to evaluate its antidiarrheal **efficacy**.

缺少字词: detoxsan powder caused

[Carcinoid Syndrome - ENETs](#)

https://www.enets.org/abstract_library.html&search=carcinoid+syndrome ▾ [翻译此页](#)

#1363 **Efficacy** of Lutetium-177 DOTA Octreotate Peptide Receptor Radionuclide ... Introduction: In Chinese population, small **intestinal neuroendocrine tumor** ... #255 The **Carcinoid Syndrome Caused** by Retroperitoneal **Carcinoid Tumors** ... Introduction: **Carcinoid** syndrome (CS) often presents with flushing, **diarrhea** and ...

缺少字词: detoxsan powder pilot

[in Patients \(pts\) with Advanced Neuroendocrine Tumors \(NET\)](#)

<https://www.enets.org/efficacy-of-octreotide-lar-oct-in-patients-pts-with-adv...> ▾ [翻译此页](#)

Efficacy of Octreotide LAR (OCT) in Patients (pts) with Advanced **Neuroendocrine Tumors** (NET): A Subgroup Analysis of Phase III RADIANT-2 **Study** with Updated Overall ... Introduction: **Gastric endocrine tumors** (GET) are increasingly recognized due to ... Introduction: **Diarrhea** is the most common symptom in patients with ...

缺少字词: detoxsan powder pilot

[The antidiarrheal efficacy of a proprietary amino acid mixture ...](#)

ascopubs.org/doi/abs/10.1200/JCO.2018.36.15_suppl.e22217 - [翻译此页](#)

作者: A Chauhan - 2018



国内版

国际版

Efficacy of Detoxsan® powder on diarrhea caused by gastrointestinal neuroendoc



All

Images

Videos

翻译成中文

关闭取词

32,000 Results

Any time ▼

Diarrhea and IBD Flashcards | Quizlet

<https://quizlet.com/73346195/diarrhea-and-ibd-flash-cards> ▼

Diarrhea and IBD. STUDY. PLAY. Morphine/ codeine Diphenoxylate Difenoxin. Opioids ... Short bouts of **diarrhea** in adults and children that are not **caused** by a bacterial infection. It is also used to treat chronic **diarrhea caused** by inflammatory bowel disease.

Liver embolizations of patients with malignant ...

[https://onlinelibrary.wiley.com/doi/full/10.1002/\(SICI\)1097-0142...](https://onlinelibrary.wiley.com/doi/full/10.1002/(SICI)1097-0142...)

Neuroendocrine gastrointestinal tumors commonly metastasize to the **liver**, and the clinical consequences of these tumors are mainly seen as disabling **symptoms** related to the secretion of hormonal substances: the carcinoid syndrome with flush and diarrhea, or symptoms associated with EPTs, such as **hypoglycemia**, multiple **ulcers**, **diarrhea**, skin **rash**, and **diabetes**.

Cited by: 311

Author: B. K. Eriksson, E. G. Larsson, Britt M. S...

Publish Year: 1998

Hepatic artery embolization in advanced neuroendocrine ...

https://www.researchgate.net/publication/286903926_Hepatic_artery...

Hepatic artery embolization in advanced **neuroendocrine tumors**: **Efficacy** and long-term outcomes
Article in Asia-Pacific Journal of Clinical Oncology 12(1):n/a-n/a · December 2015 with 25 Reads

Challenges in the Diagnosis and Management of Well ...

www.ncbi.nlm.nih.gov › ... › Oncologist › v.20(10); 2015 Oct

Aug 25, 2015 · **Neuroendocrine tumors** (NET) arise from **neuroendocrine** cells in various anatomic sites, most commonly the **gastrointestinal** and **pulmonary** systems . **Bronchopulmonary** or **lung** NET represent approximately 25% of primary **lung** neoplasms and 20%–25% of primary NET [1 – 3].

Cited by: 13

Author: Edward M. Wolin

Publish Year: 2015



国内版

国际版

Efficacy of Detoxsan® powder on diarrhea caused by gastrointestinal neuroendoc



All

Images

Videos

翻译成中文

关闭取词

31,500 Results

Any time ▼

Diarrhea and IBD Flashcards | Quizlet

<https://quizlet.com/73346195/diarrhea-and-ibd-flash-cards> ▼

Diarrhea and IBD. STUDY. PLAY. Morphine/ codeine Diphenoxylate Difenoxin. Opioids ... Short bouts of **diarrhea** in adults and children that are not **caused** by a bacterial infection. It is also used to treat chronic **diarrhea caused** by inflammatory bowel disease.

Liver embolizations of patients with malignant ...

[https://onlinelibrary.wiley.com/doi/full/10.1002/\(SICI\)1097-0142...](https://onlinelibrary.wiley.com/doi/full/10.1002/(SICI)1097-0142...)

Neuroendocrine gastrointestinal tumors commonly metastasize to the **liver**, and the clinical consequences of these tumors are mainly seen as disabling symptoms related to the secretion of hormonal substances: the carcinoid syndrome with flush and diarrhea, or symptoms associated with EPTs, such as **hypoglycemia**, multiple **ulcers**, **diarrhea**, skin **rash**, and **diabetes**.

Cited by: 311

Author: B. K. Eriksson, E. G. Larsson, Britt M. S...

Publish Year: 1998

PHARM UNIT 5: Gastrointestinal Drugs Flashcards | Quizlet

<https://quizlet.com/204429461/pharm-unit-5-gastrointestinal-drugs...> ▼

- severe **diarrhea caused** by **neuroendocrine tumors** in GI tract (secretory) - Short bowel syndrome and AIDS (helps decrease GI motility) MOA: - Decreases GI hormone secretion - Reduces intestinal and pancreatic fluid secretion - Slows GI motility - Decreased secretion of anterior pituitary hormones

Gastrointestinal Carcinoid Tumors Treatment (PDQ®) - PDQ ...

<https://www.ncbi.nlm.nih.gov/books/NBK65791>

Jul 08, 2015 · Standard treatments for patients with gastrointestinal (GI) carcinoid tumors include the following: **Surgery**. **Somatostatin analogs**. **Interferons**. Treatment of **hepatic metastases**.

Radionuclides. Management of **carcinoid-related fibrosis**. **Symptomatic therapy**.

Hepatic artery embolization in advanced neuroendocrine ...

https://www.researchgate.net/publication/286903926_Hepatic_artery...

Hepatic artery embolization in advanced **neuroendocrine tumors**: **Efficacy** and long-term outcomes
Article in Asia Pacific Journal of Clinical Oncology, 12(1):n/a-n/a · December 2015 with 25 Reads