

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 44807

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

3 Feasibility of gastric endoscopic submucosal dissection with continuous low-dose aspirin for patients receiving dual antiplatelet therapy

Harada H *et al.* Effect of DAPT on gastric ESD

Hideaki Harada, Satoshi Suehiro, Daisuke Murakami, Ryotaro Nakahara, Takuya Nagasaka, Tetsuro Ujihara, Ryota Sagami, Yasushi Katsuyama, Kenji Hayasaka, Yuji Amano

Abstract

BACKGROUND

Endoscopic submucosal dissection (ESD) for gastric neoplasms during continuous low-dose aspirin (LDA) administration is generally acceptable according to recent guidelines. This retrospective study aimed to investigate the effect of continuous LDA on the postoperative bleeding after gastric ESD in patients receiving dual antiplatelet therapy (DAPT).

AIM

Match Overview

1	Crossref 78 words Hideaki Harada, Daisuke Murakami, Satoshi Suehiro, Ryotaro Nakahara et al. "Water-pocket endoscopic submuco ...	2%
2	Internet 30 words crawled on 13-Aug-2018 journals.sagepub.com	1%
3	Internet 30 words crawled on 13-Dec-2018 www.ueg.eu	1%
4	Crossref 24 words "UEG Week 2017 Poster Presentations", United European Gastroenterology Journal, 2017	1%
5	Internet 19 words crawled on 08-Jan-2018 www.thieme-connect.de	1%
6	Internet 16 words crawled on 25-Dec-2017 www.impressum.de	<1%
7	Crossref 15 words Donghoon Kang, Sung Eun Ha, Jae Myung Park, Seung Bae Yoon, Han Hee Lee, Chul-Hyun Lim, Jin Su Kim, Yu Ky	<1%
8	Crossref 15 words S. Nishioka, T. Sofue, M. Inui, Y. Nishijima, K. Moriwaki, T. Hara, T. Mashiba, Y. Kakehi, M. Kohno. "Mineral and Bone	<1%



全部

图片

新闻

购物

视频

更多

设置

工具

找到约 15,500 条结果 (用时 0.52 秒)

## Google 学术: Feasibility of gastric endoscopic submucosal dissection with continuous low-dose aspirin for patients receiving dual antiplatelet therapy

... gastroenterological endoscopy in patients undergoing ... - Fujimoto - 被引用次数: 143

Endoscopy in patients on antiplatelet or anticoagulant ... - Veitch - 被引用次数: 156

... after endoscopic submucosal dissection of gastric ... - Lim - 被引用次数: 64

## Is it possible to perform gastric endoscopic submucosal dissection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5597936/> - 翻译此页

作者: S Ono - 2017 - 被引用次数: 1 - 相关文章

2017年9月13日 - Enrolled patients discontinued aspirin and underwent gastric ESD without ... One such therapy is endoscopic submucosal dissection (ESD) that ... In particular, a combination of aspirin and thienopyridine derivatives [dual antiplatelet therapy] ..... Continued use of low-dose aspirin does not increase the risk of ...

## Continuous use of low-dose warfarin for gastric endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5419842/> - 翻译此页

作者: H Harada - 2017 - 被引用次数: 3 - 相关文章

The patients were treated with gastric ESD with a low dose of warfarin ( $\leq 4$  mg) at ... Gastric ESD with continuous LDW as a substitute for HBT was feasible and ... Endoscopic submucosal dissection (ESD) is widely accepted as a minimally ..... in patients receiving dual antiplatelet therapy (aspirin plus thienopyridine) who ...

## Is it possible to perform gastric endoscopic submucosal dissection ...

[https://www.researchgate.net/.../319707613\\_Is\\_it\\_possible\\_to\\_perform\\_gastr...](https://www.researchgate.net/.../319707613_Is_it_possible_to_perform_gastr...) - 翻译此页

2017年12月11日 - Enrolled patients discontinued aspirin and underwent gastric ESD without ... therapy is endoscopic submucosal dissection (ESD) that en- .... pirin and thienopyridine derivatives [dual antiplatelet therapy] ..... rhage but is feasible. ... Continuous Use of Thienopyridine May Be as Safe as Low-Dose Aspirin in ...



[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 27,300 条结果 (用时 0.48 秒)

## Google 学术: Feasibility of gastric endoscopic submucosal dissection with continuous low-dose aspirin for patients receiving dual antiplatelet therapy

... gastroenterological endoscopy in patients undergoing ... - Fujimoto - 被引用次数: 150

Endoscopy in patients on antiplatelet or anticoagulant ... - Veitch - 被引用次数: 165

... after endoscopic submucosal dissection of gastric ... - Lim - 被引用次数: 65

## Continuous use of low-dose warfarin for gastric endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5419842/> - 翻译此页

作者: H Harada - 2017 - 被引用次数: 3 - 相关文章

The patients were treated with gastric ESD with a low dose of warfarin ( $\leq 4$  mg) at ... Gastric ESD with continuous LDW as a substitute for HBT was feasible and ... Endoscopic submucosal dissection (ESD) is widely accepted as a minimally ..... in patients receiving dual antiplatelet therapy (aspirin plus thienopyridine) who ...

## Is it possible to perform gastric endoscopic submucosal dissection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5597936/> - 翻译此页

作者: S Ono - 2017 - 被引用次数: 1 - 相关文章

2017年9月13日 - Enrolled patients discontinued aspirin and underwent gastric ESD without ... One such therapy is endoscopic submucosal dissection (ESD) that ... In particular, a combination of aspirin and thienopyridine derivatives [dual antiplatelet therapy ..... Continued use of low-dose aspirin does not increase the risk of ...

## Effect of Continued Administration of Low-dose Aspirin for ...

<https://www.karger.com/Article/Abstract/494250> - 翻译此页

作者: Y Horikawa

2018年12月4日 - Background: The use of antithrombotic agents for the prevention of cerebro-cardioembolic ... Bleeding Control in Gastric Endoscopic Submucosal Dissection .... Digestion 2016;94:192-198 Feasibility of Knife-Coagulated Cut in Gastric ... et al: Endoscopy in patients on antiplatelet or anticoagulant therapy, ...

[全部](#)[图片](#)[新闻](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 21,800 条结果 (用时 0.45 秒)

### Continuous use of low-dose warfarin for gastric endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5419842/> - 翻译此页

作者: H Harada - 2017 - 被引用次数: 3 - 相关文章

The patients were treated with gastric ESD with a low dose of warfarin ( $\leq 4$  mg) at ... Gastric ESD with continuous LDW as a substitute for HBT was feasible and ... Endoscopic submucosal dissection (ESD) is widely accepted as a minimally ..... in patients receiving dual antiplatelet therapy (aspirin plus thienopyridine) who ...

### Clinical problems with antithrombotic therapy for endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5159673/> - 翻译此页

作者: T Yoshio - 2016 - 被引用次数: 5 - 相关文章

Keywords: Antithrombotic therapy, Endoscopic submucosal dissection, Heparin ... With appropriate cessation, antithrombotic therapy does not increase delayed bleeding in low thrombosis-risk patients. ... in patients receiving dual antiplatelet therapy (DAPT) with continuous aspirin .... IS HBT FEASIBLE FOR GASTRIC ESD?

### Is it possible to perform gastric endoscopic submucosal dissection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5597936/> - 翻译此页

作者: S Ono - 2017 - 被引用次数: 1 - 相关文章

2017年9月13日 - Enrolled patients discontinued aspirin and underwent gastric ESD without ... One such therapy is endoscopic submucosal dissection (ESD) that ... In particular, a combination of aspirin and thienopyridine derivatives [dual antiplatelet therapy ..... Continued use of low-dose aspirin does not increase the risk of ...

### Gastric and duodenal endoscopic submucosal dissection in patients ...

[https://www.researchgate.net/.../289170113\\_Gastric\\_and\\_duodenal\\_endosco...](https://www.researchgate.net/.../289170113_Gastric_and_duodenal_endosco...) - 翻译此页

2018年10月18日 - In 152 patients who did not take anticoagulant nor antiplatelet drugs, ... In contrast, in patients on aspirin therapy only, the risk of ... According to the findings of this study, we conclude that ESD in patients on low-dose aspirin therapy only is ... Is it possible to perform gastric endoscopic submucosal dissection ...