



PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 44959

Title: Optimized protocol of multiple post-processing techniques improves the diagnostic accuracy of multidetector computed tomography in assessment of small bowel obstruction compared with conventional axial and coronal reformations

Reviewer's code: 03258012

Reviewer's country: Turkey

Science editor: Ruo-Yu Ma

Date sent for review: 2019-01-14

Date reviewed: 2019-01-19

Review time: 8 Hours, 5 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input type="checkbox"/> Grade B: Very good	<input checked="" type="checkbox"/> Grade B: Minor language	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input checked="" type="checkbox"/> Grade C: Good	polishing	<input checked="" type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of	(General priority)	Peer-reviewer's expertise on the
<input type="checkbox"/> Grade E: Do not	language polishing	<input type="checkbox"/> Minor revision	topic of the manuscript:
publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Major revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Rejection	<input checked="" type="checkbox"/> General
			<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

a well design study



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- The same title
- Duplicate publication
- Plagiarism
- No

BPG Search:

- The same title
- Duplicate publication
- Plagiarism
- No



PEER-REVIEW REPORT

Name of journal: World Journal of Gastroenterology

Manuscript NO: 44959

Title: Optimized protocol of multiple post-processing techniques improves the diagnostic accuracy of multidetector computed tomography in assessment of small bowel obstruction compared with conventional axial and coronal reformations

Reviewer’s code: 02954782

Reviewer’s country: South Korea

Science editor: Ruo-Yu Ma

Date sent for review: 2019-01-14

Date reviewed: 2019-01-20

Review time: 5 Hours, 6 Days

SCIENTIFIC QUALITY	LANGUAGE QUALITY	CONCLUSION	PEER-REVIEWER STATEMENTS
<input type="checkbox"/> Grade A: Excellent	<input checked="" type="checkbox"/> Grade A: Priority publishing	<input type="checkbox"/> Accept	Peer-Review:
<input checked="" type="checkbox"/> Grade B: Very good	<input type="checkbox"/> Grade B: Minor language polishing	(High priority)	<input checked="" type="checkbox"/> Anonymous
<input type="checkbox"/> Grade C: Good		<input checked="" type="checkbox"/> Accept	<input type="checkbox"/> Onymous
<input type="checkbox"/> Grade D: Fair	<input type="checkbox"/> Grade C: A great deal of language polishing	(General priority)	Peer-reviewer’s expertise on the topic of the manuscript:
<input type="checkbox"/> Grade E: Do not publish	<input type="checkbox"/> Grade D: Rejection	<input type="checkbox"/> Minor revision	<input type="checkbox"/> Advanced
		<input type="checkbox"/> Major revision	<input checked="" type="checkbox"/> General
		<input type="checkbox"/> Rejection	<input type="checkbox"/> No expertise
			Conflicts-of-Interest:
			<input type="checkbox"/> Yes
			<input checked="" type="checkbox"/> No

SPECIFIC COMMENTS TO AUTHORS

I am pleased to review your manuscript as a reviewer. Your optimized protocol of multiple post-processing techniques for assessing SBO and secondary bowel ischemia



**Baishideng
Publishing
Group**

7901 Stoneridge Drive, Suite 501,
Pleasanton, CA 94588, USA
Telephone: +1-925-223-8242
Fax: +1-925-223-8243
E-mail: bpgoffice@wjgnet.com
https://www.wjgnet.com

would be useful for accurately diagnosing patients with small bowel ileus. And, it would be a good method for radiologists to read the MDCT findings in patients with small bowel ileus. Thank you.

INITIAL REVIEW OF THE MANUSCRIPT

Google Search:

- The same title
- Duplicate publication
- Plagiarism
- No

BPG Search:

- The same title
- Duplicate publication
- Plagiarism
- No