

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 1,850 条结果 (用时 0.48 秒)

Capecitabine-Associated Terminal Ileitis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6243901/> - 翻译此页

作者: IEG van Hellemond - 2018

2018年10月22日 - We present a case with terminal ileitis as a rare adverse event of ... Case Report ... protein of 83 mg/L (reference < 6), with normal liver biochemistry and kidney function. ... Diagnostic findings. a Terminal ileitis at colonoscopy. b Extensive with capecitabine: two case reports and review of the literature.

Acute ileitis induced by capecitabine: literature review and case report

<https://www.bib.irb.hr/914793> ▼ 翻译此页

Acute ileitis induced by capecitabine: literature review and case report ... was, however, associated with significantly more hand-foot syndrome (HFS) than ... a history of hepatitis B infection and surgical treatment of venous insufficiency of the ... infiltration, and lymphovascular invasion present, no perineural invasion, R0.

(PDF) Capecitabine-Associated Terminal Ileitis - ResearchGate

https://www.researchgate.net/.../328438560_Capecitabine-Associated_Termi... - 翻译此页

2018年10月22日 - We present a case with terminal ileitis as a rare adverse event of ... Diagnostic findings. a Terminal ileitis at colonoscopy. b Extensive inflammation of the small intestine at pathological review of the ... Case Report. Capecitabine-Associated Terminal. Ileitis. Irene E.G. van and review of the literature.

[PDF] Capecitabine-Associated Terminal Ileitis - Semantic Scholar

<https://pdfs.semanticscholar.org/.../22cfea7b61cd483656763530f7eee8e58...> ▼ 翻译此页

2018年10月22日 - Case Report. Capecitabine-Associated Terminal. Ileitis. Irene E.G. van ... We present a case with terminal ileitis as a rare adverse event of should be given only after performing

Match Overview

1 **Crossref** 62 words
"Clinical Vignettes/Case Reports — Colon (Abstracts 1454-1658)", The American Journal of Gastroenterology, 2018 3%

2 **Crossref** 19 words
Radwan, Rami, Wanangwa C. Namelo, Mark Robinson, Alison E. Brewster, and Gethin L. Williams. "Ileitis Secundary, ..." 1%

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 45360

Manuscript Type: CASE REPORT

Role of colonoscopy in diagnosis of capecitabine associated ileitis: Two case reports and review of literature

Alexander E Dao, Angela Hsu, Ahmad Nakshabandi, Rohan Mandaliya, Sandeep Nadella, Anita Sivaraman, Mark Mattar, Aline Charabaty

Abstract

Capecitabine is considered a first line agent in adjuvant therapy for breast and colorectal cancer. However, cases of severe diarrhea have been reported with increasing frequency in recent years. When diarrhea is severe and prolonged, capecitabine associated ileitis



国内版

国际版

Role of colonoscopy in diagnosis of capecitabine associated ileitis: Two case repor



All

Images

Videos

翻译成中文

关闭取词

12,200 Results

Any time ▾

Severe ileitis associated with capecitabine: Two case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4665223>

Introduction. The other patient developed **ileitis** while on single-agent **adjuvant therapy** with **capecitabine** for sigmoid colon cancer. The purpose of this study was to present the case histories, pathophysiology, **imaging findings** and literature **review** for this uncommon condition.

Cited by: 3

Author: Shing Fung Lee, Chi Leung Chiang, Ann S..

Publish Year: 2015

Severe ileitis associated with capecitabine: Two case ...

europepmc.org/articles/PMC4665223

Nov 01, 2015 - The final **diagnosis** was terminal **ileitis associated** with **capecitabine**. Chemotherapy with irinotecan and bevacizumab was resumed 1 week after hospital discharge, with no recurrence of **ileitis**. A CT scan performed 2 months later revealed complete resolution of the small bowel wall submucosal edema (Fig. 2).

Cited by: 3

Author: Shing Fung Lee, Chi Leung Chiang, Ann S..

Publish Year: 2015

[PDF] Severe ileitis associated with capecitabine: Two case ...

<https://www.spandidos-publications.com/10.3892/mco.2015.635/download>

12 colorectal cancer, antineoplastic drugs, adverse events days. The final **diagnosis** was terminal **ileitis associated** with **capecitabine**. Severe **ileitis associated** with **capecitabine**: Two case reports and review of the literature SHING FUNG LEE, CHI LEUNG CHIANG, ANN SHING LEE, FRANK CHI SHING WONG and STEWART YUK TUNG

Severe ileitis associated with capecitabine: Two case ...

https://www.researchgate.net/publication/282392419_Severe_ileitis_associated_with...

Severe **ileitis associated** with **capecitabine**: Two case reports and review of the literature Article in Molecular and Clinical Oncology 3(6) · September 2015 with 10 Reads DOI: 10.3892/mco.2015.635

Severe ileitis associated with capecitabine: Two case ...

europepmc.org/abstract/MED/26807255 ▾

Dec 01, 2015 - **Capecitabine** is a commonly used anticancer drug, which has been **associated** with adverse events, including skin and gastrointestinal **symptoms**, such as vomiting and diarrhea. We herein present treated **two rare cases of capecitabine-associated ileitis**.

Cited by: 3

Author: Shing Fung Lee, Chi Leung Chiang, Ann S..

Publish Year: 2015

Author: Lee SF