

Name of Journal: *World Journal of Meta-Analysis*

Manuscript NO: 45768

Manuscript Type: META-ANALYSIS

Evaluation of tumor response to antiangiogenic therapy in patients with recurrent gliomas using contrast-enhanced perfusion-weighted magnetic resonance imaging techniques: A meta-analysis

Kasenene A *et al.* Recurrent gliomas antiangiogenic therapy evaluation by PW-MRI

Akanganyira Kasenene, Aju Baidya, Salman Shams, Hai-Bo Xu

Abstract

Match Overview

1	Internet 43 words crawled on 27-Jul-2018 www.omicsonline.org	2%
2	Internet 43 words crawled on 20-Jul-2018 www.science.gov	2%
3	Crossref 32 words Kickingeder, Philipp, Benedikt Wiestler, Markus Graf, Sabine Heiland, Heinz Peter Schlemmer, Wolfgang Wick,	1%
4	Internet 21 words crawled on 28-Oct-2017 www.scilit.net	1%
5	Crossref 18 words Jinbo He, Zhihui Cai, Xitao Fan. "Accuracy of using self-reported data to screen children and adolescents for ov ...	1%
6	Internet 17 words	1%
7	Internet 17 words crawled on 23-Nov-2017 www.dovepress.com	1%
8	Internet 15 words crawled on 27-Jul-2017 www.wjgnet.com	1%
9	Internet 14 words crawled on 10-Sep-2018 digitalcommons.library.tmc.edu	<1%
10	Crossref 13 words H.-F. Zhang, X.-T. Zeng, F. Xing, N. Fan, M.-Y. Liao. "The diagnostic accuracy of CT-guided percutaneous core n ...	<1%

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 18,600 条结果 (用时 0.70 秒)

Clinical Applications of Contrast-Enhanced Perfusion MRI Techniques ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5612612/> - 翻译此页

作者: J Zhang - 2017 - 被引用次数: 7 - 相关文章

Perfusion-weighted magnetic resonance imaging (PW-MRI) techniques, ... of glioma from other brain tumors, treatment response assessment, and predicting prognosis. and tumor grade; more specific than rCBVmax using histogram analysis Various mutations in EGFR occur in approximately 57% of GBM patients, ...

ASFNR Recommendations for Clinical Performance of MR Dynamic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5074767/> ▼ 翻译此页

作者: K Welker - 2015 - 被引用次数: 42 - 相关文章

2015年4月23日 - Dynamic Susceptibility Contrast-Enhanced MR Perfusion Tumor response versus pseudoresponse in gliomas treated with ... MR diffusion-weighted imaging for evaluating patients presenting with evaluable with DSC-MRI, are variable after antiangiogenic therapy, Copen WA, Schaefer PW, Wu O.

Imaging in neuro-oncology - Hari Nandu, Patrick Y. Wen, Raymond Y ...

<https://journals.sagepub.com/doi/full/10.1177/1756286418759865> - 翻译此页

作者: H Nandu - 2018 - 被引用次数: 2 - 相关文章

2018年2月28日 - Perfusion-weighted magnetic resonance imaging (PW-MRI) ... Using the normal brain as reference, these techniques can detect ... grade, detecting recurrent tumor, and assessing treatment response. Response evaluation during antiangiogenic therapy Perfusion imaging with NMR contrast agents.

Imaging in neuro-oncology - SAGE Journals

journals.sagepub.com/doi/pdf/10.1177/1756286418759865 - 翻译此页

作者: H Nandu - 2018 - 被引用次数: 2 - 相关文章

markers using techniques such as diffusion kurtosis imaging (DKI),3 ... Perfusion-weighted magnetic resonance imaging ... noninvasively evaluate brain tumors before and after treatment. ... anti-angiogenic therapy, and rising challenges of imaging with immunotherapy. outcome for patients with recurrent glioblastoma.