

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 45981

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Optimal use of fielder XT guidewire enhances the success rate of chronic total occlusion percutaneous coronary intervention**

Qian-Cheng Wang, Hai-Ruo Lin, Yuan Han, Hai Dong, Kai Xu, Shao-Yi Guan, Zhen-Huan Chen, Hui-Xin Hao, Jian-Ping Bin, Yu-Lin Liao, Quan-Min Jing

**Abstract**

**BACKGROUND**

#### Match Overview

1	<b>Crossref</b> 113 words "Transradial Approach for Percutaneous Intervention" Springer Nature, 2017	3%
2	<b>Crossref</b> 64 words Scott A. Harding, Eugene B. Wu, Sidney Lo, See-Teik Lim et al. "A New Algorithm for Coronary Artery Disease" Springer Nature, 2017	2%
3	<b>Crossref</b> 21 words Thorsten Feldkamp, Maya Luedemann, Martin E. Sackmann, Sandra Eriten, Wolf et al.	1%
4	<b>Crossref</b> 18 words Xin-Yue Zhang, Yi-Zhong Wang, Xiao-Lu Li, Qiu-Bu, Hui-Feng Liu, Dan Li, Yong-Mei Yin	<1%
5	<b>Crossref</b> 17 words "Association for European Paediatric Cardiology Association Européenne pour la Cardiologie" Association Européenne pour la Cardiologie	<1%
6	<b>Internet</b> 15 words crawled on 20-Sep-2017 eprints.gla.ac.uk	<1%



国内版

国际版

Optimal use of fielder XT guidewire enhances the success rate of chronic total occ



All

Images

Videos

翻译成中文

关闭取词

7,120 Results

Any time ▾

## Coronary Chronic Total Occlusion Interventions - American ...

<https://www.acc.org/.../coronary-chronic-total-occlusion-interventions> ▾

Teramoto T, Tsuchikane E, Matsuo H, et al. Initial success rate of percutaneous coronary intervention for chronic total occlusion in a native coronary artery is decreased in patients who underwent previous coronary artery bypass graft surgery. JACC Cardiovasc Interv 2014;7:39-46. ...

## A Percutaneous Treatment Algorithm for Crossing Coronary ...

[interventions.onlinejacc.org/content/5/4/367](https://www.onlinejacc.org/content/5/4/367) ▾

Apr 01, 2012 · Percutaneous coronary intervention (PCI) of coronary chronic total occlusions (CTOs) has historically been limited by technical success rates of ~50% to 70%, despite being performed in highly selected cases (1–4).

Cited by: 338

Author: Emmanouil S. Brilakis, J. Aaron Grantha...

Publish Year: 2012

## Percutaneous Recanalization of Coronary Chronic Total ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▾ ... ▾ Korean Circ J ▾ v.40(5); 2010 May

May 27, 2010 · Chronic total occlusions (CTOs) are common finding in patients with coronary artery disease. Although one or more totally occluded coronary vessels are identified in diagnostic coronary angiograms, recanalization of a CTO is attempted in only 8% to 15% of patients undergoing percutaneous coronary intervention (PCI).

Cited by: 8

Author: Hee-Yeol Kim

Publish Year: 2010

## Guidewire crossing techniques in coronary chronic total ...

<https://www.sciencedirect.com/science/article/pii/S001948321600095X>

Percutaneous coronary intervention (PCI) of chronic total occlusion (CTO) is a well accepted

[国内版](#)[国际版](#)[Chat with Bing](#)

Optimal use of fielder XT guidewire enhances the success rate of chronic total occl



Sign in

[All](#)[Images](#)[Videos](#)[翻译成中文](#)[关闭取词](#)[Make Bing your search engine](#)

7,560 Results

Any time ▾

## Coronary Chronic Total Occlusion Interventions - American ...

<https://www.acc.org/.../coronary-chronic-total-occlusion-interventions> ▾

Teramoto T, Tsuchikane E, Matsuo H, et al. Initial **success rate** of **percutaneous coronary** intervention for **chronic total occlusion** in a native coronary artery is decreased in patients who underwent previous coronary artery bypass graft surgery. JACC Cardiovasc Interv 2014;7:39-46. ...

## Percutaneous Recanalization of Coronary Chronic Total ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › Korean Circ J › v.40(5); 2010 May

May 27, 2010 · **Chronic total occlusions** (CTOs) are common finding in patients with **coronary** artery disease. Although one or more totally occluded **coronary** vessels are identified in diagnostic coronary angiograms, recanalization of a CTO is attempted in only 8% to 15% of patients undergoing **percutaneous** coronary intervention (PCI).

Cited by: 8

Author: Hee-Yeol Kim

Publish Year: 2010

## A Percutaneous Treatment Algorithm for Crossing Coronary ...

[interventions.onlinejacc.org/content/5/4/367](http://interventions.onlinejacc.org/content/5/4/367) ▾

Apr 01, 2012 · Percutaneous coronary intervention (PCI) of coronary chronic total occlusions (CTOs) has historically been limited by technical success rates of ~50% to 70%, despite being performed in highly selected cases (1-4).

Cited by: 344

Author: Emmanouil S. Brilakis, J. Aaron Grantha...

Publish Year: 2012

## Guidewire crossing techniques in coronary chronic total ...

<https://www.sciencedirect.com/science/article/pii/S001948321600095X>

**Percutaneous coronary intervention** (PCI) of **chronic total occlusion** (CTO) is a well accepted revascularization procedure representing 10% of PCI procedure.1, 2, 3 Effective **wiring** technique is the key to **success** of PCI in CTO.4 However, **success** of **wire** crossing is mainly dependent on operator's experience and skill.5 In this review the author ...