

找到约86,700条相关结果

按相关性

Predictive value of age-related acute insulin response to glucose in subjects at risk for type 1 diabetes: results of a 6-year follo...

The acute insulin response to i.v. glucose (AIRG) was evaluated in 344 first-degree relatives of patients with Type 1 diabetes. In 318 relatives aged 3 ...

S Bardet , MG Joseph , D Maugendre , ... - 《Diabete & Metabo... - 被引量: 3 - 1993年
来源: Europe PMC / NCBI / ResearchGate / mendeley.com / pubfacts.com ▾

收藏

<> 引用

批量引用

Hepatic markers and development of type 2 diabetes in middle aged men and women: a three-year follow-up study. The D.E.S.I.R. Study ...

It has been shown, mainly in men, that gamma-glutamyltransferase (γ GT) and alanine-aminotransferase (ALT) predict the development of type 2 diabetes. T...

P André , B Balkau , C Born , ... - 《Diabetes & Metab... - 被引量: 60 - 2005年
来源: NCBI / Europe PMC / Elsevier / EM|consult / ResearchGate ▾

收藏

<> 引用

批量引用

The effect of specialist care within the first year on subsequent outcomes in 24 232 adults with new-onset diabetes mellitus: popula...

Background: Although specialty care has been shown to improve short-term outcomes in patients hospitalised with acute medical conditions, its effect on ...

FA Mcalister , SR Majumdar , DT Eurich , ... - 《Quality & Safety... - 被引量: 66 - 2007年

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 46047

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

Optimized health care for subjects with type 1 diabetes in a resource constraint society: A three-year follow-up study from Pakistan

Muhammad Yakoob Ahmedani, Asher Fawwad, Fariha Shaheen, Bilal Tahir, Nazish Waris, Abdul Basit

Abstract

Background

Inadequate health infrastructure and poverty especially in rural areas are the main

Match Overview

- | Match | Source | Words | Similarity |
|-------|--|------------------------------------|------------|
| 1 | Internet
thieme-connect.de | 21 words
crawled on 28-Jul-2018 | 1% |
| 2 | Internet
article.sciencepublishinggroup.com | 16 words
crawled on 04-Oct-2018 | 1% |



Optimized health care for subjects with type 1 diabetes in a resource constraint sc



All

Images

Videos

翻译成中文

关闭取词

1,660 Results

Any time ▾

[PDF] 1st Annual Health Research Conference 24-25 ...

[phrc.org.pk/assets/abstract-book-\(4\).pdf](https://phrc.org.pk/assets/abstract-book-(4).pdf)

Abstract Book, 1st Annual **Health** Research Conference Published: 2018 This Book stpresents the abstracts of 1 Annual **Health** Research Conference 24-25 September 2018 conducted under the authority of the Ministry of National **Health** Services, Regulation and Coordination and **Pakistan Health** ...

[PDF] HEALTH RESEARCH CONFERENCE - phrc.org.pk

<https://phrc.org.pk/assets/phrc-event-book.pdf>

Optimized health care for subjects with type 1 diabetes in a resource constraint society; a three-year follow-up study from karachi, **Pakistan** (Bilal Tahir) Weight gain with insulin, a necessary evil or a fixable relation(Dr. Nadeem Naeem) Prevalence and associated factors of micro albuminuria in apparently healthy individuals in

Cost-related Nonadherence by Medication Type Among ...

https://www.researchgate.net/publication/231862174_Cost-related...

Cost-related Nonadherence by Medication **Type** Among Medicare Part D Beneficiaries With **Diabetes** ... including **diabetes care**, lifestyle, and **health** factors. ... adherence over a 12-month **follow-up** ...

Amputation and reamputation of the diabetic foot | Request ...

https://www.researchgate.net/publication/224882385_Amputation_and...

It has been said that "every 30 seconds a limb is lost as a consequence of **diabetes**."¹ In the United States, the annual incidence of lower extremity amputation in those with **diabetes** is 5–8 ...

The Triple Aim: Care, Health, And Cost | Health Affairs

<https://www.healthaffairs.org/doi/full/10.1377/hlthaff.27.3.759>

Among these stakeholders are (1) government-sponsored or -owned **health care** systems that have