



All

Images

Videos

翻译成中文

开启取词

384,000 Results

Any time ▾

Pacemaker Club: Fever after surgery

<https://www.pacemakerclub.com/message/30141/fever-after-surgery> ▾

Just had **pacemaker** 4 lead AMPLIA MRI QUAD Medtronic implanted on Wednesday afternoon got out of surgery at 4.p.m CST USA. Released 24 hours later and have had **fever** since. 99.6 - 101.0 - depending on time of day. Called nurse **after** 1st day and she said to ignore for now, it's the weekend, Sat night now 3rd evening of **fever** and 95+ heart rate.

Neck Pain One Week after Pacemaker Generator Replacement

<https://www.sciencedirect.com/science/article/pii/S0736467915001298>

Neck Pain One Week **after Pacemaker** Generator Replacement ... A 67-year-old Caucasian man presented with approximately 48 hours of left-sided **neck pain**, which began as a left-sided temporal headache that had migrated inferiorly from just anterior to the left ear down to the left clavicle. ... postnasal drip, problems swallowing, change in voice ...

Cited by: 1

Author: Ross F. Graham, John M. Wightman, Joh...

Publish Year: 2015

End of Life - thoughts from an MD: A Fatal Tooth Extraction

www.endoflifeblog.com/2011/02/fatal-tooth-extraction.html ▾

Three days later.i had a **fever** fahd awfull **pain** and swelling in my throat went to the doctors but was sick,diarrhoea in the waiting room and had to go home. ... Go to ER for extreme mouth jaw and **neck pain**. ... A Fatal Tooth Extraction. Don's wisdom tooth was acting up again. At age 27, he'd been fighting off recurrent **pain**, gum infections, and ...

Pacemaker Syndrome and Pacemaker Complications | Patient

<https://patient.info/doctor/pacemaker-syndrome-and-pacemaker...> ▾

Presentation of **pacemaker** syndrome. Symptoms can vary considerably and also vary in severity. Symptoms include pulsation and fullness in the **neck**, dizziness, ...

When should I call my doctor after ICD or pacemaker surgery?

<https://www.sharecare.com/health/pacemaker-heart-device/when-call...> ▾

Notify your physician if you experience any of the following symptoms **after** a **pacemaker** insertion procedure: **fever** and/or chills; increased **pain**, redness, swelling, or ...

A destructive and deadly post-extraction Complication ...

<https://www.dentistryiq.com/articles/gr/print/volume-2/issue-2/the...> ▾

Match Overview

1 Internet 57 words
crawled on 20-Jun-2019
f6publishing.blob.core.windows.net

3%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 46369

Manuscript Type: CASE REPORT

Fever and neck pain after pacemaker lead extraction: A case report

Wang SX *et al.* Fever and neck pain after pacemaker lead extraction

Shao-Xian Wang, Jian Bai, Rui Ma, Rong-Fang Lan, Jia Zheng, Wei Xu

Abstract

BACKGROUND

Venous thrombosis (VT) is one of the minor complications of pacemaker lead extraction. It is often found due to the swelling of the limbs after the extraction.



国内版 国际版

Fever and neck pain after pacemaker lead extraction: A case report



All Images Videos

翻译成中文 关闭取词

44,400 Results Any time ▾

Persistent fever after pacemaker lead extraction

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5067839>

Persistent fever after pacemaker lead extraction. ... Case report. A 49-year-old man underwent removal of a PM due to infective endocarditis. In this procedure, the electrodes were left in place and the PM was implanted on the contralateral site. **After** 2 weeks, the patient was readmitted with sepsis related to the cardiac device, which was ...

Neck Pain One Week after Pacemaker Generator ...

<https://www.sciencedirect.com/science/article/pii/S0736467915001298>

Case Report. A patient presented to an Emergency Department with a 2-day history of mild left temporal headache migrating to his left **neck**. The patient did not volunteer this information, but review of systems revealed a temporary transvenous **pacemaker** inserted through the right IJ vein 1 week previously during a routine exchange of a left-sided cardiac **pacemaker** generator.

Cited by: 1 **Author:** Ross F. Graham, John M. Wightman, Jo...

Publish Year: 2015

Pacemaker lead infection: report of three cases and review ...

<https://heart.bmj.com/content/81/1/88> ▾

Jan 01, 1999 · **Pacemaker lead** infection is a rare condition, most often occurring when intervention is needed **after pacemaker** implantation. Diagnosis is by blood cultures and confirmation by transoesophageal echocardiography; transthoracic echocardiography is often inadequate. A literature review indicated the microorganism most responsible for late **lead** infection is *Staphylococcus* ...

Cited by: 101 **Author:** J G Voet, Y R Vandekerckhove, L L Muy...

Publish Year: 1999

Pacemaker lead infection: Report of three cases and review ...

https://www.researchgate.net/publication/13076987_Pacemaker_lead_infection_Report_of...

Pacemaker lead infection is a rare condition, most often occurring when intervention is needed **after pacemaker** implantation. Diagnosis is by blood cultures and confirmation by transoesophageal ...

Aggregatibacter aphrophilus pacemaker endocarditis: a case ...

<https://bmccresnotes.biomedcentral.com/articles/10.1186/1756-0500-7-885> ▾



All

Images

Videos

翻译成中文

开启取词

44,700 Results

Any time ▾



Persistent fever after pacemaker lead extraction

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5067839>

Persistent **fever after pacemaker lead extraction**. ... **Case report**. A 49-year-old man underwent removal of a PM due to infective endocarditis. In this procedure, the electrodes were left in place and the PM was implanted on the contralateral site. **After** 2 weeks, the patient was readmitted with sepsis related to the cardiac device, which was ...

Pacemaker lead infection: report of three cases and review ...

<https://heart.bmj.com/content/81/1/88> ▾

Jan 01, 1999 - **Pacemaker lead** infection is a rare condition, most often occurring when intervention is needed **after pacemaker** implantation. Diagnosis is by blood cultures and confirmation by transoesophageal echocardiography; transthoracic echocardiography is often inadequate. A literature review indicated the microorganism most responsible for late **lead** infection is Staphylococcus ...

Cited by: 101

Author: J G Voet, Y R Vandekerckhove, L L Muyld...

Publish Year: 1999

Neck Pain One Week after Pacemaker Generator ...

<https://www.sciencedirect.com/science/article/pii/S0736467915001298>

Case Report. A patient presented to an Emergency Department with a 2-day history of mild left temporal headache migrating to his left **neck**. The patient did not volunteer this information, but review of systems revealed a temporary transvenous **pacemaker** inserted through the right IJ vein 1 week previously during a routine exchange of a left-sided cardiac **pacemaker** generator.

Cited by: 1

Author: Ross F. Graham, John M. Wightman, Joh...

Publish Year: 2015

Treatment of Pacemaker-Induced Superior Vena Cava ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3077837>

Dec 17, 2010 · Superior vena cava (SVC) syndrome is a rare but serious complication **after pacemaker** implantation. This **report** describes three cases of SVC syndrome treated with venoplasty and venous stenting, with an average follow-up of 30.7 (\pm 3.1) months. ...

Cited by: 11

Author: B. Klop, M. G. Scheffer, E. McFadden, F. ...

Publish Year: 2011