



All

Images

Videos

翻译成中文

关闭取词

90,100 Results

Any time ▾

Right Colonic Diverticulitis - PubMed Central (PMC)

www.ncbi.nlm.nih.gov › ... › v.26(4); 2010 Aug

Aug 31, 2010 · **SYMPTOMS OF RCD**. However, the **clinical** characteristics of RCD, such as relatively long **right lower abdominal pain**, less systematic inflammatory response, less **nausea** and **vomiting**, and ache starting from the **right lower abdomen**, have been reported to be different from those of **appendicitis** [10 - 13].

Cited by: 14

Author: In Kyu Lee

Publish Year: 2010

Right-Sided Colonic Diverticulitis: Clinical Features ...

<https://www.sciencedirect.com/science/article/pii/S092964411630090X>

Most importantly, the **right-sided diverticulitis** often resembles the **acute appendicitis** in **clinical** presentation. Therefore, image studies are mandatory to make a correct **diagnosis** [2], [5]. Computed tomography (CT) is generally accepted as an imaging of choice in the **diagnosis** of **colonic diverticulitis** ...

Cited by: 1

Author: Tse-Cheng Chiu, Yi-Hong Chou, Chui-Mei...

Publish Year: 2017

Clinically Distinguishing between Appendicitis and Right ...

www.ncbi.nlm.nih.gov › ... › Yonsei Med J › v.48(3); 2007 Jun 30

Jun 30, 2007 · Therefore, in the East, it is often difficult to differentiate between **right-sided colonic diverticulitis** and **acute appendicitis**. 4 For these reasons, 80% of patients with **right-sided colonic diverticulitis** are misdiagnosed on pre-op evaluation with **acute appendicitis**.

Cited by: 12

Author: Jun-Ho Shin, Byung-Ho Son, Hungdai Kim

Publish Year: 2007

Right-Sided Colonic Diverticulitis: Clinical Features ...

https://www.researchgate.net/publication/313533232_Right-Sided...

Match Overview

1 **Crossref** 56 words
Takamasa Ishii, Yosuke Sasaki, Tadashi Maeda, Fumiya Komatsu, Takeshi Suzuki, Yoshihisa Urita. "Clinical differenti

1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 47070

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Clinical differentiation of acute appendicitis and right colonic diverticulitis:

A case-control study

Sasaki Y *et al.* Clinical differentiation of appendicitis and right colonic

找到约 296,000 条结果 (用时 0.41 秒)

Right Colonic Diverticulitis - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2998007/> ▼ [翻译此页](#)

作者: IK Lee - 2010 - 被引用次数: 21 - [相关文章](#)

Right colonic diverticulitis (RCD) is a common disease, especially in Asia, and it does ... This article discusses the epidemiology, symptoms, **diagnosis**, treatment, and ... the **clinical** findings by which RCD was **differentiated** from **appendicitis** were ... **Cases** without migrating abdominal pain and with normal white blood cell ...

其他用户还问了以下问题

Can you have diverticulitis pain on the right side? ▼

Can diverticulitis cause right lower quadrant pain? ▼

Can diverticulitis affect the right side? ▼

What is the difference between diverticulitis and appendicitis? ▼

[反馈](#)

Right-Sided Colonic Diverticulitis: Clinical Features, Sonographic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6029290/> ▼ [翻译此页](#)

作者: TC Chiu - 2017 - 被引用次数: 1 - [相关文章](#)

Results: In the 14 patients, **clinical** manifestations included **right** lower abdominal tenderness (93%), leukocytosis (57.1%), and fever (28.6%). **Diverticulitis** occurred in cecum and ascending **colon** with a similar frequency (35.7%). ... One patient underwent surgery due to recurrent **diverticulitis**-related fistula.

缺少字词: control

Diagnosis and Management of Right Colonic Diverticular Disease: A ...

www.elsevier.es > Inicio > Cirugía Española (English Edition) - [翻译此页](#)

Two important **clinical** situations must be **differentiated**: **diverticular** disease located in the ... of 86%–100% for the diagnosis of **acute appendicitis**.⁴⁴ Some studies have ... Main Recent Studies About the Treatment of **Right Colonic Diverticulitis**. ... versus antibiotherapy alone for Hinchey II **diverticulitis**: a case–control study.