



All

Images

Videos

翻译成中文

开启取词

4,380 Results

Any time ▾

## Sa1273 SHOULD WE ANCHOR A FULLY COVERED SELF ...

[https://www.giejournal.org/article/S0016-5107\(18\)30586-8/fulltext](https://www.giejournal.org/article/S0016-5107(18)30586-8/fulltext)

In our study, the risk of migration of **biliary** FCSEMS was 3.2%. **Anchoring** FCSEMS with a 7Fr or 10 Fr **double pigtail plastic stent** did not decrease the risk of **stent** migration. Routine placement of **anchoring stents** is unnecessary.

Author: Saad Emhmed Ali, Wesam M. Franda... Publish Year: 2018

## [PDF] SHOULD WE ANCHOR A FULLY COVERED SELF ...

[https://www.giejournal.org/article/S0016-5107\(18\)30586-8/pdf](https://www.giejournal.org/article/S0016-5107(18)30586-8/pdf)

Purpose of the study: We aim to compare **stent** migration rates between patients who receive **fully covered self-expandable metal stents** (FCSEMSs) alone and those who receive both a FCSEMS and **anchoring plastic stent** (PS). Methods: We conducted a retrospective review and analysis of patients who received FCSEMS with or without **anchoring** PS between July 2015 and April 2017.

## Role of Fully Covered Self-Expandable Metal Stent for ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › v.13(Suppl 1); Jan-Feb 2012

**Fully Covered Self-Expandable Metal Stent** (FCSEMS) In this study, nine patients had AS. The median time of SEMS placement was 3.3 months. Resolution of **biliary** stricture was demonstrated in 34 of 41 patients (83%), including all nine cases of AS after a median follow-up time of 3.8 months after **stent** ...

## A randomized trial of a fully covered self-expandable ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) › ... › v.7(2); 2014 Mar

With the addition of **covering**, embedding of **stents** is prevented allowing for the possibility of removal. Early studies in partially **covered stents** and **fully covered self-expanding metal stents** (FCSEMSs) for benign **biliary** strictures including ASs have been positive [Kahaleh et al. 2008; Traina et al. 2009].

Cited by: 65

Author: Arthur Kaffes, Sean Griffin, Rhys B Vaugh...

Publish Year: 2014

## Anchoring flap versus flared end, fully covered self ...

[https://www.researchgate.net/publication/49708474\\_Anchoring\\_flap...](https://www.researchgate.net/publication/49708474_Anchoring_flap...)

**Fully covered** self-expandable **metal** stents appear as a good alternative to **plastic** stents, since they have an increased radial diameter, longer **stent** patency, easier insertion technique and ...

## Feasibility and safety of a fully covered self-expandable ...

<https://www.sciencedirect.com/science/article/pii/S0016510715026619>

**Stent-related** adverse events such as **stent** migrations, failures in **stent** placement, or pancreatic fluid



Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 47071

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

Should a fully covered self-expandable biliary metal stent be anchored with a double-pigtail plastic stent? A retrospective study

Emhmed Ali SM *et al.* Should FCSEMS be anchored with DPS?

Saad Emhmed Ali, Wesam M Frandah, Leon Su, Cory Fielding, Houssam Mardini

Abstract

BACKGROUND

## ← Match Breakdown

1	Crossref 87 words Saad Emhmed Ali, Wesam M. Frandah, Cory Fielding, Houssam E. Mardini. "Sa1273 SHOULD WE ANCHOR A FULLY	5%
Match 1 of 5		
•	Crossref - 2 sources 87 words Saad Emhmed Ali, Wesam M. Frandah, Cory Fielding, Houssam E. Mardini. "Sa1273 SHOULD WE ANCHOR A	5%
•	Saad Emhmed Ali, Wesam M. Frandah, Cory Fielding, ...	5%
•	Saad Emhmed Ali, Wesam M. Frandah, Cory Fielding, ...	5%
•	Crossref - 2 sources 16 words "Subject Index (By Abstract Number)", Gastrointestinal Endoscopy, 2018	1%
•	Crossref - 2 sources 15 words D. Eli Penn, Peter V. Draganov, Mihir S. Wagh, Chris E. Forsmark, Anand R. Gupte, Shailendra S. Chauhan. "Pro	1%
•	Crossref 15 words Penn, D. Eli, Peter V. Draganov, Mihir S. Wagh, Chris E. Forsmark, Anand R. Gupte, and Shailendra S. Chauhan.	1%
•	Internet - 6 sources 14 words crawled on 16-Sep-2018 <a href="http://www.thieme-connect.de">www.thieme-connect.de</a>	1%
•	Internet - 2 sources 14 words crawled on 13-Dec-2018 <a href="http://thieme-connect.de">thieme-connect.de</a>	1%
•	Internet - 10 sources 14 words crawled on 25-May-2018 <a href="http://www.thieme-connect.com">www.thieme-connect.com</a>	1%
•	Internet - 2 sources 14 words crawled on 17-Jun-2017 <a href="http://annalsgastro.gr">annalsgastro.gr</a>	1%

Exclude Sources





4,320 Results

Any time ▾

### [PDF] A fully covered self-expandable metal stent anchored by ...

[www.annalsgastro.gr/files/journals/1/earlyview/2016/ev-09-2016-13-AG2711-0089.pdf](http://www.annalsgastro.gr/files/journals/1/earlyview/2016/ev-09-2016-13-AG2711-0089.pdf)

placement of FCSEMS and/or the anchoring **plastic stent** were recorded. Conclusions The placement of an anchoring 10-Fr **double-pigtail stent** is a simple and effective anti-migration technique for FCSEMS in patients with malignant **biliary** strictures. Keywords **Fully covered self-expandable metal** stents, migration, prevention

Cited by: 1

Author: Panagiotis Katsinelos, Georgia Lazara...

Publish Year: 2016

### Sa1273 SHOULD WE ANCHOR A FULLY COVERED SELF ...

[https://www.giejournal.org/article/S0016-5107\(18\)30586-8/fulltext](https://www.giejournal.org/article/S0016-5107(18)30586-8/fulltext)

We aim to compare **stent** migration rates between patients who receive **fully covered self-expandable metal** stents (FCSEMSs) alone and those who receive both a FCSEMS and anchoring **plastic stent** (PS). Sa1273 SHOULD WE ANCHOR A FULLY COVERED SELF-EXPANDABLE BILIARY METAL STENT WITH A DOUBLE-PIGTAIL PLASTIC STENT?

Author: Saad Emhmed Ali, Wesam M. Frand... Publish Year: 2018

### Role of Fully Covered Self-Expandable Metal Stent for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3341463>

Apr 23, 2012 · **Fully Covered Self-Expandable Metal Stent** (FCSEMS) In this study, nine patients had AS. The median time of SEMS placement was 3.3 months. Resolution of **biliary** stricture was demonstrated in 34 of 41 patients (83%), including all nine cases of AS after a median follow-up time of 3.8 months after **stent** removal.

### A fully covered self-expandable metal stent anchored by a ...

[https://www.researchgate.net/publication/308578775\\_A\\_fully\\_covered\\_self-expandable...](https://www.researchgate.net/publication/308578775_A_fully_covered_self-expandable...)

Download Citation on ResearchGate | **A fully covered self-expandable metal stent anchored by a 10-Fr double pigtail plastic stent**: an effective anti-migration technique | Background: **Fully covered** ...

### A randomized trial of a fully covered self-expandable ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3903084>

With the addition of **covering**, embedding of **stents** is prevented allowing for the possibility of removal. Early studies in partially **covered stents** and **fully covered self-expanding metal stents** (FCSEMSs) for benign **biliary** strictures including ASs have been positive [Kahaleh et al. 2008; Traina et al. 2009].

Cited by: 73

Author: Arthur Kaffes, Sean Griffin, Rhys B Vaug...

Publish Year: 2014