



全部

图片

新闻

视频

更多

设置

工具

找到约 295,000 条结果 (用时 0.55 秒)

Google 学术: Endoscopic characteristics of small intestinal malignant tumors observed by balloon-assisted enteroscopy

... yield of small bowel tumors with capsule endoscopy - Cobrin - 被引用次数: 229

Small bowel tumors detected and missed during ... - Zagorowicz - 被引用次数: 42

Enteroscopy for the early detection of small bowel ... - Tomba - 被引用次数: 14

Small Bowel Metastatic Cancer Observed With Double Balloon ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4641863/> ▼ 翻译此页

作者: JY Song - 2015 - 被引用次数: 1 - 相关文章

Small Bowel Metastatic Cancer Observed With Double Balloon Enteroscopy in a Patient ... Small bowel tumors are very rare and generally malignant. ... The development of balloon-assisted enteroscopy (BAE) and capsule endoscopy has ... yield of approximately 43%-80% for small bowel diseases.3 BAE has advantages ...

Overtube-assisted enteroscopy and capsule endoscopy for the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4751017/> ▼ 翻译此页

作者: M Sulbaran - 2016 - 被引用次数: 12 - 相关文章

2016年1月11日 - A summary receiver operating characteristic curve (SROC) curve was constructed ... to 2 % of gastrointestinal malignant tumors initially develop in the small bowel. Small-bowel tumors have been difficult to diagnose as a ... alternative to balloon-assisted enteroscopy for deep intubation of the small intestine.

Role of double-balloon enteroscopy in malignant small bowel tumors

https://www.researchgate.net/.../278732055_Role_of_double-balloon_entero... - 翻译此页

Patient characteristics by histological type of malignant small bowel tumor ... double-balloon enteroscopy (DBE) following capsule endoscopy was confirmed ... cancers diagnosed by device-assisted enteroscopy at a U.S. referral ... established yet because of the "work-up bias" observed in the majority of the studies.

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 47540

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

**Endoscopic characteristics of small intestinal malignant tumors observed by
balloon-assisted enteroscopy**

Horie T *et al.* Endoscopic characteristics of small intestinal tumors

Tomofumi Horie, Naoki Hosoe, Kaoru Takabayashi, Yukie Hayashi, Kenji JL Limpas
Kamiya, Ryoichi Miyanaga, Shinta Mizuno, Kayoko Fukuhara, Seiichiro Fukuhara,
Makoto Naganuma, Masayuki Shimoda, Haruhiko Ogata, Takanori Kanai

Match Overview

1	Crossref 34 words Arihiro Nakano, Masanao Nakamura, Osamu Watanabe, Takeshi Yamamura et al. "Endoscopic Characteristics, Ris ...	1%
2	Crossref 34 words Shotaro Nakamura, Takayuki Matsumoto. "Gastrointestin ... Lymphoma: Recent Advances in Diagnosis and Treatment	1%
3	Internet 32 words crawled on 21-Oct-2018 www.physoc.org	1%
4	Crossref 26 words Thomas Aparicio, Aziz Zaanani, Magali Svrcek, Pierre Laurent-Puig et al. "Small bowel adenocarcinoma: Epidemiolo ...	1%



All

Images

Videos

翻译成中文

关闭取词

28,000 Results

Any time ▾

ASGE | Balloon Assisted Enteroscopy

<https://www.asge.org/.../newsroom/media-backgrounders-detail/balloon-assisted-enteroscopy> ▾

Balloon Assisted or "Deep" Enteroscopy. Balloon assisted or "deep" enteroscopy is a procedure which allows advancement of a long endoscope into the small intestine for both diagnostic and therapeutic purposes. There are two types of balloon assisted enteroscopy systems: the ...

Tu1613 Characteristics of Small-Bowel Tumors Detected by ...

https://www.researchgate.net/publication/51151787_Tu1613_Characteristics_of_Small...

To assess the value of double-balloon **enteroscopy** (DBE) for the diagnosis of **gastrointestinal** mesenchymal **tumors** (GIMTs) in the **small** bowel and clarify their clinical and **endoscopic** **characteristics**.

Su1211 The Utility of Small Intestine Capsule Endoscopy ...

[https://www.giejournal.org/article/S0016-5107\(17\)30916-1/fulltext](https://www.giejournal.org/article/S0016-5107(17)30916-1/fulltext)

Purpose: Both **small intestine** capsule **endoscopy** (SCE) and balloon-assisted **enteroscopy** (BAE) play an important role in the diagnosis of **small intestinal tumors**. However, the usefulness of both modalities is still unclear. To confirm their utility and diagnostic ability, we aimed to examine cases of **small intestinal tumor** diagnosed using SCE and BAE at our institute and compare them with those ...

Author: Yusuke Nagata, Ryoichi Sawada, Tak... **Publish Year:** 2016

Overtube-assisted enteroscopy and capsule endoscopy for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4751017>

Since the introduction of **capsule endoscopy** (CE) and **overtube-assisted enteroscopy** (OAE), the number of **small-bowel** polyps and **tumors** that are diagnosed has increased . Obscure **gastrointestinal bleeding** (OGIB) is the main indication for using these **enteroscopic** modalities .

Cited by: 8

Author: Marianny Sulbaran, Eduardo de Moura, ...

Publish Year: 2016

Usefulness of Double-Balloon Endoscopy in the Diagnosis of ...

[https://www.cghjournal.org/article/S1542-3565\(08\)00571-5/fulltext](https://www.cghjournal.org/article/S1542-3565(08)00571-5/fulltext)

Double-balloon **endoscopy** (DBE) and wireless capsule **endoscopy** (WCE) recently have entered the clinical arena, allowing **endoscopic** diagnosis of **malignant small-bowel tumors** (MSBT). WCE has had a major impact on the diagnosis of patients with obscure **gastrointestinal** bleeding (OGIB), but cannot obtain biopsy material.

Cited by: 17

Author: Hirokazu Yamagami, Nobuhide Oshitani, ...

Publish Year: 2008