

6

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 48148

Manuscript Type: ORIGINAL ARTICLE

*Observational Study*

International normalized ratio and Model for End-stage Liver Disease score predict short-term outcome in cirrhotic patients after the resolution of hepatic encephalopathy

Hu XP *et al.* Predictors of outcome in cirrhotic patients

Xiao-Peng Hu, Jian Gao

**Abstract****BACKGROUND**

In patients with cirrhosis, hepatic encephalopathy (HE) indicates a poor prognosis despite the use of artificial liver and liver transplantation,

## Match Overview

|    |   |     |
|----|---|-----|
| 1  | Internet 50 words<br>crawled on 16-Nov-2018<br><a href="http://paduaresearch.cab.unipd.it">paduaresearch.cab.unipd.it</a>                         | 1%  |
| 2  | Internet 31 words<br>crawled on 03-Jun-2019<br><a href="http://www.ebgh.it">www.ebgh.it</a>   | 1%  |
| 3  | Crossref 21 words<br>"Acute Exacerbation of Chronic Hepatitis B", Springer Science and Business Media LLC, 2019                                   | 1%  |
| 4  | Crossref 19 words<br>Salvatore Piano, Marta Tonon, Elia Vettore, Marialuisa Stancio et al. "Incidence, predictors and outcomes of acute-on-ch..." | <1% |
| 5  | Crossref 14 words<br>Salvatore Piano, Filippo Morando, Giovanni Carretta, Marta Tonon et al. "Predictors of Early Readmission in Patients V..."   | <1% |
| 6  | Internet 14 words<br>crawled on 05-Oct-2017<br><a href="http://real.mtak.hu">real.mtak.hu</a>   | <1% |
| 7  | Crossref 13 words<br>"Poster Session IV (Abstracts 1638 - 2112)", Hepatology, 2016  | <1% |
| 8  | Crossref 12 words<br>Jeane M. Tsutsui, Sandeep Mukherjee, Abdou Elhendy, Feng Xie et al. "Value of dobutamine stress myocardial contrast..."      | <1% |
| 9  | Internet 12 words<br>crawled on 11-Mar-2019<br><a href="http://www.ici2013.org">www.ici2013.org</a>   | <1% |
| 10 | Internet 12 words<br>crawled on 13-Apr-2018<br><a href="http://doaj.org">doaj.org</a>   | <1% |
| 11 | Internet 12 words<br>crawled on 12-Dec-2015<br><a href="http://office.wjgnet.com">office.wjgnet.com</a>   | <1% |



找到约 19,900 条结果 (用时 0.50 秒)

### Duration of the acute hepatic encephalopathy episode determines ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5784576/> - 翻译此页

作者: M Ventura-Cots - 2018 - 被引用次数: 3 - 相关文章

2017年11月26日 - A retrospective analysis of 245 **cirrhotic patients** admitted for an ... **Results:** Median (IQR25–75) time in HE was 48 h (24–96 h) in the whole cohort. .... and **predicted** mortality curves among **patients** with a **MELD score** ... **INR**, 1.75 (0.58) ..... survival in the short, medium and **long term** is also present **when** we ...

### Liver Cirrhosis - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2271178/> - 翻译此页

作者: D Schuppan - 2008 - 被引用次数: 1601 - 相关文章

**Liver** fibrosis **results** from the perpetuation of the normal wound healing response ..... creatinine, bilirubin and **INR**, but lacks features of portal hypertension, such as ascites. ... Here, an increasing **MELD score** over time is a better **predictor** of **cirrhosis** ... **patients** with autoimmune hepatitis showed regression **after long-term** ...

### Important predictor of mortality in patients with end-stage liver disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3701842/> - 翻译此页

作者: HJ Kim - 2013 - 被引用次数: 70 - 相关文章

2013年6月27日 - Prothrombin **time** and the **INR** reflect coagulopathy associated with synthetic dysfunction in **patients** with end-stage **liver** disease. **After** adjusting for bilirubin and creatinine, **INR** is associated with a steep increase in mortality risk. ... Among the three variables of **MELD score**, **INR** has the highest multiplicative value.

缺少字词: resolution

### MELD Score (Model For End-Stage Liver Disease) (12 and older ...

<https://www.mdcalc.com/meld-score-model-end-stage-liver-disease-12-older> - 翻译此页

Cr >4.0 mg/dL is automatically assigned a value of 4.0. mg/dL. Bilirubin. mg/dL. **INR** ... **Result:** Please fill out required fields. Next Steps. Evidence. Creator Insights ... All **cirrhosis patients** should be periodically screened for hepatocellular ... The **following** conditions are automatically assigned a **MELD Score** of 22 (28 in case ...

缺少字词: resolution

### Child-Pugh versus MELD score in predicting survival in patients ... - Gut

<https://gut.bmj.com/content/52/6/879> - 翻译此页

作者: B Angermayr - 2003 - 被引用次数: 308 - 相关文章

A prognostic **score** accurately **predicting** survival **after** TIPS placement could stratify ... levels of bilirubin and albumin, prothrombin time, ascites, and **encephalopathy**. ... slightly to **predict** survival in **patients** with **liver cirrhosis** in general (**MELD**). ... ratio (**INR**), and creatinine to **predict short term** (three months) survival rates ...

### Acute-on-chronic liver failure vs. traditional acute decompensation of ...

[https://www.journal-of-hepatology.eu/article/S0168-8278\(18\)32370-5/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(18)32370-5/pdf) - 翻译此页

作者: T Gustot - 2018 - 被引用次数: 4 - 相关文章

liver transplantation was considered the only **long-term** life-saving option for this **patient**. However, ... Do we have tools to **predict outcomes** and clinical courses for ACLF? IV. ... **cirrhosis** (large ascites, **hepatic encephalopathy** ..... **When** a **patient** fulfils ACLF diagnostic criteria, ... not better than those for the **MELD score**, ques-.



找到约 95,000 条结果 (用时 0.77 秒)

[PDF]

### Assessing the outcome of patients with liver cirrhosis during hospital ...

[www.turkjgastroenterol.org/sayilar/307/buyuk/308-315.pdf](http://www.turkjgastroenterol.org/sayilar/307/buyuk/308-315.pdf) ▾ 翻译此页

作者: Z Jamil - 2018 - 相关文章

End-Stage Liver Disease (MELD) and Child-Pugh (CP) scores for determining the outcomes in these .... five variables (hepatic encephalopathy, INR, ascites, bil-

### The Model for End-Stage Liver Disease Score-Based System Predicts ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3744710/> ▾ 翻译此页

作者: G Hong - 2013 - 被引用次数: 24 - 相关文章

In conclusion, MELD score-based system can predict short term mortality ... for the prediction of short term mortality of patients with cirrhotic liver after ... time international normalized ratio (INR) and etiology of liver disease (2). .... Hepatic encephalopathy as a predictor of survival in patients with end-stage liver disease. Liver ...

### Acute-on-chronic liver failure in patients with alcoholic liver disease

[https://www.journal-of-hepatology.eu/article/S0168-8278\(18\)32625-4/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(18)32625-4/pdf) - 翻译此页

作者: T Gustot - 2019 - 被引用次数: 2 - 相关文章

fibrosis, and cirrhosis. Acute-on-chronic liver failure (ACLF) is a recently defined entity that occurs in ... organ failures and a high risk of short-term mortality.1,2 ... the Study of End-Stage Liver Disease [NACSELD], reviewed in ... cyte count and international normalized ratio). ... pitalised patients with alcohol-related cirrhosis.

### EASL Clinical Practice Guidelines for the management of patients with ...

[https://www.journal-of-hepatology.eu/article/S0168-8278\(18\)31966-4/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(18)31966-4/pdf)

作者: P Angeli - 2018 - 被引用次数: 112 - 相关文章

most frequent of which are ascites, bleeding, encephalopathy, ... compensated cirrhosis, patients may have a good quality of life, .... pensation" of cirrhosis and excellent long-term outcome, in .... model for end-stage liver disease (MELD) score, the most com- .... ing61,62 even in patients with international normalized ratio.

### Impact of Pretransplant Hepatic Encephalopathy on Liver ... - Hindawi

<https://www.hindawi.com/journals/ijh/2013/952828/> ▾ 翻译此页

作者: LW Teperman - 2013 - 被引用次数: 22 - 相关文章

找到约 95,000 条结果 (用时 0.77 秒)

[PDF]

### Assessing the outcome of patients with liver cirrhosis during hospital ...

[www.turkjgastroenterol.org/sayilar/307/buyuk/308-315.pdf](http://www.turkjgastroenterol.org/sayilar/307/buyuk/308-315.pdf) ▼ 翻译此页

作者: Z Jamil - 2018 - 相关文章

End-Stage Liver Disease (MELD) and Child-Pugh (CP) scores for determining the outcomes in these .... five variables (hepatic encephalopathy, INR, ascites, bil-

### The Model for End-Stage Liver Disease Score-Based System Predicts ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3744710/> ▼ 翻译此页

作者: G Hong - 2013 - 被引用次数: 24 - 相关文章

In conclusion, MELD score-based system can predict short term mortality ... for the prediction of short term mortality of patients with cirrhotic liver after ... time international normalized ratio (INR) and etiology of liver disease (2). .... Hepatic encephalopathy as a predictor of survival in patients with end-stage liver disease. Liver ...

### Acute-on-chronic liver failure in patients with alcoholic liver disease

[https://www.journal-of-hepatology.eu/article/S0168-8278\(18\)32625-4/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(18)32625-4/pdf) - 翻译此页

作者: T Gustot - 2019 - 被引用次数: 2 - 相关文章

fibrosis, and cirrhosis. Acute-on-chronic liver failure (ACLF) is a recently defined entity that occurs in ... organ failures and a high risk of short-term mortality.1,2 ... the Study of End-Stage Liver Disease [NACSELD], reviewed in ... cyte count and international normalized ratio). ... pitalised patients with alcohol-related cirrhosis.

### EASL Clinical Practice Guidelines for the management of patients with ...

[https://www.journal-of-hepatology.eu/article/S0168-8278\(18\)31966-4/pdf](https://www.journal-of-hepatology.eu/article/S0168-8278(18)31966-4/pdf)

作者: P Angeli - 2018 - 被引用次数: 112 - 相关文章

most frequent of which are ascites, bleeding, encephalopathy, ... compensated cirrhosis, patients may have a good quality of life, .... pensation" of cirrhosis and excellent long-term outcome, in .... model for end-stage liver disease (MELD) score, the most com- .... ing61,62 even in patients with international normalized ratio.

### Impact of Pretransplant Hepatic Encephalopathy on Liver ... - Hindawi

<https://www.hindawi.com/journals/ijh/2013/952828/> ▼ 翻译此页

作者: LW Teperman - 2013 - 被引用次数: 22 - 相关文章