



All

Images

Videos

翻译成中文

关闭取词

72,100 Results

Any time ▾

Subclavian steal and rest pain in a case of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2727761>

Abstract. A patient with multiple vessel disease presented with symptoms of significant bilateral upper extremity pain and weakness that was more significant on the right side. On **carotid duplex scanning**, **brachiocephalic artery** occlusion with retrograde flow was noted through the right common **carotid** and right vertebral **arteries** at rest.

Cited by: 2

Author: Suraj Kapa, Jonathon Adams

Publish Year: 2008

Retrograde Stenting of Brachiocephalic Artery With ...

[https://www.jvascsurg.org/article/S0741-5214\(18\)31435-6/fulltext](https://www.jvascsurg.org/article/S0741-5214(18)31435-6/fulltext)

The left common **carotid artery** was juxtaposed, and there was a concern that primary **stenting of the brachiocephalic trunk** could lead to ostial **stenosis** or occlusion of the left common **carotid artery**. We performed **cervical cutdown** to access the right common **carotid artery**.

Author: Shoaib Shafique, Kate Dell Publish Year: 2018

Images of a case of brachiocephalic artery stenting through t...

<bing.com/images>



See more images of a case of brachiocephalic artery stenting through the carotid artery

Open brachiocephalic artery stent for static obstruction ...

<https://academic.oup.com/jscr/article/2019/2/rjz018/5310290> ▾

Feb 08, 2019 · To our knowledge, there has been only one **case** report performing open **stenting** for the **carotid artery** dissection. It was used to reinforce the fragile intima of dissected **carotid artery** with spiral form tears inside. Another reason we performed open **brachiocephalic artery stenting** was low **rSO₂** value during **SCP** detected by **INVOS**.

Author: Hiroto Kitahara, Naohisa Wakabayash... Publish Year: 2019

Author: Kitahara, Hiroto

[A case of carotid stenting via the transbrachial approach ...

<https://www.pubfacts.com/detail/16529027/A-case-of-carotid-stenting-via-the-trans...> ▾

We report our experience in **carotid stenting** via the transbrachial approach in patients with anomalous

Match Overview

1

Internet 13 words
crawled on 14-Jan-2019
www.rare-cancer.org

1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 48721

Manuscript Type: CASE REPORT

Endoscopic mucosal resection of bile duct polyp: A case report

Yang S *et al.* A new resection method for bile duct polyps

Shu Yang, Li Yang, Xiang-Yang Wang, Yu-Ming Yang

Abstract

BACKGROUND

Bile duct polyps are difficult to diagnose and are usually excised by open



国内版

国际版

Endoscopic mucosal resection of bile duct polyp: A case report



All

Images

Videos

翻译成中文

关闭取词

29,500 Results

Any time ▼

Carcinoma in situ arising in a ... - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2738799>

Aug 07, 2008 · Tubulovillous adenomas are common in the **colon** and **rectum**, but are rare in the common **bile duct**. **Biliary adenomas** may produce obstructive jaundice, which can be easily confused with a malignant neoplasm or stone. We **report a case** of a **carcinoma in situ** arising in a tubulovillous adenoma of the **distal** common **bile duct** causing obstructive jaundice.

Cited by: 9

Author: Bum-Soo Kim, Sun-Hyung Joo, Kwang-R...

Publish Year: 2008

Endoscopic resection of an unusual ampullary adenoma ...

[https://www.videogic.org/article/S2468-4481\(19\)30074-8/fulltext](https://www.videogic.org/article/S2468-4481(19)30074-8/fulltext)

Endoscopic ampullectomy has gained popularity over **surgical resection** as curative therapy for large **ampullary adenomas**. Identification of the **bile duct** and PD opening at the **ampulla** before **ampullectomy** is essential. **Endoscopists** should be vigilant in identifying and distinguishing benign from **malignant ampullary lesions**.

Author: Ankit Dalal, Gaurav K. Patil, Amit P. ...

Publish Year: 2019

Carcinoma in situ arising in a tubulovillous adenoma of ...

europepmc.org/articles/PMC2738799

Tubulovillous adenomas are common in the **colon** and **rectum**, but are rare in the common **bile duct**. **Biliary adenomas** may produce obstructive jaundice, which can be easily confused with a malignant neoplasm or stone. We **report a case** of a **carcinoma in situ** arising in a tubulovillous adenoma of the **distal** common **bile duct** causing obstructive jaundice.

Published in: *World Journal of Gastroenterology* · 2008

Authors: Bum Soo Kim · Sunhyung Joo · Kwangro Joo

About: Common Bile Duct Neoplasms · Carcinoma in situ · Common bile duct

(PDF) Laparoscopic-assisted endoscopic mucosal resection ...

https://www.researchgate.net/publication/329439317_Laparoscopic-assisted_endoscopic...

Laparoscopic-assisted endoscopic mucosal resection of a polyp in sigma and laparoscopic right hemicolectomy for adenocarcinoma in colon ascendens – case report Article (PDF Available ...