

³ Name of Journal: *World Journal of Gastroenterology*

Manuscript NO:49385

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Changes of gastric ulcer bleeding in the metropolitan area of Japan

Kubosawa Y *et al.* Changes of gastric ulcer bleeding

Abstract

BACKGROUND

The two main causes of gastric ulcer bleeding are *Helicobacter pylori* (*H. pylori*) infection and ulcerogenic medicines, although the number of cases caused by

Match Overview

1	Internet 56 words crawled on 03-Mar-2017 www.wjnet.com	2%
2	Crossref 50 words Hideki Mori, Hidekazu Suzuki, Fumio Omata, Tatsuhiro Masaoka et al. "Current status of first- and second-line eradication	1%
3	Internet 33 words crawled on 28-Aug-2019 f6publishing.blob.core.windows.net	1%
4	Internet 28 words crawled on 18-Oct-2019 www.e-sciencecentral.org	1%
5	Internet 22 words crawled on 11-May-2016 www.ncbi.nlm.nih.gov	1%
6	Internet 14 words crawled on 13-Oct-2010 onlinelibrary.wiley.com	<1%
7	Crossref 14 words Franchini, Massimo, and Dino Veneri. "Helicobacter pylori-associated immune thrombocytopenia", <i>Platelets</i> , 2006.	<1%
8	Internet 12 words crawled on 23-May-2016 www.jneurosci.org	<1%
9	Internet 12 words crawled on 23-Sep-2019 academic.oup.com	<1%

 49385-CrossCheck report.pdf
已下载
app.ithenticate.com



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 11,000,000 条结果 (用时 0.59 秒)

Time trends in incidence of peptic ulcer bleeding and associated risk ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3108655/> ▼ 翻译此页

作者: KE Bakkevold - 2010 - 被引用次数: 15 - 相关文章

2010年6月29日 - The incidence rate of **peptic ulcer bleeding** did not **change** between A study from **Japan**23 reported a corresponding prevalence of 11%, of uncomplicated **peptic ulcer** and **bleeding peptic ulcer over a 10-year period**.

[Abstract](#) · [Material and methods](#) · [Results](#) · [Discussion](#)

其他用户还问了以下问题

Are duodenal or gastric ulcers more common?



Why are peptic ulcers more common in the duodenum?



What causes peptic ulcers to bleed?



反馈

A study of the changes in the cause of peptic ulcer bleeding - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3399011/> ▼ 翻译此页

作者: H Fujinami - 2012 - 被引用次数: 7 - 相关文章

2012年7月16日 - The subjects were patients presenting **with peptic ulcer bleeding**. ... **changed** from H. pylori infection to use of NSAIDs **over** the **7-year period** of study. ... events in patients **with** cardiovascular and cerebrovascular diseases[8-10]. A clinical study of **Japanese** patients **with** ulcer induced by low-dose aspirin ...



国内版 国际版

Changes of gastric ulcer bleeding in the metropolitan area of



Sign in



All

Images

Videos

关闭取词

124,000 Results

Any time ▾

Hemorrhagic Stress-induced Gastric Ulcer in a Healthy Toddler

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6207812>

Oct 01, 2018 - **Gastric bleeding** from a stress-induced **ulcer** is an uncommon, but previously documented, entity in neonates that presents as acute onset of gastrointestinal **bleeding**, commonly with bloody vomitus resembling coffee grounds, hematemesis, and melena. However, hemorrhagic stress-induced **gastric ulcer** is even more unusual in toddlers, particularly ...

Seasonal changes in gastric mucosal factors associated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4247295>

A close association has been established between climate and **peptic ulcer bleeding** (PUB). The incidence of PUB in cold climates is significantly higher than that in hot climates. In this study, **gastric** mucosal damage and its barrier function (through associated barrier factors) in extreme climate ...

Cited by: 4

Author: Xiao-Gang Yuan, Chuan Xie, Jiang Chen,...

Publish Year: 2015

A study of the changes in the cause of peptic ulcer bleeding

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3399011>

Jul 16, 2012 - The risk factors of **peptic ulcer bleeding** are shown in Table Table3. 3. H. pylori infection rate was 84.2% in 2002, 72.6% in 2005, and 71.4% in 2008, which demonstrates a significant decrease ($P = 0.048$). The greatest cause of **peptic ulcer bleeding** was the use of gastrointestinal injury drugs, such as NSAIDs and low-dose aspirin.

Cited by: 4

Author: Haruka Fujinami, Takahiko Kudo, Ayumu ...

Publish Year: 2012

Vonoprazan prevents bleeding from endoscopic submucosal ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/apt.13747>

Jul 28, 2016 - Known risk factors for post-ESD **bleeding** include the presence of tumours in the lower **stomach** and a large tumour size. 6, 19 In **peptic ulcers**, the location, size and depth of the **ulcers**, the presence and size of the exposed vessels, and the presence of active **bleeding** (type I in Forrest

https://www.researchgate.net/profile/Ayumu_Hosokawa/publication/229428015_A_study_of_the_changes_in_the_cause_of_peptic_ulcer_bleeding/links/02e7e528b2eb16894b000000

Cited by: 17

Author: T. Kagawa, Masaya Iwamuro, S. Ishikaw...

Publish Year: 2016



国内版

国际版

Changes of gastric ulcer bleeding in the metropolitan area of



All

Images

Videos

关闭取词

286,000 Results

Any time ▼

A study of the changes in the cause of peptic ulcer bleeding

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3399011>

Jul 16, 2012 · The greatest cause of **peptic ulcer bleeding** was the use of gastrointestinal injury drugs, such as NSAIDs and low-dose aspirin. The proportion of NSAIDs users significantly increased ($P = 0.034$), but there were no significant **changes** in the proportion of low-dose aspirin users ($P = 0.832$).

Cited by: 4

Author: Haruka Fujinami, Takahiko Kudo, Ayumu H...

Publish Year: 2012

Seasonal changes in gastric mucosal factors associated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4247295>

A close association has been established between climate and **peptic ulcer bleeding** (PUB). The incidence of PUB in cold climates is significantly higher than that in hot climates. In this study, **gastric** mucosal damage and its barrier function (through associated barrier factors) in extreme climate ...

Cited by: 4

Author: Xiao-Gang Yuan, Chuan Xie, Jiang Chen, Y...

Publish Year: 2015

[PDF] A study of the changes in the cause of peptic ulcer bleeding

https://www.researchgate.net/profile/Ayumu_Hosokawa/publication/229428015_A_study_of...

A study of the **changes** in the cause of **peptic ulcer bleeding** Haruka Fujinami, Takahiko Kudo, Ayumu Hosokawa, Kohei Ogawa, Takako Miyazaki, Jun Nishikawa, Shinya Kajiura, Takayuki Ando, Akira Ueda ...

A study of the changes in the cause of peptic ulcer bleeding

<https://www.wjgnet.com/1948-5190/full/v4/i7/323.htm> ▼

The risk factors of **peptic ulcer bleeding** are shown in Table 3. *H. pylori* infection rate was 84.2% in 2002, 72.6% in 2005, and 71.4% in 2008, which demonstrates a significant decrease ($P = 0.048$). The greatest cause of **peptic ulcer bleeding** was the use of gastrointestinal injury ...

Cited by: 4

Author: Haruka Fujinami, Takahiko Kudo, Ayumu H...

Publish Year: 2012

gastric and duodenal ulcer Flashcards | Quizlet

<https://quizlet.com/172944621/gastric-and-duodenal-ulcer-flash-cards> ▼

Start studying **gastric** and duodenal **ulcer**. Learn vocabulary, terms, and more with flashcards, games, and other study tools. ... - uncontrolled or recurrent **bleeding** - suspected malignant **gastric ulcer** ... - **gastric** adenocarcinoma 95% of malignancies of **stomach** - adenomas - high incidence in **japan**, **chile**, **iceland**

A study of the changes in the cause of peptic ulcer ...