



All

Images

Videos

翻译成中文

关闭取词

56,400 Results

Any time ▾

Comparative outcomes between robotic and abdominal ...

[https://www.gynecologiconcology-online.net/article/S0090-8258\(19\)30149-0/fulltext](https://www.gynecologiconcology-online.net/article/S0090-8258(19)30149-0/fulltext)

Our objective was to **compare tumor characteristics**, perioperative complications, risks of recurrence, and survival in a cohort of women **undergoing abdominal radical hysterectomy (ARH) versus robotic radical hysterectomy (RRH)** for early stage **cervical cancer** at a single institution that cares for a high volume of **cervical cancer** patients.

Author: David W. Doo, C. Tyler Kirkland, Laure... **Publish Year:** 2019

Robotic Radical Hysterectomy Versus Total Laparoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3015864>

Robotic Laparoscopic Radical Hysterectomy Surgical Technique. The **technique** of total **laparoscopic hysterectomy** and bilateral pelvic lymphadenectomy using harmonic shears has been previously described 10,19 and served as the basis for the **robotic procedure**. After patients received appropriate **preoperative counseling** and gave their written informed consent, a standard **outpatient mechanical bowel preparation** ...

Robotic vs laparoscopic radical hysterectomy for cervical ...

<https://www.ncbi.nlm.nih.gov/pubmed/25823530>

Robotic vs laparoscopic radical hysterectomy for cervical cancer: a meta-analysis. Studies documenting a **comparison of RRH** with LRH for CC were selected. **Operative** and recovery outcomes, common morbidity, and oncological parameters were evaluated. **RESULTS:** Compared with LRH, RRH was associated with less blood loss and shorter hospital stay.

Cited by: 9

Author: Jing Zhou, Bing Hong Xiong, Li Ma, Yong ...

Publish Year: 2016

Unexpected Outcome in Hysterectomy Study | Medpage Today

<https://www.medpagetoday.com/meetingcoverage/sgo/72013> ▾

Mar 27, 2018 · **Retrospective Analysis.** The **analysis** involved patient records included in the National Cancer Database, which covers 70% of new **cancer diagnoses** in the United States. Eligible patients had **surgery** during 2010-2012 for stage IA2 or IB1 **cervical cancer** of any histology, and a procedure that included **radical hysterectomy and pelvic lymph-node...**

Author: Charles Bankhead

Robotic versus laparoscopic radical hysterectomy in ...

Comparative analysis of robotic versus laparoscopic radical hysterectomy for cervical cancer

Li Chen, Li-Ping Liu, Na Wen, Xiao Qiao, Yuan-Guang Meng

Abstract

BACKGROUND

Cervical cancer is the most common gynecological malignancy, ranking first in female reproductive malignancies with more than 500000 new cases and 275000 deaths each year. Traditionally, open radical hysterectomy is considered the standard surgical procedure for the treatment of resectable cervical cancer. The latest guidelines from the National Comprehensive Cancer Network and the European Society of Gynecological Oncology suggest that open surgery and laparoscopic surgery (using traditional laparoscopy or robotic techniques) are the main surgical approaches for radical hysterectomy for early stage IA2-IIA patients with cervical cancer. Robotic surgery has been increasingly used in abdominal surgery and has shown more beneficial effects.

AIM

To analyse the perioperative conditions, complications and short-term and long-term effects in patients undergoing robotic radical hysterectomy (RRH)

Match Overview

4 matches

1	Crossref 48 words Cheng Luo, Mei Liu, Xiuli Li. "Efficacy and safety outcomes of robotic radical hysterectomy in Chinese older wo ..."	1%
2	Internet 40 words crawled on 18-Jul-2019 www.oatext.com	1%
3	Internet 34 words crawled on 27-May-2019 www.science.gov	1%
4	Internet 31 words crawled on 05-May-2016 www.iconceptpress.com	1%
5	Crossref 25 words Zhou, Jing, Bing Hong Xiong, Li Ma, Yong Cheng, Wei Huang, and Lin Zhao. "Robotic vs laparoscopic radical hy ..."	1%
6	Crossref 24 words Liangliang Han, Peijing Yan, Liang Yao, Rong Liu et al. "Safety and effectiveness of robotic hysterectomy versus ..."	1%
7	Crossref 19 words Nezhat, F.. "Minimally invasive surgery in gynecologic oncology: Laparoscopy versus robotics", Gynecologic Oncology	1%
8	Crossref 17 words G. Corrado, F. Fanfani, F. Ghezzi, A. Fagotti, S. Uccella, E. Mancini, I. Sperduti, G. Stevenazzi, G. Scambia, E. Vizza. "	<1%
9	Crossref 17 words Seema Singhal. "Robotic-Assisted Surgery in Gynecologic Oncology: Hype or Hope", Indian Journal of Gynecology and Obstetrics	<1%
10	Internet 13 words crawled on 03-Nov-2014 www.ncbi.nlm.nih.gov	<1%

84,900 Results

Any time ▼

Comparative outcomes between robotic and abdominal ...

<https://www.sciencedirect.com/science/article/pii/S0090825819301490>

Our objective was to compare tumor characteristics, perioperative complications, risks of recurrence, and survival in a cohort of women undergoing abdominal radical hysterectomy (ARH) versus robotic radical hysterectomy (RRH) for early stage cervical cancer at a single institution that cares for a high volume of cervical cancer patients.

Cited by: 1

Author: David W. Doo, C. Tyler Kirkland, Lauren H...

Publish Year: 2019

Laparoscopic, robotic and open method of radical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3401719>

Aug 04, 2011 - Minimally invasive surgery especially robotic radical hysterectomy may be a better and safe option for surgical treatment of cervical cancer. The laparoscopic method is not free from complications. However, experience of surgeon may reduce the complications rate.

Robotic Radical Hysterectomy Versus Total Laparoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3015864>

Robotic Laparoscopic Radical Hysterectomy Surgical Technique. The technique of total laparoscopic hysterectomy and bilateral pelvic lymphadenectomy using harmonic shears has been previously described 10,19 and served as the basis for the robotic procedure. After patients received appropriate preoperative counseling and gave their written informed consent, a standard outpatient mechanical bowel preparation ...

Robotic Versus Laparoscopic Radical Hysterectomy in ...

<https://ijgc.bmj.com/content/24/8/1466> ▼

Oct 01, 2014 - Objective This study aimed to compare initial surgical outcomes and complication rates of patients with early-stage cervical cancer who underwent robotic radical hysterectomy (RRH) and conventional laparoscopic radical hysterectomy (LRH). Methods Patients diagnosed with invasive cervical cancer (International Federation of Gynecology and Obstetrics stage I-IIA) who underwent ...

Cited by: 20

Author: Tae-Hyun Kim, Chel Hun Choi, June-Kuk ...

Publish Year: 2014