



All

Images

Videos

翻译成中文

关闭取词

3,730 Results

Any time ▾

## Solitary fibrous tumors of the pleura with Doege-Potter ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4267432>

**Solitary fibrous tumor of the pleura (SFTP)** is a rare primary tumor, occupying less than 5% of all **pleural tumors** [1]. It arises from the submesothelial mesenchymal layer. **Hypoglycemia** accompanying SFTP is specifically referred to as the **Doege-Potter syndrome (DPS)** [2].

Cited by: 12

Author: Wen Meng, Hong-Hong Zhu, Hu Li, Guoqi...

Publish Year: 2014

## Doege-Potter syndrome presenting with hypoinsulinemic ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/1752-1947-7-11> ▾

Jan 09, 2013 · **Doege-Potter syndrome** is a **paraneoplastic syndrome** characterized by **non-islet cell tumor hypoglycemia** secondary to a **solitary fibrous tumor**. This tumor causes hypoglycemia by the secretion of a **prohormone form** of insulin-like growth factor II.

Cited by: 9

Author: Robert C Schutt, Trish A Gordon, Ruchi ...

Publish Year: 2013

## [PDF] Doege-Potter Syndrome and How a Benign Tumour ...

[www.clinicsinoncology.com/pdfs\\_folder/cio-v4-id1572.pdf](http://www.clinicsinoncology.com/pdfs_folder/cio-v4-id1572.pdf)

**Solitary Fibrous Tumors of the Pleura (SFTP)** are rare tumors, usually benign. **Doege-Potter Syndrome (DPS)** occurs in less than 5% of TFSP and consists of refractory hypoglycemia associated with these tumors. We report the case of a 65-year-old woman with a **confusional syndrome of sudden onset** associated with hypoglycaemia.

## A solitary fibrous tumor in the pelvic cavity of a patient ...

<https://surgicalcasereports.springeropen.com/articles/10.1186/s40792-019-0617-6> ▾

Apr 11, 2019 · A **solitary fibrous tumor (SFT)** is a mesenchymal lesion, which commonly develops in the thorax. Non-islet cell hypoglycemia is a rare paraneoplastic phenomenon caused by an extra-pancreatic tumor. We report a rare case of a pelvic SFT with severe hypoglycemia, which was considered to be **Doege-Potter syndrome**. A 72-year-old man was referred to our hospital for treatment of

Author: Yukiko Wada, Keiichi Okano, Yasuhis...

Publish Year: 2019

## Doege-Potter syndrome - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4492573>



All

Images

Videos

翻译成中文

关闭取词

4,050 Results

Any time ▾

## Solitary fibrous tumors of the pleura with Doege-Potter ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4267432>

**Solitary fibrous tumor of the pleura (SFTP)** is a rare primary **tumor**, occupying less than 5% of all **pleural tumors** [1]. It arises from the submesothelial mesenchymal layer. **Hypoglycemia** accompanying SFTP is specifically referred to as the **Doege-Potter syndrome (DPS)** [2].

**Cited by:** 12

**Author:** Wen Meng, Hong-Hong Zhu, Hu Li, Guoq...

**Publish Year:** 2014

## Doege-Potter syndrome presenting with hypoinsulinemic ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/1752-1947-7-11> ▾

Jan 09, 2013 · **Doege-Potter syndrome** is a **paraneoplastic syndrome** characterized by **non-islet cell tumor hypoglycemia** secondary to a **solitary fibrous tumor**. This **tumor causes hypoglycemia** by the secretion of a **prohormone form** of insulin-like growth factor II.

**Cited by:** 9

**Author:** Robert C Schutt, Trish A Gordon, Ruchi B...

**Publish Year:** 2013

## [PDF] Doege-Potter Syndrome and How a Benign Tumour Spreads ...

[www.clinicsinoncology.com/pdfs\\_folder/cio-v4-id1572.pdf](http://www.clinicsinoncology.com/pdfs_folder/cio-v4-id1572.pdf)

**Solitary Fibrous Tumors of the Pleura (SFTP)** are rare **tumors**, usually benign. **Doege-Potter Syndrome (DPS)** occurs in less than 5% of TFSP and consists of refractory hypoglycemia associated with these **tumors**. We report the case of a 65-year-old woman with a **confusional syndrome of sudden onset** associated with hypoglycaemia.

## Doege-potter syndrome: a report of a histologically benign

## Doege–Potter syndrome

Paraneoplastic Syndrome

Doege–Potter syndrome is a paraneoplastic syndrome in which hypoglycemia is associated with solitary fibrous tumors. The hypoglycemia is the result of the tumors producing insulin-like growth factor 2. The syndrome was first described in 1930, by Karl Walter Doege, a German-American physician and by Roy Pilling Potter, an American radiologist, working independently; the full term Doege–Potter syndrome was infrequently used until the publication of a 2000 article using the eponym.



Data from: Wikipedia

[Suggest an edit](#)

Name of Journal: *World Journal of Gastrointestinal Surgery*

Manuscript NO: 49465

Manuscript Type: CASE REPORT

**Doege-Potter syndrome by malignant solitary fibrous tumor of the liver: A case report and review of literature**

Antonella D *et al.* Malignant solitary fibrous tumor

Delvecchio Antonella, Duda Loren, Conticchio Maria, Fiore Felicia, Lafranceschina Stefano, Umberto Riccelli, Cristofano An  
 Pascazio Bianca, Colagrande Anna, Resta Leonardo, Memeo Riccardo

#### Abstract

##### BACKGROUND

Solitary fibrous tumor of the liver (SFTL) is a rare occurrence with a low number of cases reported in literature. SFTL is usually ben  
 10%-20% cases are reported to be malignant with a tendency to metastasize. The majority of malignant SFTL cases are associated  
 paraneoplastic hypoglycaemia defined as Doege-Potter syndrome. Surgery is the best therapeutic treatment, however, long- life fo  
 is recommended.

##### CASE SUMMARY

A 74-year-old man, was admitted to the emergency department after a syncopal episode with detection of hypoglycaemia resi  
 medical treatment. The computed tomography revealed a solid mass measuring 15 cm of the left liver. An open left hepatectom  
 performed with complete resection of tumor. Histopathological analyses confirmed a malignant SFTL.

### Match Overview

1	<b>Crossref</b> 34 words Rajesh S Shinde, Amit Gupta, Mahesh Goel, Shraddha Patka r. "Solitary fibrous tumor of the liver - An unusual entity: A c...	5%
2	<b>Crossref</b> 17 words Marcelo A. Beltrán. "Solitary Fibrous Tumor of the Liver: a F... view of the Current Knowledge and Report of a New Case",	3%
3	<b>Internet</b> 15 words crawled on 27-Jun-2019 <a href="http://f6publishing.blob.core.windows.net">f6publishing.blob.core.windows.net</a>	2%



All

Images

Videos

翻译成中文

关闭取词

4,020 Results

Any time ▾

## Solitary fibrous tumors of the pleura with Doege-Potter ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4267432>

Solitary fibrous tumor of the pleura (SFTP) is a rare primary tumor, occupying less than 5% of all pleural tumors [1]. It arises from the submesothelial mesenchymal layer. Hypoglycemia accompanying SFTP is specifically referred to as the Doege-Potter syndrome (DPS) [2].

Cited by: 12

Author: Wen Meng, Hong-Hong Zhu, Hu Li, Guoqi...

Publish Year: 2014

## Doege-Potter syndrome presenting with hypoinsulinemic ...

<https://jmedicalcasereports.biomedcentral.com/articles/10.1186/1752-1947-7-11> ▾

Jan 09, 2013 · Doege-Potter syndrome is a paraneoplastic syndrome characterized by non-islet cell tumor hypoglycemia secondary to a solitary fibrous tumor. This tumor causes hypoglycemia by the secretion of a prohormone form of insulin-like growth factor II.

Cited by: 9

Author: Robert C Schutt, Trish A Gordon, Ruchi ...

Publish Year: 2013

## Doege-potter syndrome: a report of a histologically benign ...

<https://cardiothoracicsurgery.biomedcentral.com/articles/10.1186/s13019-017-0630-4> ▾

Aug 07, 2017 · Most patients with SFTPs are asymptomatic; however, pleuritic chest pain, cough, and dyspnea can develop. If hypoglycemia is associated with a solitary fibrous tumor, it is referred to as the Doege-Potter syndrome. A 70-year-old man had visited our hospital with a chief complaint of dyspnea, and he was diagnosed as having a solitary fibrous tumor.

Cited by: 1

Author: Do Wan Kim, Kook Joo Na, Ju Sik Yun, ...

Publish Year: 2017

## (PDF) Doege-Potter Syndrome - ResearchGate

[https://www.researchgate.net/publication/282513630\\_Doege-Potter\\_Syndrome](https://www.researchgate.net/publication/282513630_Doege-Potter_Syndrome)

This study was to report a rare repeatedly recurrent case of solitary fibrous tumor of the pleura with Doege-Potter syndrome diagnosed in China and a three-decade literature review of solitary ...

## A solitary fibrous tumor in the pelvic cavity of a patient ...

<https://surgicalcasereports.springeropen.com/articles/10.1186/s40792-019-0617-6> ▾

Apr 11, 2019 · A solitary fibrous tumor (SFT) is a mesenchymal lesion, which commonly develops in the thorax. Non-islet cell hypoglycemia is a rare paraneoplastic phenomenon caused by an extra-