

Name of Journal: *World Journal of Gastrointestinal Endoscopy*

Manuscript NO: 49758

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Secondary angiodysplasia-associated gastrointestinal bleeding in end-stage renal disease: Results from the nationwide inpatient sample

Tariq T *et al.* Angiodysplasia-associated gastrointestinal bleeding in renal disease

Tooba Tariq, Patrick Karabon, Furqan B Irfan, Sachin Goyal, Matthew Masaru Mayeda, Austin Parsons, Stephanie Judd, Murray Ehrinpreis

Match Overview			
1	Crossref 57 words Marwan S. Abougergi. "Epidemiology of Upper Gastrointestinal Hemorrhage in the USA: Is the Bleeding Slowing Down"	2%	
2	Crossref 43 words Marwan S. Abougergi, Anne C. Travis, John R. Saltzman. "The in-hospital mortality rate for upper GI hemorrhage has ..."	1%	
3	Crossref 37 words Colin John Crooks, Joe West, Timothy Richard Card. "Comorbidities Affect Risk of Nonvariceal Upper Gastrointestinal Bleeding"	1%	
4	Crossref 26 words Alexander L. Nguyen, Haesuk Park, Pauline Nguyen, Edward Sheen, Yoona A. Kim, Mindie H. Nguyen. "Rising Inpatient ..."	1%	
5	Internet 20 words crawled on 15-Feb-2017 www.eurekaselect.com	1%	
6	Internet 15 words crawled on 14-Jul-2019 www.thieme-connect.com	<1%	
7	Crossref 15 words "WORLD TRANSPLANT CONGRESS 2006 POSTER ABSTRACTS", American Journal of Transplantation, 8/2006	<1%	
8	Internet 11 words crawled on 03-Jul-2019 journals.plos.org	<1%	
9	Internet 11 words stroke.ahajournals.org	<1%	
10	Internet 10 words crawled on 30-May-2019 btcfaith.net	<1%	
11	Internet 10 words crawled on 20-Feb-2019 www.neurotransmitter.net	<1%	
12	Crossref 10 words "Abstracts from the 31st Annual Meeting of the Society of General Internal Medicine", Journal of General Internal Medicine	51% OK/s OK/s	1%



All

Images

Videos

翻译成中文

关闭取词

27,300 Results

Any time ▾

Practice exam 2 Flashcards | Quizlet

<https://quizlet.com/145461267/practice-exam-2-flash-cards> ▾

Start studying Practice exam 2. Learn vocabulary, terms, and more with flashcards, games, and other study tools. Search. ... **Gastrointestinal bleeding** manifests as: ... or **end stage renal disease**. According to the UHDDS, the definition of a **secondary** diagnosis is a condition that: ...

[PDF] Nationwide Outcomes of Non Variceal Upper ...

[https://www.gastrojournal.org/article/S0016-5085\(11\)60183-2/pdf](https://www.gastrojournal.org/article/S0016-5085(11)60183-2/pdf)

Background: **End stage renal disease** (ESRD) is a growing problem in United States with its incidence projected to increase to 41% by 2020. **Patients with ESRD** have coagulopathy which is poorly understood. There are competing pro and anti coagulant mechanisms involved. **Coagulopathy secondary to uremic platelet dysfunction** is believed to play a major role.

Risk of comorbidities and outcomes in patients with lower ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4823646>

Additionally, health insurance status, classified as private, Medicare, Medicaid, or other/unknown was also obtained. Medicare is a national social insurance program, administered by the US government providing health insurance for Americans aged 65 and older and younger people with **disabilities** as well as people with **end-stage renal disease**.

Cited by: 6

Author: Preethi G. K. Venkatesh, Basile Njei, Ma...

Publish Year: 2014

Outcomes Associated With Apixaban Use in Patients With ...

<https://www.ahajournals.org/doi/10.1161/CIRCULATIONAHA.118.035418>

In this retrospective, prognostic score-matched analysis of Medicare beneficiaries with **end-stage kidney disease** on dialysis and atrial fibrillation, apixaban was associated with lower rates of major **bleeding** compared with warfarin, whereas there was no difference in stroke or systemic embolism.

Cited by: 18

Author: Konstantinos C Siontis, Xiaosong Zhang, ...

Publish Year: 2018

End-stage renal disease is associated with worse outcomes ...

[https://www.giejournal.org/article/S0016-5107\(12\)02912-4/fulltext](https://www.giejournal.org/article/S0016-5107(12)02912-4/fulltext)

Patients with end-stage renal disease (ESRD) are at increased **risk of peptic ulcer bleeding (PUB)**. To our knowledge, there are no population-based studies of the impact of ESRD on PUB. **End-stage**



All

Images

Videos

翻译成中文

关闭取词

25,100 Results

Any time ▾

Apixaban for End-Stage Kidney Disease | Circulation

<https://www.ahajournals.org/doi/full/10.1161/CIRCULATIONAHA.118.036449>

The primary end point is time to first **bleeding** event using the International Society of Thrombosis and Haemostasis definition of major hemorrhage, as was used in the AF trials. 14 In addition, the AXADIA study (Compare Apixaban and Vitamin-K Antagonists in Patients With Atrial Fibrillation and **End-Stage Kidney Disease**) (will randomize patients ...

Author: Elaine M. Hylek **Publish Year:** 2018

[PDF] Nationwide Outcomes of Non Variceal Upper ...

[https://www.gastrojournal.org/article/S0016-5085\(11\)60183-2/pdf](https://www.gastrojournal.org/article/S0016-5085(11)60183-2/pdf)

Background: **End stage renal disease (ESRD)** is a growing problem in United States with its incidence projected to increase to 41% by 2020. **Patients with ESRD** have coagulopathy which is poorly understood. There are competing pro and anti coagulant mechanisms involved. **Coagulopathy secondary to uremic platelet dysfunction** is believed to play a major role.

Risk of comorbidities and outcomes in patients with lower ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4823646>

Multivariate associations of comorbidities with length of hospital stay in patients with lower **gastrointestinal bleeding Congestive heart failure, liver disease, renal failure**, presence of **psychosis**, and **weight loss** were **associated** with a significant increase in LOS.

Cited by: 6 **Author:** Preethi G. K. Venkatesh, Basile Njei, Mad...

Publish Year: 2014

Practice exam 2 Flashcards | Quizlet

<https://quizlet.com/145461267/practice-exam-2-flash-cards> ▾

Start studying Practice exam 2. Learn vocabulary, terms, and more with flashcards, games, and other study tools. Search. ... **Gastrointestinal bleeding** manifests as: ... or **end stage renal disease**. According to the UHDDS, the definition of a **secondary** diagnosis is a condition that: ...

UGIB vs. LGIB | Journal of Hospital Medicine

검색결과 약 20,500개 (0.55초)

<https://www.ncbi.nlm.nih.gov/pmc/PMC6394262> ▾ 이 페이지 번역하기

Diagnostic and therapeutic considerations for obscure ... - NCBI

M Muftah 저술 - 2019 - [관련 학술자료](#)

2018. 12. 20. - As a **result**, recurrent bleeding in this subgroup of patients is more ... Studies on **gastrointestinal bleeding** in patients with **chronic kidney disease** ... higher rates of **GI bleeding secondary** to peptic ulcer disease and **angiodysplasia** Factors **associated** with re-bleeding included age >65 years, CKD, aortic ...

누락된 검색어: nationwide inpatient sample

관련 질문

Does kidney disease cause bleeding?



What is the treatment for Angiodysplasia?



Can GI bleed cause renal failure?



What does Angiodysplasia mean?



사용자 의견

<https://www.ncbi.nlm.nih.gov/pmc/PMC4986509> ▾ 이 페이지 번역하기

Gastrointestinal bleeding in patients on long-term dialysis - NCBI

H Trivedi 저술 - 2015 - [9회 인용](#) - [관련 학술자료](#)