

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 50052

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Risk of inflammatory bowel disease in patients with chronic obstructive pulmonary disease: A nationwide, population-based study

Lee J *et al.* Risk of IBD in COPD patients

Jooyoung Lee, Jong Pil Im, Kyungdo Han, Seona Park, Hosim Soh, Kukhwan Choi,
Jihye Kim, Jaeyoung Chun, Joo Sung Kim

Match Overview

1	Internet 47 words crawled on 15-Mar-2018 thorax.bmj.com	2%
2	Crossref 33 words Jooyoung Lee, Jong Pil Im, Kyungdo Han, Jihye Kim, Hyun Jung Lee, Jaeyoung Chun, Joo Sung Kim. "Changes in Dir	1%
3	Internet 30 words crawled on 03-Apr-2014 www.nature.com	1%
4	Crossref 21 words Roy T.M. Sprooten, Kaatje Lenaerts, Dionne C.W. Braeken, Ilvy Grimbergen et al. "Increased Small Intestinal Permea ...	1%
5	Internet 21 words crawled on 29-Jul-2016 journal.publications.chestnet.org	1%
6	Internet 18 words crawled on 02-Nov-2012 www.ami20.com	1%
7	Internet 17 words crawled on 28-Oct-2009 www.lerner.ccf.org	1%
8	Crossref 15 words Maria Vutcovici, Paul Brassard, Alain Bitton. "Inflammator... bowel disease and airway diseases", World Journal of Ga	<1%



All

Images

Videos

关闭取词

43,100 Results

Any time ▾

P783 Increased risk of inflammatory bowel disease in ...

<https://www.ecco-ibd.eu/publications/congress-abstract-s/abstracts-2018/item/p783...> ▾

Chronic pulmonary obstructive disease (COPD) is caused by chronic inflammation of the airways and lung parenchyma, resulting in irreversible airflow limitation. Several studies have addressed that airway diseases can be an extra-intestinal manifestation of inflammatory bowel disease (IBD).

Risk of herpes zoster among patients with chronic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3060212>

Mar 22, 2011 - Chronic obstructive pulmonary disease (COPD) is characterized by progressive airflow limitation that is associated with an abnormal inflammatory response by the small airways and alveoli to inhaled particles and pollutants. 6 Disruption of local defence systems (e.g., damage to the innate immune system, impaired mucociliary clearance) predispose patients with COPD to respiratory tract ...

Cited by: 68

Author: Ya-Wen Yang, Yi Hua Chen, Kuo Hsien ...

Publish Year: 2011

(PDF) Risk of Anxiety and Depression in Patients with ...

https://www.researchgate.net/publication/333050855_Risk_of_Anxiety_and_Depression_in...

Risk of Anxiety and Depression in Patients with Inflammatory Bowel Disease: A Nationwide, Population-Based Study

Chronic obstructive pulmonary disease: an independent risk ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-2036.2012.05028.x>

In literature, patients who smoke or have COPD carry higher risk of developing peptic ulcer disease. 2-4 Moreover, COPD patients often have other smoking-related chronic diseases, such as hypertension, coronary artery disease, or heart failure, and use similar medications, including anti-platelet drugs ...

Cited by: 55

Author: K.-W. Huang, K.-W. Huang, J.-C. Luo, J.-...

Publish Year: 2012

β-Blocker Therapy and Risk of Chronic Obstructive ...

<https://www.sciencedirect.com/science/article/pii/S2589537019300045>

Chronic obstructive pulmonary disease (COPD) is a common respiratory health problem characterized by persistent respiratory symptoms, such as dyspnea, cough, and airflow limitations. The airflow



All

Images

Videos

关闭取词

29,000 Results

Any time ▾

P783 Increased risk of inflammatory bowel disease in ...

<https://www.ecco-ibd.eu/publications/congress-abstract-s/abstracts-2018/item/p783...> ▾

The European Crohn's and Colitis Organisation is a highly active non-profit association focusing on **Inflammatory Bowel Diseases (IBD)**. P783 Increased risk of inflammatory bowel disease in patients with chronic obstructive pulmonary disease: A nationwide population-based study

Inhaled Pharmacotherapy and Stroke Risk in Patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4497597>

Patients with chronic obstructive pulmonary disease (COPD) are at higher risk of stroke than those without COPD. This study aims to explore the impact of inhaled pharmacotherapy on stroke risk in COPD patients during a three-year follow-up, using a nationwide, ...

Cited by: 7

Author: Hui Wen Lin, Chi Li Chung, Chi Li Chung, Yo...

Publish Year: 2015

Chronic obstructive pulmonary disease: an independent risk ...

<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1365-2036.2012.05028.x>

Chronic obstructive pulmonary disease: an independent risk factor for peptic ulcer bleeding: a nationwide population-based study K.-W. Huang Department of Medicine, National Yang-Ming University, School of Medicine, Taipei, Taiwan

Cited by: 55

Author: K.-W. Huang, K.-W. Huang, J.-C. Luo, J.-C. L...

Publish Year: 2012

β-Blocker Therapy and Risk of Chronic Obstructive ...

<https://www.sciencedirect.com/science/article/pii/S2589537019300045>

S. Coiro, N. Girerd, P. Rossignol, et al. Association of beta-blocker treatment with mortality following myocardial infarction in patients with chronic obstructive pulmonary disease and heart failure or left ventricular dysfunction: a propensity matched-cohort analysis from the High-Risk Myocardial Infarction Database Initiative

Cited by: 2

Author: Anne Orholm Nielsen, Lars Pedersen, Birgit...

Publish Year: 2019

[PDF] Risk of Anxiety and Depression in Patients with ...

<https://www.mdpi.com/2077-0383/8/5/654/pdf>

However, **population-based** estimates regarding the risk for the newly developed anxiety and depression following a diagnosis of **IBD** have not been fully determined yet. The aim of this **study**, therefore, is to investigate the incidence and risk factors of anxiety and depression in patients with **IBD** through a

Chronic Obstructive Pulmonary Disease

Medical Condition

 Image for Condition

A group of progressive lung disorders characterized by increasing breathlessness.

 Very common (More than 3 million cases per year in US) Often requires lab test or imaging Treatments can help manage condition, no known cure Can be lifelong

Smoking and inhaling pollutants are the main causes. Symptoms include breathlessness, coughing and wheezing. Medication, oxygen therapy and surgery are the treatment options.

Symptoms

COPD may develop for years without any noticeable symptoms. It is generally diagnosed in the moderate stage. Some of the symptoms noted include:

- Sputum production
- Shortness of breath, which gradually gets worse
- Shortness of breath during physical activity
- Frequent coughing, with or without sputum
- Wheezing