



All

Images

Videos

翻译成中文

关闭取词

10,300,000 Results

Any time ▼

## Salvage radiotherapy after radical prostatectomy

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2692144>

Pearce A, Choo R, Danjoux C, et al. Effect of combined treatment with **salvage** radiotherapy plus androgen suppression on quality of life in **patients** with recurrent **prostate cancer** after radical prostatectomy. Int J Radiat Oncol Biol Phys. 2006; 65:78–83.

Cited by: 12

Author: Jonathan I. Izawa

Publish Year: 2009

## Salvage brachytherapy for locally recurrent prostate ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4814964>

Jun 23, 2015 · **Salvage** therapy for **prostate cancer**, as reviewed by Yamada et al, carries a higher burden/risk of short-term complications and long-term functional compromise. **Salvage** prostatectomy is the gold standard for failed radiation therapy with clinically localized (biopsy confirmed) disease.

## Adjuvant Radiotherapy vs Early-Salvage Radiotherapy for ...

<https://www.oncnet.com/news/adjuvant-radiotherapy-vs-early-salvage-radiotherapy...> ▼

Jan 25, 2018 · **Prostate cancer** with adverse pathological features (eg, pT3 and positive margins) after prostatectomy may be managed with adjuvant radiotherapy or surveillance followed by early-**salvage** radiotherapy for biochemical recurrence. However, the optimal timing of postoperative radiotherapy remains uncertain.

## Salvage Therapy for Prostate Cancer - touchONCOLOGY

<https://touchoncology.com/salvage-therapy-for-prostate-cancer> ▼

**Prostate cancer** is the most common nonskin **cancer** in men—217,000 men were diagnosed in 2010. 1 Approximately 55 % will undergo external beam radiotherapy (EBRT) and 40 % will undergo radical prostatectomy. 2 Of the **patients** treated with prostatectomy, up to 35 % will have rising **prostate-specific** antigen (PSA) as evidence of biochemical ...

## Salvage External Beam Radiotherapy for Prostate Cancer ...

<https://www.cancernetwork.com/prostate-cancer/salvage-external-beam-radiotherapy...> ▼

Jul 16, 2010 · Evidence for the Use of **Salvage** Radiotherapy. Recent evidence from these three randomized trials suggests that early intervention with ART can lengthen biochemical disease-free, metastasis-free and overall survival in **patients** with pathologically advanced **prostate cancer**. [12-14] However, a disadvantage of routine ART is treating those who would never develop biochemical ...





Are all prostate cancer patients "fit" for salvage radiotherapy?



ALL

IMAGES

VIDEOS

关闭取词

9,610,000 Results

Any time ▾

## Salvage radiotherapy after radical prostatectomy

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2692144>

Pearce A, Choo R, Danjoux C, et al. Effect of combined treatment with **salvage** radiotherapy plus androgen suppression on quality of life in **patients** with recurrent **prostate cancer** after radical prostatectomy. Int J Radiat Oncol Biol Phys. 2006; 65:78–83.

Cited by: 12

Author: Jonathan I. Izawa

Publish Year: 2009

## Salvage radiotherapy for prostate cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3542236>

Dec 01, 2012 · The final situation we examined was a shift to hypofractionated SRT. Based on a wide body of literature indicating that **prostate cancer** cells are extremely sensitive to radiotherapy fraction size, 19, 20 hypofractionation of radiotherapy may yield therapeutic gains for **prostate cancer patients**. As one might expect, our modeling revealed that ...

Cited by: 1

Author: Nitin Ohri, Xinglei Shen, Robert B. Den, A...

Publish Year: 2012

## Prostate Cancer Salvage Combo Benefits Confirmed - Renal ...

<https://www.renalandurologynews.com/home/news/...> ▾

Oct 21, 2019 · A post-hoc analysis of a phase 3 trial demonstrated that adding 6 months of androgen deprivation therapy to **salvage** radiotherapy for recurrent **prostate cancer** following radical prostatectomy ...

Author: Jody A. Charnow

## Radiotherapy for Prostate Cancer Patients

<https://www.prostate-cancer.com/radiation/patient-profile/radiation-patient-profile.html> ▾

Brachytherapy is a form of internal radiation therapy. **Patients** who undergo brachytherapy do not typically receive external radiation as **salvage prostate cancer** treatment because the **prostate** gland has already been treated with an extremely high and concentrated dose of radiation.

**Name of Journal:** *World Journal of Clinical Oncology*

**Number NO:** 50169

**Manuscript Type:** EDITORIAL

**Are all prostate cancer patients "fit" for salvage radiotherapy?**

González-San Segundo C *et al.* Are all PCa patients "fit" for SRT?

Carmen González-San Segundo, Alfonso Gómez-Iturriaga, Felipe Couñago

### Abstract

The indication for salvage radiotherapy (SRT) in patients with biochemically-recurrent prostate cancer after surgery is based on prostate-specific antigen (PSA) levels at the time of biochemical recurrence. Although there are clear criteria (pT3-

#### Match Overview

- 1 **Crossref** 12 words  
"EANM'16", *European Journal of Nuclear  
ular Imaging*, 2016
- 2 **Crossref** 12 words  
*Medical Radiology*, 2015.
- 3 **Internet** 12 words  
crawled on 24-Oct-2018  
[www.eventscribe.com](http://www.eventscribe.com)
- 4 **Internet** 11 words  
crawled on 02-Mar-2019  
[www.futuremedicine.com](http://www.futuremedicine.com)
- 5 **Internet** 10 words  
crawled on 29-Oct-2019  
[link.springer.com](http://link.springer.com)
- 6 **Crossref** 10 words  
"Management of Prostate Cancer", *Spring*
- 7 **Internet** 10 words  
crawled on 03-Oct-2019  
[ejnmires.springeropen.com](http://ejnmires.springeropen.com)
- 8 **Crossref** 10 words  
Greenfield, S.. "Heterogeneity of Treatme  
ons for Guidelines, Payment, and Quality



Are all prostate cancer patients "fit" for salvage radiotherapy?



ALL

IMAGES

VIDEOS

关闭取词

9,580,000 Results

Any time ▾

## Salvage radiotherapy after radical prostatectomy

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2692144>

Pearce A, Choo R, Danjoux C, et al. Effect of combined treatment with **salvage** radiotherapy plus androgen suppression on quality of life in **patients** with recurrent **prostate cancer** after radical prostatectomy. Int J Radiat Oncol Biol Phys. 2006; 65:78–83.

Cited by: 12

Author: Jonathan I. Izawa

Publish Year: 2009

## Salvage radiotherapy for prostate cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3542236>

Dec 01, 2012 · The final situation we examined was a shift to hypofractionated SRT. Based on a wide body of literature indicating that **prostate cancer** cells are extremely sensitive to radiotherapy fraction size, 19, 20 hypofractionation of radiotherapy may yield therapeutic gains for **prostate cancer patients**. As one might expect, our modeling revealed that ...

Cited by: 1

Author: Nitin Ohri, Xinglei Shen, Robert B. Den, A...

Publish Year: 2012

## Clinical guidance for radiation therapy after ...

<https://www.sciencedaily.com/releases/2019/05/190501114337.htm> ▾

May 01, 2019 · Feb. 5, 2015 — **Prostate cancer patients** with **detectable prostate specific antigen** following **radical prostatectomy** should receive earlier, more aggressive **radiation therapy treatment**...

## Radiotherapy for Prostate Cancer Patients

<https://www.prostate-cancer.com/radiation/patient-profile/radiation-patient-profile.html> ▾

Brachytherapy is a form of internal radiation therapy. **Patients** who undergo brachytherapy do not typically receive external radiation as **salvage prostate cancer** treatment because the **prostate** gland has already been treated with an extremely high and concentrated dose of radiation.

## Effect of early salvage radiotherapy at PSA < 0.5 ng/ml ...

<https://www.nature.com/articles/s41391-018-0112-3>