

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 50579

Manuscript Type: CASE REPORT

Management of massive fistula bleeding after endoscopic ultrasound-guided pancreatic pseudocyst drainage using hemostatic forceps: A case report

Ge N *et al.* Management of massive fistula bleeding after EUS-guided pancreatic pseudocyst drainage

Nan Ge, Si-Yu Sun

Abstract

Match Overview

1 match		
1	Internet 11 words crawled on 30-Oct-2019 cyp17-signal.com	1%
2	Crossref 11 words Jintao Guo, Bowen Duan, Siyu Sun, Sheng Wang, Xiang Liu, Nan Ge, Wen Liu, Shupeng Wang, Jinlong Hu. "Multivari	1%
3	Crossref 10 words Tiing Leong Ang, Anthony Y.B. Teoh. "Endoscopic ultrasor ... graphy-guided drainage of pancreatic fluid collections", Dig	1%
4	Internet 10 words crawled on 28-May-2019 www.kjpbj.org	1%
5	Crossref 10 words Meng, Fan-Sheng. "Therapeutic role of endoscopic ultras ... und in pancreaticobiliary disease: A comprehensive revie	1%
6	Internet 10 words crawled on 08-Jul-2019 f6publishing.blob.core.windows.net	1%



All

Images

Videos

关闭取词

8,550 Results

Any time ▾

Stent displacement in endoscopic pancreatic pseudocyst ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4326168>

Feb 21, 2015 - Core tip: Almost all the complications of endoscopic pancreatic pseudocyst drainage have been managed surgically, and there is rare report involving the endoscopic treatment of intraperitoneal stent displacement. This case report not only presents a possible cause of stent displacement during endoscopic ultrasound-pancreatic pseudocyst drainage, but also discusses a novel method of endoscopic ...

Cited by: 4

Author: Guo-Xin Wang, Xiang Liu, Sheng Wang, ...

Publish Year: 2015

Hemostasis with hemostatic forceps for bleeding during ...

<https://onlinelibrary.wiley.com/doi/10.1111/den.13255>

Aug 07, 2018 - Endoscopic ultrasound-guided drainage and endoscopic necrosectomy (EN) have become an effective procedure for peripancreatic fluid collection (PFC). 1-3 However, the rate of procedure-related complications is 33–36%. 4, 5 Bleeding is one of the major complications, and endoscopic hemostasis is difficult in most cases. A 77-year-old man was admitted for fever and ...

Author: Akihiro Matsumi, Kazuyuki Matsumot... Publish Year: 2018

Endoscopic Ultrasound-Guided Transluminal Drainage for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4113054>

Jul 01, 2014 - Recently, a prospective randomized controlled trial of direct endoscopic drainage/necrosectomy of pancreatic abscess or infected WON versus surgical management has been performed. 39 In this recent study involving patients with an infected WON, endoscopic necrosectomy reduced the proinflammatory response (serum interleukin-6) as well as the new-onset multiple organ failure, intra-abdominal bleeding requiring intervention, enterocutaneous fistula ...

Cited by: 30

Author: Hiroshi Kawakami, Takao Itoi, Naoya Sak...

Publish Year: 2014

Hemospray for arterial hemorrhage following endoscopic ...

https://www.academia.edu/14030638/Hemospray_for_arterial_hemorrhage_following... ▾

Cases and Techniques Library (CTL) E71 Hemospray for arterial hemorrhage following endoscopic ultrasound-guided pseudocyst drainage An 80-year-old man with alcoholic liver itial hemostasis and rates of rebleeding, cirrhosis and obstructed jaundice due to but are limited by the small number of a large pancreatic pseudocyst was refer- published cases. red for endoscopic ultrasound (EUS)- In the



ALL

IMAGES

VIDEOS

关闭取词

8,490 Results

Any time ▾

Stent displacement in endoscopic pancreatic pseudocyst ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4326168>

Feb 21, 2015 - Core tip: Almost all the complications of endoscopic pancreatic pseudocyst drainage have been managed surgically, and there is rare report involving the endoscopic treatment of intraperitoneal stent displacement. This case report not only presents a possible cause of stent displacement during endoscopic ultrasound-pancreatic pseudocyst drainage, but also discusses a novel method of endoscopic ...

Cited by: 4

Author: Guo-Xin Wang, Xiang Liu, Sheng Wang, ...

Publish Year: 2015

Hemospray for arterial hemorrhage following endoscopic ...

https://www.researchgate.net/publication/260170221_Hemospray_for_arterial_hemorrhage...

Hemospray for arterial hemorrhage following endoscopic ultrasound-guided pseudocyst drainage ... options in case of massive lifethreatening bleeding that cannot be controlled with above mentioned ...

Hemostasis with hemostatic forceps for bleeding during ...

<https://onlinelibrary.wiley.com/doi/10.1111/den.13255>

Aug 07, 2018 - Endoscopic ultrasound-guided drainage and endoscopic necrosectomy (EN) have become an effective procedure for peripancreatic fluid collection (PFC). 1-3 However, the rate of procedure-related complications is 33–36%. 4, 5 Bleeding is one of the major complications, and endoscopic hemostasis is difficult in most cases. A 77-year-old man was admitted for fever and ...

Author: Akihiro Matsumi, Kazuyuki Matsumot... Publish Year: 2018

Hemospray for arterial hemorrhage following endoscopic ...

https://www.academia.edu/14030638/Hemospray_for_arterial_hemorrhage_following... ▾

Cases and Techniques Library (CTL) E71 Hemospray for arterial hemorrhage following endoscopic ultrasound-guided pseudocyst drainage An 80-year-old man with alcoholic liver itial hemostasis and rates of rebleeding, cirrhosis and obstructed jaundice due to but are limited by the small number of a large pancreatic pseudocyst was refer- published cases. red for endoscopic ultrasound (EUS)- In the ...

Management of arterial bleeding after endoscopic resection ...

[https://www.videogie.org/article/S2468-4481\(19\)30191-2/fulltext](https://www.videogie.org/article/S2468-4481(19)30191-2/fulltext)

We report a case focusing on the management of arterial bleeding after endoscopic resection of a neuroendocrine gastric tumor (NET) (Video 1, available online at www.VideoGIE.org).A 47-year-old woman was referred to our center in December 2017 to explore a weight loss of 10 kg and epigastric pain