



25,000 Results

Any time

## Transarterial Chemoembolization of Hepatocellular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6678754>

Jul 15, 2019 - **Transarterial chemoembolization** (TACE) is the mainstay of treatment in patients with **intermediate stage hepatocellular carcinoma** (HCC) , but it still presents considerable heterogeneity among centers and interventional radiologists (IRs) . The optimal TACE regimen remains to ...

Author: Boris Guiu, Sebastien Colombat, Laur... Publish Year: 2019

## Chemoembolization of Hepatocellular Carcinoma

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3700789>

**Transarterial chemoembolization** (TACE) is the current standard of care for patients with **intermediate-stage hepatocellular carcinoma** (HCC) and relatively preserved liver function. In a meta-analysis of randomized controlled trials comparing conventional TACE regimens—including the administration ...

Cited by: 109 Author: Riccardo Antonio Lencioni, P. Petruzzi, L...

Publish Year: 2013

## Idarubicin-loaded Beads for Chemoembolization of ...

<https://pubs.rsna.org/doi/10.1148/radiol.2019182399>

A prior in vitro study showed that **idarubicin** was the most cytotoxic agent for **hepatocellular carcinoma** (HCC) cell lines. **Idarubicin-loaded beads for transarterial chemoembolization** (TACE) were previously evaluated for the appropriate dose in a phase I dose-escalation study.

Cited by: 2 Author: Boris Guiu, Patrick Chevallier, Eric Assen...

Publish Year: 2019

## Advanced-Stage Hepatocellular Carcinoma: Transarterial ...

<https://pubs.rsna.org/doi/10.1148/radiol.12111550>

**Transarterial chemoembolization** achieved a promising outcome in select patients with advanced **hepatocellular carcinoma** (Barcelona Clinic Liver Cancer stage C). PurposeTo compare the efficacies of **transarterial chemoembolization** (TACE) and sorafenib in patients with advanced-stage **hepatocellular carcinoma** (HCC).Materials and MethodsThe ...

Cited by: 167 Author: Matthias Pinter, Florian Huckle, Ivo Grazia...

Publish Year: 2012

## In intermediate stage hepatocellular carcinoma ...

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 50809

**Manuscript Type:** ORIGINAL ARTICLE

### *Retrospective Study*

**Idarubicin *vs* Doxorubicin in transarterial chemoembolization of intermediate stage hepatocellular carcinoma**

Roth GS *et al.* Chemoembolization with Idarubicin in hepatocellular carcinoma

### **Abstract**

#### BACKGROUND

Liver cancer is the fifth most common cancer and the second cause of cancer-related deaths worldwide. Transarterial chemoembolization (TACE) is the best treatment of

#### Match Overview

1	Internet 21 words crawled on 30-Dec-2017 <a href="http://scholarbank.nus.edu.sg">scholarbank.nus.edu.sg</a>	1%
2	Internet 13 words crawled on 13-Oct-2019 <a href="http://link.springer.com">link.springer.com</a>	<1%





ALL

IMAGES

VIDEOS

关闭取词

25,000 Results

Any time ▾

## Transarterial Chemoembolization of Hepatocellular ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6678754>

Jul 15, 2019 · Transarterial chemoembolization (TACE) is the mainstay of treatment in patients with intermediate stage hepatocellular carcinoma (HCC), but it still presents considerable heterogeneity among centers and interventional radiologists (IRs). The optimal TACE regimen remains to ...

Author: Boris Guiu, Sebastien Colombat, Laur... Publish Year: 2019

## Idarubicin-loaded Beads for Chemoembolization of ...

<https://pubs.rsna.org/doi/10.1148/radiol.2019182399>

A prior in vitro study showed that idarubicin was the most cytotoxic agent for hepatocellular carcinoma (HCC) cell lines. Idarubicin-loaded beads for transarterial chemoembolization (TACE) were previously evaluated for the appropriate dose in a phase I dose-escalation study.

Cited by: 2 Author: Boris Guiu, Patrick Chevallier, Eric Assen...

Publish Year: 2019

## Treatment of Intermediate-Stage Hepatocellular Carcinoma

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4843044>

The SPACE (Sorafenib or Placebo in Combination With Transarterial Chemoembolization [TACE] With Doxorubicin-Eluting Beads [DEBDOX] for Intermediate-Stage Hepatocellular Carcinoma [HCC]) study was one of several randomized studies that attempted to show a benefit.

Cited by: 2 Author: Richard S. Finn

Publish Year: 2015

## In intermediate stage hepatocellular carcinoma ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/liv.12637>

Transarterial chemoembolization (TACE) is one of the standard treatments recommended for intermediate stage hepatocellular carcinoma (HCC). At the same time, only little is known about the use of radioembolization with Yttrium-90 microspheres (TARE Y-90) for this subset of patients.

Cited by: 65 Author: Amr El Fouly, Amr El Fouly, Judith Ertle, ...

Publish Year: 2015

## Advanced-Stage Hepatocellular Carcinoma: Transarterial ...

<https://pubs.rsna.org/doi/10.1148/radiol.12111550>