



All

Images

Videos

关闭取词

28,700 Results

Any time ▾

Adult intussusception : Case report of recurrent ...

<https://www.sciencedirect.com/science/article/pii/S0002961076901963>

Abstract. An unusual case of lymphoma is presented in which small bowel intussusception due to a lymphomatous nodule caused an acute abdomen, requiring small bowel resection. Four weeks later a second intussusception caused intestinal obstruction, necessitating a second laparotomy and bowel resection.

Cited by: 232

Author: Edward L. Felix, Max H. Cohen, Allan D. ...

Publish Year: 1976

Recurrent intestinal intussusception in an adult due to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4656180>

Nov 23, 2015 · Introduction. Intestinal intussusception is very rare in adults and, unlike in children, it is due to an organic cause, mainly benign or malignant tumors, in 90 % of cases. Recurrent intussusception in an adult is even more exceptional, and in the case reported it was due to repeated occurrence of intestinal pseudopolyps,...

Author: Fernando Martínez-Ubieto, Teresa Jim... Publish Year: 2015

Chronic Intussusception Caused by Diffuse Large B-Cell ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4729516>

Lymphoma as a leading point is often reported in childhood, causing acute intussusception with abdominal pain and passage of blood through the rectum (5,6,7). Few cases of chronic intussusception with lymphoma accompanied by a palpable mass and abnormal blood findings have been reported.

Cited by: 1

Author: Sun-Hee Choi, Sang-Ah Han, Kyu Yeoun ...

Publish Year: 2016

Ileocolic intussusception due to Burkitt lymphoma: a case ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3624648>

Mar 15, 2013 · The clinical presentation of undiagnosed Burkitt lymphoma is non-specific, which makes this a difficult condition to diagnose. Abdominal pain is present in 80% of the cases of intussusception with Burkitt lymphoma, along with nausea, vomiting, constipation, diarrhea, fatigue or malaise [7,18].

Cited by: 5

Author: Nr Bălănescu, L Topor, D Malureanu, I St...

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 51671

Manuscript Type: CASE REPORT

Recurrent lymphoma presenting as painless, chronic intussusception: A case report

Giroux P *et al.* Painless chronic intussusception due to recurrent lymphoma

Parker Giroux, Anderson Collier, Michael Nowicki

Abstract

BACKGROUND

The clinical presentation of acute lymphoblastic lymphoma is highly varied. While prognosis is good, recurrence of disease can occur. Gastrointestinal (GI) relapse,

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | Crossref | 14 words | 1% |
| | "Abstracts from the 2016 Society of General Internal Medicine Annual Meeting", Journal of General Internal Medicine, 2016 | | |
| 2 | Internet | 12 words | 1% |
| | crawled on 19-Mar-2018
www.wjem.org | | |

28,900 Results

Any time ▼

Chronic Intussusception Caused by Diffuse Large B-Cell ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4729516>

Lymphoma as a leading point is often reported in childhood, causing acute intussusception with abdominal pain and passage of blood through the rectum (5,6,7). Few cases of chronic intussusception with lymphoma accompanied by a palpable mass and abnormal blood findings have been reported.

Cited by: 1

Author: Sun-Hee Choi, Sang-Ah Han, Kyu Yeoun ...

Publish Year: 2016

Adult intussusception: Case report of recurrent ...

<https://www.sciencedirect.com/science/article/pii/S0002961076901963>

An unusual case of lymphoma is presented in which small bowel intussusception due to a lymphomatous nodule caused an acute abdomen, requiring small bowel resection. Four weeks later a second intussusception caused intestinal obstruction, necessitating a second laparotomy and bowel resection.

Cited by: 237

Author: Edward L. Felix, Max H. Cohen, Allan D. ...

Publish Year: 1976

Risk factors for recurrent intussusception in children: a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5702016>

Nov 16, 2017 · *Recurrent intussusception with lead points present. Recurrent intussusception with lead points present was defined as the cases after air enema reduction with confirmed lead points by surgery. Recurrent intussusception with lead points unknown was defined as the cases after air enema reduction or surgery in which lead points could not be found.*

Cited by: 5

Author: Wan-liang Guo, Zhang-chun Hu, Ya-lan T...

Publish Year: 2017

[PDF] Case Report BURKITT LYMPHOMA AS A CAUSE OF ...

<tru.uni-sz.bg/tsj/N3,2014/M.Panayotova.pdf>

and intussusception (7, 8). Burkitt lymphoma as a cause of intussusception is rare and presentation with recurrent abdominal pain is even rarer. CASE REPORT A 6-year-old boy presented with history of recurrent abdominal pain in the umbilical region four months ago (R.D.T, hospital record №

Published

in: *The Journal of Supercomputing* - 2014



Recurrent lymphoma presenting as painless, chronic intussusce



ALL

IMAGES

VIDEOS

关闭取词

28,900 Results

Any time ▾

Chronic Intussusception Caused by Diffuse Large B-Cell ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4729516>

Lymphoma as a leading point is often reported in childhood, causing acute intussusception with abdominal pain and passage of blood through the rectum (5,6,7). Few cases of chronic intussusception with lymphoma accompanied by a palpable mass and abnormal blood findings have been reported.

Cited by: 1

Author: Sun-Hee Choi, Sang-Ah Han, Kyu Yeoun ...

Publish Year: 2016

Adult intussusception: Case report of recurrent ...

<https://www.sciencedirect.com/science/article/pii/S0002961076901963>

An unusual case of lymphoma is presented in which small bowel intussusception due to a lymphomatous nodule caused an acute abdomen, requiring small bowel resection. Four weeks later a second intussusception caused intestinal obstruction, necessitating a second laparotomy and bowel resection.

Cited by: 237

Author: Edward L. Felix, Max H. Cohen, Allan D. ...

Publish Year: 1976

Rare presentation of chronic ileocecal intussusception ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6431416>

Sep 26, 2018 · Rare presentation of chronic ileocecal intussusception secondary to Burkitt's lymphoma in three years Sudanese boy: a case report and literature review Atif Ahmed Mohamed Saad , 1 Tasnim Kkalid , 2 Mohammed Abbas , 3, 4, & and Karimeldin Mohammed Ali Salih 3, 5

[PDF] Case Report BURKITT LYMPHOMA AS A CAUSE OF ...

<tru.uni-sz.bg/tsj/N3,2014/M.Panayotova.pdf>

and intussusception (7, 8). Burkitt lymphoma as a cause of intussusception is rare and presentation with recurrent abdominal pain is even rarer. CASE REPORT A 6-year-old boy presented with history of recurrent abdominal pain in the umbilical region four months ago (R.D.T. hospital record №

Published in: The Journal of Supercomputing · 2014

Authors: M Panayotova · D Simov · N Raichkov · M Georgieva · Zh Zhelyazkov · D Kalinova