

15

Name of Journal: *World Journal of Psychiatry*

Manuscript NO: 52321

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Risk factors for depression in patients with chronic obstructive pulmonary disease

Yao HM *et al.* Risk factors for depression

Hui-Ming Yao, Ren-Sen Xiao, Ping-Liang Cao, Xiao-Lei Wang, Wei Zuo, Wei Zhang

19

Abstract

BACKGROUND

The prevalence of depression in patients with chronic obstructive pulmonary disease (COPD) ranges from 10% to 42%, but the diagnosis of depression in

Match Overview

1

Crossref 164 words

Xuan-Yin Chen, Min Lan, Yang Zhou, Wen-Zhao Chen, Dong Hu, Jia-Ming Liu, Shan-Hu Huang, Zhi-Li Liu, Zhi-Hon...

5%

2

Crossref 103 words

Wei-Wu Deng, Min Lan, Ai-Fen Peng, Tao Chen, Zhi-Qiang Li, Zhi-Li Liu, Jia-Ming Liu. "The risk factors for postopera...

3%

3

Internet 93 words

crawled on 01-Apr-2019
epubs.rcsi.ie

3%

4

Internet 69 words

crawled on 26-Feb-2019
link.springer.com

2%

5

Internet 64 words

crawled on 26-Dec-2019
journals.lww.com

2%

6

Internet 57 words

crawled on 03-Jul-2008
www.chestjournal.org

2%



国内版

国际版

Risk factors for depression in patients with chronic obstructive pulmonary c



登录



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？ 搜英文结果更丰富更准确 >

15,500,000 条结果 时间不限 ▾

Presence of depression & its risk factors in patients ... 翻译此页

Cited by: 4

Author: Harish Negi, Malay Sarkar, Amit D. Raval, ...

Publish Year: 2014

位置: 8600 Rockville Pike, Bethesda, MD

Although depression is a significant co-morbid condition in chronic illnesses, little is known about the prevalence or risk factors for depressive symptoms in patients with chronic obstructive pulmonary disease (COPD) in India. This study was undertaken ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069734>

Risk Factors for Depression in Patients with Chronic ... 翻译此页

Cited by: 2

Author: Kang Xu, Xiu Li

Publish Year: 2018

2018-3-8 · Risk Factors for Depression in Patients with Chronic Obstructive Pulmonary Disease. Xu K(1), Li X(1). Author information: (1)Department of Respiratory Medicine, The 3rd Hospital of Anhui Medical University, Hefei 1st People's Hospital, Hefei, Anhui, China (mainland).

<https://www.ncbi.nlm.nih.gov/pubmed/29518064>

Risk factors for depression in patients with chronic obstructive



ALL

IMAGES

VIDEOS

9,360,000 Results

Any time ▾

Risk Factors for Depression in Patients with Chronic ...

<https://www.ncbi.nlm.nih.gov/pubmed/29518064>

Mar 08, 2018 · In a **multivariate logistic regression model**, **serum CRP level** and **FEV1** were risk factors for depression. **CONCLUSIONS** Male patients, **heavy smoking**, higher academic qualifications, **cough**, and **high serum CRP level** were linked to higher incidence rate of depression. **High serum CRP level and low FEV1** were the risk factors for COPD-related depression.

Cited by: 2

Author: Kang Xu, Xiu Li

Publish Year: 2018

Presence of depression & its risk factors in patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4069734>

Although **depression** is a significant **co-morbid condition in chronic illnesses**, little is known about the prevalence or **risk factors for depressive symptoms in patients with chronic obstructive pulmonary disease (COPD)** in India.

Cited by: 4

Author: Harish Negi, Malay Sarkar, Amit D. Raval...

Publish Year: 2014

Risk of depression in patients with chronic obstructive ...

<https://thorax.bmi.com/content/57/5/412> ▾