



All

Images

Videos

关闭取词

27,300 Results

Any time ▾

## Neuroblastoma in early childhood: A rare case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5004559>

Neuroblastomas have a very broad spectrum of clinical behavior which ranges from spontaneous regression to maturation of a benign ganglioneuroma, or aggressive disease with metastasis leading to death. As per the international classification of neuroblastoma, the prognosis of childhood neuroblastoma is based on the patient's age at diagnosis.

## Ganglioneuroblastoma: Case report and review of the literature

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3558053>

Apr 22, 2011 · **Case report.** The patient, a 1-year-old boy, was referred to the Department of Pediatric Oncology and Hematology in January 2003 for a 1-month history of high fever associated with sweating, moderate leukocytosis and thrombocytosis, and a palpable mass in the left iliac fossa.

Cited by: 1

Author: S. Alessi, M. Grignani, L. Carone

Publish Year: 2011

## Unique Management of Stage 4S Neuroblastoma ...

[https://www.researchgate.net/publication/11379036\\_Unique\\_Management\\_of\\_Stage\\_4S...](https://www.researchgate.net/publication/11379036_Unique_Management_of_Stage_4S...)

Stage IV-S neuroblastoma is a metastatic disease associated with spontaneous regression and good survival, but 10% to 20% of infants die from early complications.

## Stage IV Neuroblastoma with Metastatic Spread to the ...

<https://www.sciencedirect.com/science/article/pii/S1878875019315530>

Neuroblastoma (NB) is the most common extracranial solid tumor found in children, accounting for about 6% of pediatric cancers and 15% of all cancer-related deaths in patients younger than 15 years old. 1 NB manifests with high metastatic rates, early onset, and spontaneous regression of many tumors in infants and young children.

Author: Madison A. Waldron, Steven L. Halper... Publish Year: 2019

## (PDF) Spontaneous regression of neuroblastoma

<https://www.researchgate.net/publication/322272774...>

There is evidence to support several possible mechanisms of spontaneous regression in neuroblastomas: (1) neurotrophin deprivation, (2) loss of telomerase activity, (3) humoral or ...

**Name of Journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 52464

**Manuscript Type:** CASE REPORT

**Spontaneous regression of stage III neuroblastoma: a case report and literature review**

Jie Liu, Xiong-Wei Wu, Xi-Wei Hao, Yu-He Duan, Ling-LingWu, Jing Zhao, Xian-Jun Zhou, Cheng-Zhan Zhu, Bin Wei, Qian Dong

## **Abstract**

### **BACKGROUND**

Neuroblastoma (NB) is the most common type of extracranial solid tumour in children. The overall prognosis of NB is poor, but at the same time, NB shows

## Match Overview

1 **Internet** 17 words  
crawled on 30-Aug-2019  
[tessera.spandidos-publications.com](http://tessera.spandidos-publications.com)

1%  
SIMILAR





国内版

国际版

Spontaneous regression of stage III neuroblastoma: A case rep



All

Images

Videos

关闭取词

34,600 Results

Any time ▼

## Neuroblastoma in early childhood: A rare case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5004559>

Neuroblastomas have a very broad spectrum of clinical behavior which ranges from **spontaneous regression** to maturation of a benign ganglioneuroma, or aggressive disease with metastasis leading to death. As per the international classification of **neuroblastoma**, the prognosis of **childhood neuroblastoma** is based on the patient's age at **diagnosis**.

## Spontaneous regression of occult breast cancer with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6796763>

Sep 20, 2019 - In that study, of 47 patients, **spontaneous regression** was observed in only 4 patients with **breast cancer** (8.5%) . The incidence of **spontaneous regression** is extremely rare (1 in 60,000 to 100,000 cases), and it has been **reported** mainly in **kidney cancer**, **neuroblastoma**, **malignant melanoma**, and **choriocarcinoma**.

## Case Report: An Unusual Case of Adrenal Neuroblastoma in ...

[theoncologist.alphamedpress.org/content/13/2/152.full](http://theoncologist.alphamedpress.org/content/13/2/152.full)

Feb 01, 2008 - Studies have demonstrated that, for **low-risk patient groups** (patients with low-stage neuroblastoma such as **stage 1**, **2A**, or **2B**) like our patient, total ...

Published in: **Oncologist** - 2008

Authors: **Marwan M Refaat** · **Shereene Z Idriss** · **Lawrence S Blaszkowsky**

About: **Neuroblastoma** · **Pregnancy**

## Transient Increase of Serum Granulysin in a Stage IVs ...

<https://link.springer.com/article/10.1532/IJH97.05091> ▼

Transient Increase of Serum Granulysin in a **Stage IVs Neuroblastoma** Patient during **Spontaneous Regression**: **Case Report**. Authors; ... et al. Increased Ras expression and caspase-independent **neuroblastoma** cell death: possible mechanism of **spontaneous neuroblastoma regression**. ... et al. Successful treatment of **stage III neuroblastoma** based on ...

Cited by: **15**

Author: **Masayuki Nagasawa**, **Hiroshi Kawamoto**, ...

Publish Year: 2005



29,500 Results

Any time ▼

## Neuroblastoma in early childhood: A rare case report and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5004559>

Neuroblastomas have a very broad spectrum of clinical behavior which ranges from spontaneous regression to maturation of a benign ganglioneuroma, or aggressive disease with metastasis leading to death. As per the international classification of neuroblastoma, the prognosis of childhood neuroblastoma is based on the patient's age at diagnosis.

## (PDF) Spontaneous regression of neuroblastoma

<https://www.researchgate.net/publication/322272774...>

There is evidence to support several possible mechanisms of spontaneous regression in neuroblastomas: (1) neurotrophin deprivation, (2) loss of telomerase activity, (3) humoral or ...

## Prenatal Diagnosis of Adrenal Neuroblastoma: A Case Report ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3623461>

Mar 27, 2013 · Tumour regression in 11 of 12 cases of early stage neuroblastoma detected by mass screening was reported. Dumbbell neuroblastoma is considered to be unresectable tumor, and preoperative chemotherapy is recommended [ 26 ].

Cited by: 6

Author: Onur Erol, Dinç Süren, Melek Büyükkına...

Publish Year: 2013

## (PDF) Spontaneous regression of metastatic cancer ...

[https://www.researchgate.net/publication/260685181\\_Spontaneous\\_regression\\_of...](https://www.researchgate.net/publication/260685181_Spontaneous_regression_of...)

Cystic neuroblastoma is a rare variant of neuroblastoma that is more often completely localized and associated with spontaneous regression. We report the case of a 9-month-old girl having cystic...

## Spontaneous regression of occult breast cancer with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6796763>

Sep 20, 2019 · In that study, of 47 patients, spontaneous regression was observed in only 4 patients with breast cancer (8.5%) . The incidence of spontaneous regression is extremely rare (1 in 60,000 to 100,000 cases), and it has been reported mainly in kidney cancer, neuroblastoma, malignant melanoma, and choriocarcinoma.

## Biological characteristics of neuroblastoma with ...

<https://www.sciencedirect.com/science/article/pii/S0022346895907009>