



国内版 国际版

Diet and functional dyspepsia: clinical correlates and therapeu



All

Images

Videos

关闭取词

210,000 Results

Any time ▾

## Diet in the Etiology and Management of Functional Dyspepsia

<https://www.intechopen.com/books/dyspepsia...>

7. Dietary management strategies in **functional dyspepsia**. Because of the many patients with **functional dyspepsia** and its serious impairment to their quality of life, this entity represents an important **clinical** challenge. Pharmacologic therapies are limited, leaving patients and physicians to often use dietary strategies in managing FD.

Cited by: 2 Author: Jan Pen

Publish Year: 2013

## [PDF] Functional Dyspepsia and Gastroparesis

[https://meded.dom.pitt.edu/wp-content/uploads/2019/10/Leventhal\\_10.11\\_140pm-1.pdf](https://meded.dom.pitt.edu/wp-content/uploads/2019/10/Leventhal_10.11_140pm-1.pdf)

Overview • **Functional dyspepsia** (FD) and gastroparesis (GP) • Epidemiology and Definitions • Pathophysiological Mechanisms in **Dyspepsia** • FD/GP overlap – spectrum of gastric sensorimotor dysfunction • Treatment options • Diet • Medications • Cognitive / Mind-Body interventions

## Gastroparesis and Functional Dyspepsia: Excerpts from the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2892213>

This review from the AGA/ANMS meeting on gastroparesis and **functional dyspepsia** has covered salient aspects in the present understanding of the epidemiology, pathophysiology, diagnosis, and treatment of gastroparesis and **functional dyspepsia**. In addition, this review has discussed unmet needs and some directions for future research are suggested.

Cited by: 200 Author: H. P. Parkman, Michael Camilleri, Gianric...

Publish Year: 2010

## Certain Dietary Habits Contribute to the Functional ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5567766>

Aug 15, 2017 - **Functional dyspepsia** (FD) is one of the most common **functional** gastrointestinal disorders (FGID). ... OD compared to the FD group and the control group. In the future, specific investigations will be needed to probe the correlation between FD and H. pylori ... **Clinical** and epidemiological perspectives of **dyspepsia** in a multiracial Malaysian ...

## Use of dietary interventions for functional ...

<https://www.sciencedirect.com/science/article/pii/S147148921830016X>

The role of food in the development of symptoms experienced within **functional** gastrointestinal disorders (FGID) is ...

Chat with Bing



Chating with a search engine is so cool, right?

Say something...

## Match Overview

**1** Internet 31 words  
hdl.handle.net

1%

**2** Crossref 12 words  
Giuseppe Chiarioni, Marcella Pesce, Alberto Fantin, Giovanni Sarnelli. "Complementary and alternative treatment in f ...

&lt;1%

**Name of Journal:** *World Journal of Gastroenterology***Manuscript NO:** 52734**Manuscript Type:** MINIREVIEWS**Diet and functional dyspepsia: Clinical correlates and therapeutic perspectives**Pesce M *et al.* Diet and dyspepsia

Marcella Pesce, Martina Cargioli, Sara Cassarano, Barbara Polese, Barbara De Conno, Laura Aurino, Nicola Mancino, Giovanni Sarnelli

**Abstract**

Hypervigilance and symptoms anticipation, visceral hypersensitivity and gastroduodenal sensorimotor abnormalities account for the varied clinical





196,000 Results

Any time ▼

## Diet in the Etiology and Management of Functional Dyspepsia

<https://www.intechopen.com/books/dyspepsia...> ▼

7. Dietary management strategies in **functional dyspepsia**. Because of the many patients with **functional dyspepsia** and its serious impairment to their quality of life, this entity represents an important **clinical** challenge. Pharmacologic therapies are limited, leaving patients and physicians to often use dietary strategies in managing FD.

Cited by: 2

Author: Jan Pen

Publish Year: 2013

## Certain Dietary Habits Contribute to the Functional ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5567766>

**Functional dyspepsia** (FD) is one of the most common **functional** gastrointestinal disorders (FGID). ... OD compared to the FD group and the control group. In the future, specific investigations will be needed to probe the **correlation** between FD and H. pylori ... **Clinical** and epidemiological **perspectives** of **dyspepsia** in a multiracial Malaysian ...

Cited by: 2

Author: Ji-Hao Xu, Yu Lai, Li-Ping Zhuang, Can-Ze...

Publish Year: 2017

## Integrative Treatment of Reflux and Functional Dyspepsia ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4928719>

Aug 18, 2014 · Gastroesophageal reflux disease (GERD) and **functional dyspepsia** (FD) are common problems in the pediatric population, with up to 7% of school-age children and up to 8% of adolescents suffering from epigastric pain, heartburn, and regurgitation. Reflux is ...

Cited by: 1

Author: Ann Ming Yeh, Brenda Golianu

Publish Year: 2014

## The Diagnosis and Treatment of Functional Dyspepsia ...

<https://www.aerzteblatt.de/.../197088/The-diagnosis-and-treatment-of-functional-dyspepsia> ▼

Although **functional dyspepsia** differs in both symptoms and clinical signs from IBS, the other frequently encountered **functional** disorder in the realm of gastroenterology, with regard to the ...

## Evaluation of the Safety and Efficacy of a Multienzyme ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6249666>

Nov 01, 2018 · **Functional dyspepsia** (FD) is a highly prevalent disorder having nonspecific symptoms

195,000 Results

Any time ▾

## Diet in the Etiology and Management of Functional Dyspepsia

<https://www.intechopen.com/books/dyspepsia...> ▾

7. Dietary management strategies in **functional dyspepsia**. Because of the many patients with **functional dyspepsia** and its serious impairment to their quality of life, this entity represents an important **clinical** challenge. Pharmacologic therapies are limited, leaving patients and physicians to often use dietary strategies in managing FD.

Cited by: 2

Author: Jan Pen

Publish Year: 2013

## Certain Dietary Habits Contribute to the Functional ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5567766>

**Functional dyspepsia** (FD) is one of the most common **functional** gastrointestinal disorders (FGID). ... OD compared to the FD group and the control group. In the future, specific investigations will be needed to probe the **correlation** between FD and H. pylori ... **Clinical** and epidemiological **perspectives** of **dyspepsia** in a multiracial Malaysian ...

Cited by: 2

Author: Ji-Hao Xu, Yu Lai, Li-Ping Zhuang, Can-Ze...

Publish Year: 2017

## Integrative Treatment of Reflux and Functional Dyspepsia ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4928719>

Aug 18, 2014 · Gastroesophageal reflux disease (GERD) and **functional dyspepsia** (FD) are common problems in the pediatric population, with up to 7% of school-age children and up to 8% of adolescents suffering from epigastric pain, heartburn, and regurgitation. Reflux is ...

Cited by: 1

Author: Ann Ming Yeh, Brenda Golianu

Publish Year: 2014

## Evaluation of the Safety and Efficacy of a Multienzyme ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6249666>

Nov 01, 2018 · **Functional dyspepsia** (FD) is a highly prevalent disorder having nonspecific symptoms and varied pathophysiology. Its treatment remains a challenge as **therapeutic** options are limited, unsatisfactory, and elusive. Thus, safety and efficacy of DigeZyme®, a proprietary multienzyme complex (MEC), was evaluated as a dietary supplement in FD patients.

Cited by: 1

Author: Muhammed Majeed, Shaheen Majeed, K...

Publish Year: 2018

Use of dietary interventions for functional