

²
Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 52772

Manuscript Type: CASE REPORT

Delayed perforation after endoscopic resection of a colonic laterally spreading tumor: A case report and literature review

Zhou GYJ *et al.* Delayed perforation after endoscopic resection of a colonic laterally spreading tumor

Ge-Yu-Jia Zhou, Jin-Long Hu, Sheng Wang, Nan Ge, Xiang Liu, Guo-Xin Wang, Si-Yu Sun, Jin-Tao Guo

Abstract

Match Overview

1 **Internet** 25 words
crawled on 10-Jan-2017
e-sciencecentral.org **1%**

2 **Internet** 24 words
crawled on 27-Jan-2020
f6publishing.blob.core.windows.net **1%**



Delayed perforation after endoscopic resection of a colo



ALL

IMAGES

VIDEOS

14,100 Results

Any time ▾

Unexpected Delayed Colon Perforation after the Endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4676666>

We here report a case in which **delayed perforation** occurred after performing ESD on a **laterally spreading tumor (LST)** in the colon. This **perforation** was completely unexpected because there were no ESD-associated risk factors for this complication in the patient, and no severe coagulation damage was apparent at the **post-ESD ulcer base**. We discuss our findings for this patient and also review the ...

Cited by: 2

Author: Young Bo Ko, Jeong-Mi Lee, Wan Soo Ki...

Publish Year: 2015

Coagulation syndrome: Delayed perforation after colorectal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4564832>

Sep 10, 2015 · Most cases of **delayed perforation** occur within 14 h after endoscopic resection. However, approximately one-third of **delayed perforation** cases are confirmed within 24 h after **treatment**. Free air, which cannot be detected by simple **radiographic imaging**, is sometimes found on **abdominal CT**.

Cited by: 22

Author: Kingo Hirasawa, Chiko Sato, Makomo M...

Publish Year: 2015

ScienceCentral

<https://www.e-sciencecentral.org/articles/SC000020672> ▾

Nov 30, 2015 · We here report a case in which **delayed perforation** occurred after performing ESD on a **laterally spreading tumor (LST)** in the colon. This **perforation** was completely unexpected because there were no ESD-associated risk factors for this complication in the patient, and no severe coagulation damage was apparent at the **post-ESD ulcer base**. We discuss our findings for this patient and also ...

Cited by: 2

Author: Young Bo Ko, Jeong-Mi Lee, Wan Soo Ki...

Publish Year: 2015

Coagulation syndrome: Delayed perforation after colorectal ...

<https://www.researchgate.net/publication/282039267...>

A 'read' is counted each time someone views a publication summary (such as the title, abstract, and list of authors), clicks on a figure, or views or downloads the full-text.



ALL

IMAGES

VIDEOS

12,800 Results

Any time ▾

Unexpected Delayed Colon Perforation after the Endoscopic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4676666>

We here report a case in which delayed perforation occurred after performing ESD on a laterally spreading tumor (LST) in the colon. This perforation was completely unexpected because there were no ESD-associated risk factors for this complication in the patient, and no severe coagulation damage was apparent at the post-ESD ulcer base.

Cited by: 2

Author: Young Bo Ko, Jeong-Mi Lee, Wan Soo Ki...

Publish Year: 2015

Delayed perforation after endoscopic submucosal dissection ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6305787>

Regarding the decompression tube placement after perforation of colonic ESD, only one report has been published: Xiao et al.¹³ reported a case of delayed perforation after colonic ESD in which the perforation was closed endoscopically, and a decompression tube was placed transanally (not transnasally), followed by conservative management with intestinal decompression.

Author: Kazumasa Kawashima, Takuto Hikich... Publish Year: 2018

Coagulation syndrome: Delayed perforation after colorectal ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4564832>

Sep 10, 2015 - Most cases of delayed perforation occur within 14 h after endoscopic resection. However, approximately one-third of delayed perforation cases are confirmed within 24 h after treatment. Free air, which cannot be detected by simple radiographic imaging, is sometimes found on abdominal CT.

Cited by: 22

Author: Kingo Hirasawa, Chiko Sato, Makomo M...

Publish Year: 2015

[PDF] Open Access Unexpected Delayed Colon Perforation ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.815.2687&rep=rep1&type=pdf

Here, we report a case of colon perforation that occurred after ESD with snaring of a laterally spreading tumor. The perforation was completely unexpected because there were no colorectal ESD-associated risk factors for perforation, deep dissection, or severe coagulation injury in our patient.

Devices and techniques for endoscopic treatment of ...



Delayed perforation after endoscopic resection of a colo



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

19,700 Results

Any time ▾

[Unexpected Delayed Colon Perforation after the Endoscopic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4676666>

We here report a case in which delayed perforation occurred after performing ESD on a laterally spreading tumor (LST) in the colon. This **perforation was completely unexpected because there were no ESD-associated risk factors for this complication in the patient**, and no **severe coagulation damage was apparent at the post-ESD ulcer base**.

Cited by: 2

Author: Young Bo Ko, Jeong-Mi Lee, Wan Soo Ki...

Publish Year: 2015

[Delayed perforation after endoscopic submucosal dissection ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6305787>

Regarding the decompression tube placement after perforation of colonic ESD, only one report has been published: Xiao et al.13)reported a case of delayed perforation after colonic ESD in which the perforation was **closed endoscopically**, and **a decompression tube was placed transanally (not transnasally)**, **followed by conservative management with intestinal decompression**.

Author: Kazumasa Kawashima, Takuto Hikichi...

Publish Year: 2018

[Coagulation syndrome: Delayed perforation after colorectal ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4564832>

Sep 10, 2015 - Most cases of delayed perforation occur within 14 h after endoscopic resection. However, approximately one-third of delayed perforation cases are confirmed within **24 h after treatment**. Free air, which cannot be detected by simple radiographic imaging, is sometimes found on abdominal CT.

Cited by: 24

Author: Kingo Hirasawa, Chiko Sato, Makomo M...

Publish Year: 2015

[\[PDF\] Open Access Unexpected Delayed Colon Perforation after the ...](#)

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.815.2687&rep=rep1&type=pdf

Here, we report a case of colon perforation that occurred after ESD with snaring of a laterally spreading

global.bing.com/?scope=web&FORM=HDRSC1 was **completely unexpected because there were no colorectal ESD-**