



国内版

国际版

The utility of multiple endoscopic techniques in the differentia



All

Images

Videos

关闭取词

25,900 Results

Any time ▼

Gallbladder adenomyomatosis: Diagnosis and management ...

<https://www.sciencedirect.com/science/article/pii/S1878788617300607>



Terminology

Scope

Diagnosis

Epidemiology

Cause



Adenomyomatosis (ADM) of the gallbladder (GB) is a frequent pathology, but it is little known to most clinicians. Its terminology has evolved. Multiple terms that were in use before 1960 (hyperplastic adenomyosis, adenomyoma, adenofibromyoma, cystic cholecystitis, proliferative glandular cholecystitis, intramural diverticulosis, hamartoma) were simplified by Jutras [1] who defined ADM as a degenerative and proliferative GB disease. We now retain the single term adenomyomatosis, synonymous with the le...

[See more on sciencedirect.com](#)

Cited by: 2

Author: N. Golse, M. Lewin, A. Rode, M. Sebagh,...

Publish Year: 2017

Adenomyoma of the distal common bile duct demonstrated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6854403>

Nov 06, 2019 · INTRODUCTION. Most of adenomyomas are located in the **gallbladder**, stomach, duodenum, and jejunum[1-5].The distal common **bile duct** (CBD) is an extremely rare site of adenomyomatous hyperplasia[1,5,6], and here we report here our experience with such a case.For our case, histology demonstrated glandular structures that were surrounded by a fibroblastic or ...

Gallbladder Masses: Multimodality Approach to Differential ...

<https://www.jaocr.org/account/logout?returnUrl=/articles/gallbladder-masses...> ▼

Other rare malignancies reported to occur in the gallbladder include primary **non-Hodgkin lymphoma** (approximately 13-20 cases reported), which typically presents with a nonspecific appearance on US, CT, and MR that mimics gallbladder carcinoma; typical imaging findings include an **intraluminal mass** or a mass replacing the gallbladder, along with **cholelithiasis**, **biliary sludge**, **porta hepatic adenopathy**, **liver invasion**, or **biliary obstruction**.

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 52920

Manuscript Type: CASE REPORT

The utility of multiple endoscopic techniques in the differential diagnosis of gallbladder adenomyomatosis from gallbladder malignancy with bile duct invasion: A case report

Wen LJ *et al.* Multiple endoscopic techniques in the differential diagnosis of GAM

Li-Jia Wen, Jun-Hong Chen, Yong-Jin Chen, Kai Liu

Match Overview

1 **Crossref** 49 words
Kim, S.W., H.C. Kim, D.M. Yang, J.K. Ryu, and K.Y. Won. "C...
llbladder carcinoma: causes of misdiagnosis at CT", Clinic

4%



26,500 Results

Any time ▾

Gallbladder adenomyomatosis: Diagnosis and management ...

<https://www.sciencedirect.com/science/article/pii/S1878788617300607>

Terminology

Scope

Diagnosis

Epidemiology

Cause



Adenomyomatosis (ADM) of the gallbladder (GB) is a frequent pathology, but it is little known to most clinicians. Its terminology has evolved. Multiple terms that were in use before 1960 (hyperplastic adenomyosis, adenomyoma, adenofibromyoma, cystic cholecystitis, proliferative glandular cholecystitis, intramural diverticulosis, hamartoma) were simplified by Jutras [1] who defined ADM as a degenerative and proliferative GB disease. We now retain the single term adenomyomatosis, synonymous with the le...

[See more on sciencedirect.com](#)

Cited by: 3

Author: N. Golse, M. Lewin, A. Rode, M. Sebagh,...

Publish Year: 2017

CT Differentiation of Adenomyomatosis and Gallbladder ...

<https://www.ajronline.org/doi/full/10.2214/AJR.06.0866>

CT is limited in the detection and differentiation of adenomyomatosis and gallbladder cancer, but the diagnosis of adenomyomatosis can be made with reasonable accuracy when thickening of the gallbladder wall is seen to contain small cystic-appearing spaces.

Cited by: 71

Author: Brian H. Ching, Benjamin M. Yeh, Antoni...

Publish Year: 2007

Adenomyoma of the distal common bile duct demonstrated ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6854403>

Nov 06, 2019 - INTRODUCTION. Most of adenomyomas are located in the gallbladder, stomach, duodenum, and jejunum[1-5].The distal common bile duct (CBD) is an extremely rare site of adenomyomatous hyperplasia[1,5,6], and here we report here our experience with such a case.For our case, histology demonstrated glandular structures that were surrounded by a fibroblastic or ...

26,500 Results

Any time ▾

Gallbladder adenomyomatosis: Diagnosis and management ...

<https://www.sciencedirect.com/science/article/pii/S1878788617300607>**Terminology**

Scope

Diagnosis

Epidemiology

Cause



Adenomyomatosis (ADM) of the gallbladder (GB) is a frequent pathology, but it is little known to most clinicians. Its terminology has evolved. Multiple terms that were in use before 1960 (hyperplastic adenomyosis, adenomyoma, adenofibromyoma, cystic cholecystitis, proliferative glandular cholecystitis, intramural diverticulosis, hamartoma) were simplified by Jutras [1] who defined ADM as a degenerative and proliferative GB disease. We now retain the single term adenomyomatosis, synonymous with the le...

[See more on sciencedirect.com](#)

Cited by: 3

Author: N. Golse, M. Lewin, A. Rode, M. Sebah,...

Publish Year: 2017

CT Differentiation of Adenomyomatosis and Gallbladder ...

<https://www.ajronline.org/doi/full/10.2214/AJR.06.0866>

CT is limited in the detection and differentiation of adenomyomatosis and gallbladder cancer, but the diagnosis of adenomyomatosis can be made with reasonable accuracy when thickening of the gallbladder wall is seen to contain small cystic-appearing spaces.

Cited by: 71

Author: Brian H. Ching, Benjamin M. Yeh, Antoni...

Publish Year: 2007

Gallbladder Masses: Multimodality Approach to Differential ...

<https://www.jaoacr.org/articles/gallbladder-masses-multimodality-approach-to...>**Ntroduction**

Benign Masses

Malignant Masses

Summary



Gallbladder masses are commonly encountered on diagnostic imaging examinations. Distinguishing between benign and malignant conditions is critical, in terms of clinical significance, management, and follow-up. It is important to be familiar with the differential diagnoses of gallbladder masses, recognize imaging features that are diagnostic for each condition, and understand the utility and limitations of each of the cross-sectional imaging modalities currently available. Gallbladder pathology is a...

[See more on jaoacr.org](#)