

**Name of Journal:** *World Journal of Nephrology*

**Manuscript NO:** 53064

**Manuscript Type:** REVIEW

**Practical management of seizures in renal transplant recipients**

Harpreet Sawhney, Simon S Gill

### Abstract

Seizures are not uncommon in renal transplant patients. The common aetiologies are metabolic disturbance associated with renal failure, immunosuppression and associated complications and infections. Their management can be challenging

### Match Overview

1	<b>Internet</b> 88 words crawled on 08-Apr-2019 <a href="http://myfloridaurology.com">myfloridaurology.com</a>	3%
2	<b>Crossref</b> 40 words A. Badhwar. "Action myoclonus-renal failure syndrome: characterization of a unique cerebro-renal disorder", <i>Brain</i> , 09/13/	2%
3	<b>Crossref</b> 21 words Stanley Fahn, Joseph Jankovic, Mark Hallett. "Myoclonus", <i>Epilepsia</i> , 2011	1%
4	<b>Crossref</b> 13 words "American Epilepsy Society Proceedings", <i>Epilepsia</i> , 10/2002	1%
5	<b>Internet</b> 10 words crawled on 06-Nov-2018 <a href="http://archive.org">archive.org</a>	<1%



Management of Seizures in Kidney Transplant Recipients



Sign in



ALL

IMAGES

VIDEOS

4,530,000 Results

Any time ▾

## Seizure Treatment in Transplant Patients

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3656593>

Levetiracetam is the drug of choice for primary generalized **seizures** in **post-transplant patients**. When **intravenous drugs** are necessary for **acute seizure management**, **benzodiazepines** and fosphenytoin are the traditional and best evidence-based options, although **intravenous levetiracetam**, valproate, and lacosamide are emerging options.

**Cited by:** 26

**Author:** Paul W. Shepard, Erik K. St. Louis

**Publish Year:** 2012

## Transplantation & Seizures | Epilepsy Foundation

<https://www.epilepsy.com/.../transplantation-seizures> ▾

**Seizures** occur in 6–36% of **transplant** patients.<sup>1</sup> Reasons for **seizures** in patients anticipating or having undergone organ **transplantation** include several factors that can affect the central nervous system (CNS): prior therapies metabolic stressors new manifestations of pre-existing diseases **Transplant** patients undergo procedures in intensive care units and operating rooms that require ...

## Seizures after transplantation - ScienceDirect

<https://www.sciencedirect.com/science/article/pii/S105913111830102X>

## Related searches

kidney transplant recipients

kidney transplant recipient **surgery**

**grants for** kidney transplant recipients

**requirements for** kidney transplant recipient

**gifts for** kidney transplant recipients

kidney transplant **guidelines for** recipients

kidney transplant management

transplant recipients **and covid19**

## Search Tools

Turn off Hover Translation (关闭取词)





ALL IMAGES VIDEOS MAPS NEWS SHOPPING

417,000 Results Any time ▾

Seizure Treatment in Transplant Patients

<https://www.ncbi.nlm.nih.gov> › [pmc](#) › [articles](#) › [PMC3656593](#)

Levetiracetam is the drug of choice for primary generalized **seizures** in **post-transplant patients**. When **intravenous drugs** are necessary for **acute seizure management**, benzodiazepines and fosphenytoin are the traditional and best evidence-based options, although intravenous levetiracetam, valproate, and lacosamide are emerging options.

**Cited by:** 26 **Author:** Paul W. Shepard, Erik K. St. Louis  
**Publish Year:** 2012

Seizure Treatment in Transplant Patients | Request PDF

<https://www.researchgate.net> › [publication](#) › [225095170...](#)

**Seizure** is a common complication after liver **transplant** and has been reported to occur in up to 42% of patients in different case series. Multiple factors can trigger **seizures**, including ...

A practical guide to the management of hypertension in ...

<https://ucdavis.pure.elsevier.com> › [en](#) › [publications](#) › ...

T1 - A **practical** guide to the **management** of hypertension in **renal transplant recipients**. AU - Olyaei, Ali J. AU - DeMattos, Angelo M. AU - Bennett, William M. PY - 1999. Y1 - 1999. N2 - Hypertension as well as hypotension can be harmful to a newly transplanted **renal** allograft. Elevated blood pressure is also a major risk factor for ...

**Cited by:** 80 **Author:** Ali J. Olyaei, Angelo M. deMattos, William...  
**Publish Year:** 1999

Related searches

- kidney** transplant recipient
- requirements for kidney** transplant recipient
- kidney** transplant recipient **recovery**
- renal transplant **medication**

PEOPLE ALSO ASK

- What is the management of renal transplantation? ▾
- What is a successful kidney transplant? ▾
- What are the risks of transplant recipients? ▾