



Any time

Since 2020

Since 2019

Since 2016

Custom range...

Sort by relevance

Sort by date

include patents

include citations

Create alert

[HTML] Acute necrotizing **pancreatitis: treatment strategy according to the status of infection**

[HTML] nih.gov

MW Büchler, B Gloor, CA Müller, H Friess... - ... of **surgery**, 2000 - ncbi.nlm.nih.gov

... in our trial (later than 20 days); in earlier studies, approximately 40% of **infections** with gram ... and necrosectomy and continuous closed lavage was successful in 67% of our **patients** with **infected necrosis** ... In the present study, **infection** of **necrotic** tissue occurred a mean of 21 days ...

☆ Cited by 1116 Related articles All 17 versions

Peroral transgastric/transduodenal necrosectomy: success in the **treatment of infected pancreatic necrosis**

J Escourrou, H Shehab, L Buscail, B Bournet... - ... of **surgery**, 2008 - journals.lww.com

Objective: To assess the results and complications of an endoscopic transgastric/transduodenal app.

☆ Cited by 125 Related articles All 14 versions

Outcome differences **after** endoscopic drainage of **pancreatic necrosis**, acute **pancreatic pseudocysts**, and **chronic pancreatic pseudocysts**

TH Baron, GC Harewood, DE Morgan... - Gastrointestinal ..., 2002 - Elsevier

... in this **patient** population in which **necrotic** tissue almost universally became **infected after** intervention ... transduodenal (OR 1.5: 95% CI [0.4, 5.7]) approach was predictive of **recurrence** when compared ... In general, **infection** is an absolute indication for some form of intervention.30 ...

☆ Cited by 515 Related articles All 11 versions

... percutaneous endoscopic necrosectomy performed with the **patient** under conscious sedation is a safe and effective **treatment for infected pancreatic necrosis (with ...**

R Dhingra, S Srivastava, S Behra, PK Vadiraj... - Gastrointestinal ..., 2015 - Elsevier

... Petrov, S. Shanbhag, M. Chakraborty, et al.Organ failure and **infection of pancreatic** ... P. Bucher, F. Pugin, P. MorelMinimally **invasive** necrosectomy for **infected** necrotizing **pancreatitis** ... al.Incidence, spectrum, and antibiotic sensitivity pattern of bacterial **infections** among **patients** ...

☆ Cited by 37 Related articles All 6 versions

**Name of Journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 53655

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Infection recurrence following minimally invasive treatment in patients  
with infectious pancreatic necrosis**

Gao CC *et al.* Infection recurrence in patients with IPN

### Match Overview

1	Internet 33 words crawled on 26-Nov-2014 <a href="http://www.researchgate.net">www.researchgate.net</a>	1%
2	Internet 23 words crawled on 16-Mar-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
3	Internet 15 words crawled on 22-Nov-2018 <a href="http://docplayer.net">docplayer.net</a>	<1%
4	Internet 13 words crawled on 30-Nov-2019 <a href="http://www.nejm.org">www.nejm.org</a>	<1%
5	Internet 12 words crawled on 20-Oct-2017 <a href="http://www.balkanmedicaljournal.org">www.balkanmedicaljournal.org</a>	<1%
6	Internet 11 words crawled on 24-Dec-2018 <a href="http://pure.uva.nl">pure.uva.nl</a>	<1%
7	Crossref 10 words	<1%

国内版

国际版

Infection recurrence following minimally invasive treatme



ALL

IMAGES

VIDEOS

41,500 Results

Any time ▾

## Management of infected pancreatic necrosis in the ...

<https://www.clinicalmicrobiologyandinfection.com/...>

Several **minimally invasive** intervention strategies for drainage and/or debridement of infected (peri)pancreatic necrosis have been developed and are shown in Fig. 3. In rare cases when **minimally invasive** options cannot reach the collection, a laparotomy may still be a good alternative.

Cited by: 2

Author: Daniel R.J. Wolbrink, Eva Kolwijck, Jaap ...

Publish Year: 2020

## Minimally invasive treatment of infected pancreatic necrosis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4300346>

Percutaneous drainage is one of the first **minimally invasive** techniques employed for the **treatment** of infected **pancreatic necrosis**. Good results of percutaneous drainage in intra-abdominal abscesses encouraged its application also in **patients** with septic complications of acute pancreatitis.

Cited by: 4

Author: Marek Wroński, Włodzimierz Cebulski, M...

Publish Year: 2014

## Outcomes of Infected versus Symptomatic Sterile Walled-Off ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6430426>

Feb 12, 2019 · We performed a retrospective cohort study examining **patients** who were undergoing