



53709-Review.docx

Quotes Excluded
Bibliography Excluded5%
SIMILAR**Name of journal:** *World Journal of Hepatology***Manuscript NO:** 53709**Manuscript Type:** ORIGINAL ARTICLE*Retrospective Cohort Study***LIV-4: A novel model for predicting transplant-free survival in critically ill cirrhotics**Lindenmeyer CC *et al.* Predicting survival in critically ill cirrhotics

Christina C Lindenmeyer, Gianina Flocco, Vedha Sanghi, Rocio Lopez, Ahyoung J Kim, Fadi Niyazi, Aanchal Kapoor, William D Carey, Eduardo Mireles-Cabodevila, Carlos

Match Overview

1	Internet 58 words crawled on 27-Mar-2020 aasldpubs.onlinelibrary.wiley.com	2%
2	Crossref 42 words Christina C. Lindenmeyer, Ahyoung Kim, Vedha Sanghi, Rocio Lopez et al. "The EMALT Score: An Improved Model for P ...	1%
3	Internet 42 words crawled on 20-Nov-2017 onlinelibrary.wiley.com	1%
4	Internet 16 words crawled on 02-Dec-2019 www.hepatitisc.pl	<1%
5	Crossref 16 words Benoît Dupont, Maxime Delvincourt, Mamadou Koné, Damien du Cheyron et al. "Retrospective evaluation of prognostic sc ...	<1%

LIV-4: A novel model for predicting transplant-free surviv



ALL

IMAGES

VIDEOS

25,600 Results

Any time ▼

(PDF) The LIV-4 Score: Prospective Validation of an ...

<https://www.researchgate.net/publication/329017389...>

The **LIV-4 model** performed significantly better than the RFH [AUC 0.64 (0.56, 0.72)], a **model** specifically developed to **predict mortality** in critically ill patients with cirrhosis, and was...

Liver transplantation for critically ill cirrhotic ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6295835>

Dec 14, 2018 · INTRODUCTION. The **model** for end-stage liver disease (MELD) score, which has proven to be a good predictor of transplant-free mortality for patients with cirrhosis[], has been widely used to prioritize liver transplantation (LT) candidates around the world since 2002, when it was first introduced by the United Network For Organ Sharing (UNOS) in the United States.

Cited by: 1

Author: Thierry Artzner, Baptiste Michard, Camille...

Publish Year: 2018

Liver transplantation in the critically ill: a multicenter ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4056692>

Methods. We performed a multicenter retrospective cohort study consisting of two datasets: (a) all



LIV-4: A novel model for predicting transplant-free :



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

25,900 Results

Any time ▾

[\(PDF\) The LIV-4 Score: Prospective Validation of an ...](#)

<https://www.researchgate.net/publication/329017389...>

The **LIV-4 model** performed significantly better than the RFH [AUC 0.64 (0.56, 0.72)], a **model** specifically developed to **predict mortality** in critically ill patients with cirrhosis, and was...

[Liver transplantation for critically ill cirrhotic ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6295835>

Dec 14, 2018 · INTRODUCTION. The **model** for end-stage liver disease (MELD) score, which has proven to be a good predictor of transplant-free mortality for patients with cirrhosis[], has been widely used to prioritize liver transplantation (LT) candidates around the world since 2002, when it was first introduced by the United Network For Organ Sharing (UNOS) in the United States.

Cited by: 1

Author: Thierry Artzner, Baptiste Michard, Camille...

Publish Year: 2018

[Liver transplantation in the critically ill: a multicenter ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4056692>

Methods. We performed a multicenter retrospective cohort study consisting of two datasets: (a) all **critically-ill** cirrhosis patients requiring intensive care unit (ICU) admission before LT at five transplant centers in Canada from 2000 through 2009 (one site, 1990 through 2009), and (b) **critically ill** cirrhosis patients receiving LT from ICU (n = 115) and those listed but not receiving LT ...

Cited by: 34

Author: Constantine J Karvellas, Thomas Lescot, ...

Publish Year: 2013

[Christina Cress Lindenmeyer - ResearchGate](#)

https://www.researchgate.net/profile/Christina_Lindenmeyer

The **LIV-4 score**: A validated model for predicting mortality in **critically ill patients** with cirrhosis

[Aanchal KAPOOR | Cleveland Clinic, OH | Respiratory Institute](#)