

**Name of journal:** *World Journal of Clinical Cases*

**Manuscript NO:** 54124

**Manuscript Type:** ORIGINAL ARTICLE

*Observational Study*

**miR-148b, miR-223, miR-130a, and miR-19a diagnostic model for detection of type 2 diabetes**

Yan LN *et al.* miRNAs panel for detection of type 2 diabetes

Li-Na Yan, Xin Zhang, Fang Xu, Yuan-Yuan Fan, Biao Ge, Hui Guo, Zi-Ling Li

**Abstract**

### Match Overview

|   |   |     |
|---|---|-----|
| 1 | Internet 75 words<br>crawled on 26-Nov-2019<br><a href="https://journals.plos.org">journals.plos.org</a>                                  | 2%  |
| 2 | Internet 32 words<br>crawled on 14-Mar-2020<br><a href="http://www.spandidos-publications.com">www.spandidos-publications.com</a>         | 1%  |
| 3 | Crossref 21 words<br>Katarina Cuk, Manuela Zucknick, Jörg Heil, Dharanija Madhavan et al. "Circulating microRNAs in plasma as early di... | 1%  |
| 4 | Crossref 18 words<br>Fujioka, Shin, Ikuo Nakamichi, Motohiro Esaki, Kouichi Asano, Takayuki Matsumoto, and Takanari Kitazono. "Serum mi   | 1%  |
| 5 | Crossref 10 words<br>Li-Hua Jia, Yi-Ning Liu, "Downregulated serum miR-223 ...<br>ers as biomarker in Alzheimer's disease", Cell Biochem  | <1% |



miR-148b, miR-223, miR-130a, and miR-19a diagnostic n



ALL

IMAGES

VIDEOS

3,790 Results

Any time ▾

**[PDF] miRNAs in type 2 diabetes: important for the ...**<https://onlinelibrary.wiley.com/doi/pdf/10.1111/1753-0407.12772>

MicroRNAs in type 2 diabetes mellitus: Important for the pathogenesis but uncertain as biomarkers ... miR-130a, miR-146a, miR-148b, and miR-223 were consistently downregulated in T2DM. Of these, miR-223 may ... miR-223, miR-19a-3p, miR-27b, and miR-130a, leading to a partial loss of control of target genes. Collectively, the changes in these ...

Author: Jingwei Yu, Jingwei Yu, Wen Su, Xiao... Publish Year: 2018

**[PDF] Identification of stress-related microRNA biomarkers in ...**<https://onlinelibrary.wiley.com/doi/epdf/10.1111/1753-0407.12643>

Keywords: meta-analysis, microRNA, review, stress, type 2 diabetes mellitus. Highlights † Six microRNAs (miR-148b, miR-223, miR-130a, miR-19a, miR-26b and miR-27b) were selected as potential circulating biomarkers of type 2 diabetes mellitus (T2DM). † MiR-146a and miR-21 were identified as potential tissue biomarkers of T2DM.

**Identification of stress-related microRNA biomarkers in ...**<https://onlinelibrary.wiley.com/doi/full/10.1111/1753-0407.12643>

Jan 17, 2018 - The present meta-analysis revealed that 16 stress-related miRNAs were significantly dysregulated in T2DM. MiR-148b, miR-223, miR-130a, miR-19a, miR-26b and miR-27b were selected as potential circulating biomarkers of T2DM. In addition, miR-146a and miR-21 were identified as potential tissue biomarkers of T2DM.

Cited by: 14 Author: Ying-Zhi Liang, Jia-Jiang-Hui Li, Huan-Bo ...

Publish Year: 2018

**MicroRNAs in type 2 diabetes mellitus: Important for the ...**<https://onlinelibrary.wiley.com/doi/full/10.1111/1753-0407.12772>

May 29, 2018 - Dysregulated stress-related microRNAs (miRNAs) and type 2 diabetes mellitus (T2DM). Chronic metabolic stress may cause aberrant expression of miR-26b, miR-223, miR-19a-3p, miR-27b, and miR-130a, leading to a partial loss of control of target genes.

Author: Jingwei Yu, Jingwei Yu, Wen Su, Xiao... Publish Year: 2018

**(PDF) Circulating miR-148b and miR-133a as biomarkers for ...**<https://www.researchgate.net/publication/264127254...>





miR-148b, miR-223, miR-130a, and miR-19a diagnostic r



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

3,790 Results

Any time ▾

[PDF] [miRNAs in type 2 diabetes: important for the pathogenesis ...](#)

<https://onlinelibrary.wiley.com/doi/pdf/10.1111/1753-0407.12772>

MicroRNAs in **type 2 diabetes** mellitus: Important for the pathogenesis but uncertain as biomarkers ...

**miR-130a**, miR-146a, **miR-148b**, and **miR-223** were consistently downregulated in T2DM. Of ... +

**Author:** Jingwei Yu, Jingwei Yu, Wen Su, Xiao... **Publish Year:** 2018

[PDF] [Identification of stress-related microRNA biomarkers in ...](#)

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/1753-0407.12643>

Keywords: meta-analysis, microRNA, review, stress, **type 2 diabetes** mellitus. Highlights † Six microRNAs (**miR-148b**, **miR-223**, **miR-130a**, **miR-19a**, miR-26b and miR-27b) were selected as ... +

[Identification of stress-related microRNA biomarkers in ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/1753-0407.12643>

Jan 17, 2018 · The present meta-analysis revealed that 16 stress-related miRNAs were significantly dysregulated in T2DM. **MiR-148b**, **miR-223**, **miR-130a**, **miR-19a**, miR-26b and ... +

**Cited by:** 14 **Author:** Ying-Zhi Liang, Jia-Jiang-Hui Li, Huan-Bo...

**Publish Year:** 2018

[MicroRNAs in type 2 diabetes mellitus: Important for the ...](#)

<https://onlinelibrary.wiley.com/doi/full/10.1111/1753-0407.12772>

May 29, 2018 · Dysregulated stress-related microRNAs (miRNAs) and **type 2 diabetes** mellitus (T2DM). Chronic metabolic stress may cause aberrant expression of miR-26b, **miR-223**, ... +

**Author:** Jingwei Yu, Jingwei Yu, Wen Su, Xiao... **Publish Year:** 2018

(PDF) [Circulating miR-148b and miR-133a as biomarkers for ...](#)

<https://www.researchgate.net/publication/264127254...>

Circulating **miR-148b** and miR-133a as biomarkers for breast cancer detection. ... breast cancer detection for **miR-148b** and miR-133a ... **type 2 diabetes** mellitus (T2DM), Alzheimer .

[MicroRNA Signatures as Future Biomarkers for Diagnosis of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6953078>

Nov 28, 2019 · Clinical features are usually not observed until islets begin to fail and irreversible damage

brary.wiley.com/doi/pdf/10.1111/1753-0407.12772 erally diagnosed based on elevated glucose, which ... +