

About 5,520 results (0.50 seconds)

onlinelibrary.wiley.com › doi › full › apt

Systematic review: IBD-associated pyoderma gangrenosum ...

Aug 5, 2013 - Systematic **review**: **IBD-associated pyoderma gangrenosum** in the biologic era ... is seen in severe **IBD**.² It is a challenging **condition**, poorly characterised from a ... In 25 patients, more than three PG ulcers were **present**, in eight ... second-line therapy with **leucocytapheresis** (n = 1)38 or infliximab (n = 1).39 ...
by A Agarwal - 2013 - [Cited by 65](#) - [Related articles](#)

www.reumatologiaclinica.org › en-pyoderma-gangreno... ▼

Pyoderma Gangrenosum Associated With Inflammatory Bowel ...

We describe two cases of PG **associated** with **inflammatory bowel disease**, who responded to ... **Pyoderma gangrenosum** (PG) is a neutrophilic dermatosis of unknown cause that ... No other relevant history was **present**. ... improved the patient's general **condition** without achieving success regarding the right ankle ulcer.
Missing: [Cytapheresis](#) | Must include: [Cytapheresis](#)

www.ncbi.nlm.nih.gov › pmc › articles › PMC4123360 ▼

Treating inflammatory bowel disease by adsorptive ... - NCBI

Aug 7, 2014 - Ulcerative **colitis** and Crohn's disease are the major phenotypes of the ... **Current** medications are aimed at reducing the symptoms or ... In this article, we have **reviewed** the latest developments in therapeutic **leucocytapheresis** to treat ... **Pyoderma gangrenosum** lesions **associated** with Crohn's disease (A), ...
by AR Saniabadi - 2014 - [Cited by 50](#) - [Related articles](#)

Match Overview



1	Crossref 133 words Irene Russo, Serena Miotto, Anna Colpo, Piero Marson, Tizi ana Tison, Anna Ferrazzi, Mauro Alaibac. "Successful treat	6%
2	Crossref 83 words Yumiko WATANABE. "Leukocyte adsorption apheresis for ... e treatment of pyoderma gangrenosum", The Journal of Der	4%
3	Internet 67 words crawled on 16-Apr-2020 e-sciencecentral.org	3%
4	Crossref 61 words Keiko Okuma. "A Case Report of Steroid and Immunosuppr essant-resistant Pyoderma Gangrenosum Successfully Th ...	3%
5	Internet 20 words crawled on 29-Dec-2019 academic.oup.com	1%
6	Crossref 19 words Kaminura, Kenya. "Advances in understanding and treati ... liver diseases during pregnancy: A review", World Journal of	1%

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54590

Manuscript Type: MINIREVIEWS

Cytapheresis for Pyoderma Gangrenosum Associated with Inflammatory Bowel

Disease: A Review of Current Status

Kentaro Tominaga *et al.* Cytapheresis for Pyoderma Gangrenosum

Kentaro Tominaga, Kenya Kamimura, Hiroki Sato, Masayoshi Ko, Yuzo Kawata,

Takeshi Mizusawa, Junji Yokoyama, Shuji Terai,

Abstract



ALL

IMAGES

VIDEOS

Add the Give with Bing extension >

12,600 Results

Any time ▾

A Review of Extraintestinal Manifestations and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6503692>

Apr 12, 2019 · INTRODUCTION. Extraintestinal manifestations (EIMs) are common in inflammatory bowel disease (IBD), affecting about 5%–50% of the patients.[] In addition, about 29% of EIM cumulative incidence occurs after 15 years of disease duration; in some cases, they may even occur before the diagnosis of IBD.[] However, there is currently lack of prospective studies assessing EIM rates of IBD ...

Therapy Insight: pyoderma gangrenosum—old disease, new ...

<https://www.nature.com/articles/ncpgasthep0339>

Dec 01, 2005 · Pyoderma gangrenosum is a rare condition of unknown etiology that was described as an extraintestinal manifestation of inflammatory bowel disease in 1930. At ...

Cited by: 13

Author: Simon Campbell, Sarah Cripps, Derek P Je...

Publish Year: 2005

Characteristics and Treatment of Pyoderma Gangrenosum in ...

<https://www.researchgate.net/publication/245537096...>

Pyoderma gangrenosum is a serious cutaneous complication seen in approximately 1 % of patients with inflammatory bowel disease (IBD). Oral corticosteroids are the mainstay treatment, although the ...

Pyoderma Gangrenosum Associated With Inflammatory Bowel ...

<https://www.researchgate.net/publication/51819022...>

The authors report a case of rapid response to infliximab in a patient with pyoderma gangrenosum associated with inflammatory bowel disease utilizing a dosing regimen similar to that used for ...

Infliximab for treatment of pyoderma gangrenosum ...

<https://www.researchgate.net/publication/10623300...>

Infliximab for treatment of pyoderma gangrenosum associated with inflammatory Bowel disease Article in The American Journal of Gastroenterology 98(8):1821-6 · September 2003 with 23 Reads

Pyoderma gangrenosum outside the context of inflammatory ...

<https://www.researchgate.net/publication/8008881...>

Pyoderma gangrenosum outside the context of inflammatory bowel disease treated successfully with infliximab Article in Clinical and Experimental Dermatology 30(2):134-6 · April 2005 with 13 Reads

Skin Ulcers Misdiagnosed as Pyoderma Gangrenosum | NEJM

<https://www.nejm.org/doi/full/10.1056/NEJMoa013383>

Pyoderma gangrenosum is associated with a number of specific diseases, including inflammatory bowel





Cytapheresis for Pyoderma Gangrenosum Associated with



ALL

IMAGES

VIDEOS

关闭取词

26,800 Results

Any time ▼

Pyoderma gangrenosum: an updated review - Ruocco - 2009 ...

<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1468-3083.2009.03199.x>

Jul 29, 2009 · Together with erythema nodosum, **pyoderma gangrenosum** represents the most common dermatologic **disorder** accompanying IBD, which comprises **ulcerative colitis and Crohn's disease**. **Pyoderma gangrenosum** has been reported to occur in 2–12% of IBD patients. 16 **Pyoderma gangrenosum** can precede colitis or may occur at any stage of the **disease**, even after the colon has been removed. 20, 21 In most patients, **symptoms of ulcerative colitis precede pyoderma gangrenosum...**

Cited by: 348

Author: E Ruocco, S Sangiuliano, AG Gravina, ...

Publish Year: 2009

Pyoderma gangrenosum: a review - Neil Crowson - 2003 ...

<https://onlinelibrary.wiley.com/doi/10.1034/j.1600-0560.2003.00024.x>

Pyoderma gangrenosum can be the first presenting sign of an acute leukemia, a myeloproliferative **disease** or myelodysplasia, including in the context of childhood **disease**. 85 Any patient presenting with PG, but particularly one who manifests features of the bullous variant, should be evaluated for an underlying hematologic malignancy ...

Cited by: 272

Author: A. Neil Crowson, Martin C. Mihm, Cynt...

Publish Year: 2003

Pyoderma gangrenosum: An update - ncbi.nlm.nih.gov

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3481925>

Abstract. **Pyoderma gangrenosum (PG)** is an uncommon, distinctive **cutaneous ulceration** which is usually idiopathic, but may be **associated** with many **systemic disorders**. The etipathogenesis of of **PG** is still not well understood. Clinically it is classified into **ulcerative**, pustular, **bullous** and vegetative types.