

1 **Name of Journal:** *World Journal of Gastrointestinal Surgery*

Manuscript NO: 54594

Manuscript Type: CASE REPORT

Cystic low-grade collecting duct renal carcinoma with liver compression – A challenging diagnosis and therapy: A case report

Abstract

BACKGROUND

A collecting duct carcinoma is a very rare, malignant, renal, epithelial tumor. Distant metastases are present in one third of the cases at the time of diagnosis. It is known as having a poor prognosis.

CASE SUMMARY

A 42-year-old male was sent to our surgery clinic for removal of a 119.2 mm × 108.3 mm encapsulated cystic mass, which was localized in the 8th segment of the right liver lobe.

Match Overview

1 **Internet** 58 words
crawled on 28-Aug-2019
f6publishing.blob.core.windows.net

3%



国内版 国际版

Giant low-grade collecting duct renal carcinoma mimicking a l



Sign in



ALL

IMAGES

VIDEOS

Add Bing Firefox extension >

21,800 Results

Any time ▾

Tubulocystic renal cell carcinoma: Report of a rare case

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581938>

Discussion. TC-RCC is a rare, relatively new entity, previously described as "Bellinian epithelioma" and "**low-grade collecting-duct carcinoma**." 1 It has recently been included in the International Society of Urological Pathology (ISUP) Vancouver Classification of **Renal** Neoplasia as a new **renal** epithelial tumour. About 70 cases have been reported to date. 1

Tubulocystic renal cell carcinoma: Report of a rare case ...

europepmc.org/articles/PMC4581938

Tubulocystic **renal** cell **carcinoma**: Report of a rare case.... with possibilities of RCC with cystic change, some other cystic neoplasm or a **hydatid cyst**. **Hydatid** serology was negative, and the patient underwent a left radical nephrectomy with a clinical **diagnosis** of a malignant cystic neoplasm. ... previously described as "Bellinian ...

Imaging of Hydatid Disease with a Focus on Extrahepatic ...

<https://pubs.rsna.org/doi/full/10.1148/rg.2017160172>

May 11, 2017 · Imaging of **Hydatid** Disease with a Focus on Extrahepatic Involvement. Eugenio Zalaquett, Christine Menias, ... In these cases, the prospective **diagnosis** of **hydatid cyst** can be **challenging**, because daughter vesicles or detached membranes may not be identified and other complex cystic lesions may have a similar appearance. ... cystic **renal** cell ...

Cited by: 4

Author: Eugenio Zalaquett, Christine Menias, Fra...

Publish Year: 2017

(PDF) Giant Hydronephrosis Mimicking Echinococcal Cyst

<https://www.researchgate.net/publication/7321450>



国内版 国际版

Cystic low-grade collecting duct renal carcinoma with liver compressio



登录



网页 图片 视频 学术 词典 地图

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确 >

4,000 条结果 时间不限

Bilateral kidneys involvement of collecting duct ... 翻译此页

Collecting duct carcinoma (cdc) is a rare, aggressive form of renal carcinoma that presents at an advanced stage and has a poor prognosis. Little is known concerning the optimal management of cdc.
https://www.researchgate.net/publication/330631926_Bilateral_kidneys_involvement_of...

Tubulocystic Renal Cell Carcinoma: A Rare Renal Tumor 翻译此页

Cited by: 5 Author: Jasneet Singh Bhullar, Sandiya Bindroo, N...
Publish Year: 2014 位置: 8600 Rockville Pike, Bethesda, MD

Tubulocystic renal cell carcinoma of the kidney is a rare entity with less than one hundred cases reported so far. It was previously considered to have some similarities to various other renal cancers although this tumor has distinct macroscopic, microscopic and immuno-histochemical features.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5345545>

Mucinous tubular and spindle cell carcinoma of the ... 翻译此页

Cited by: 8 Author: Borislav A. Alexiev, Allen P. Burke, Cinthia...
Publish Year: 2014

Mucinous tubular and spindle cell carcinoma (MTSCC) is a rare type of kidney tumor with relatively indolent behavior. Non-classic morphological variants have ...
<https://www.sciencedirect.com/science/article/pii/S0344033814000892>

Tubulocystic renal cell carcinoma: Report of a rare case 翻译此页

位置: 8600 Rockville Pike, Bethesda, MD

Discussion. TC-RCC is a rare, relatively new entity, previously called "Mullerian epithelioma" and





Cystic low-grade collecting duct renal carcinoma with liv



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

14,800 Results

Any time ▾

[Tubulocystic renal cell carcinoma: Report of a rare case](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581938>

TC-RCC is a rare, relatively new entity, previously described as “**Bellinian epithelioma**” and “low-grade collecting-duct carcinoma.” ¹ It has recently been included in the International Society of Urological Pathology (**ISUP**) Vancouver Classification of **Renal Neoplasia** as a new **renal epithelial tumour**.

[Renal Cell Carcinoma: Diagnosis, Staging, and Surveillance ...](#)

<https://www.ajronline.org/doi/10.2214/AJR.07.3568>

Most **tumors** present in the fifth to seventh decade of life, with a median age at diagnosis of 66 years and median age at death of 70 years. The incidence is two to three times higher in men and is slightly more common in blacks than in whites [5]. The incidence of **renal tumors** at autopsy is approximately 2% [9].

Cited by: 185 **Author:** Chaan S. Ng, Christopher G. Wood, Paul ...

Publish Year: 2008

[Common and uncommon adult unilateral renal masses other ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3392784>

May 21, 2012 · **Cystic nephroma** and **CPDN** represent two extremes of the same spectrum of disease and can be lumped under the term **multilocular cystic renal tumor** [10]. It has a bimodal age and sex distribution occurring in **young boys aged 3** months to 4 years (usually **CPDN**) and older **women aged 40** to 60 years (usually **cystic nephroma**).

Cited by: 3 **Author:** Ott Le, Anjali Roy, Paul M. Silverman, Vik...

Publish Year: 2012

[Collecting Duct Carcinoma of Kidney - DoveMed](#)

<https://www.dovemed.com/diseases-conditions/...>

Nov 06, 2019 · **Collecting Duct Carcinoma of Kidney** (CDCK) is a rare, aggressive type of **renal cell carcinoma** (a form of **kidney cancer**). It is a malignant tumor that develops due to an abnormality within the tissue lining in the **collecting ducts** of the **kidney** (which is a part of the **kidney**)