

1 / 11

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 54632

Manuscript Type: CASE REPORT

Multifocal gastrointestinal epithelioid angiosarcomas diagnosed by endoscopic mucosal resection: A case report

You-Wei Chen, Jie Dong, Wan-Yuan Chen, Yi-Ning Dai

Abstract

BACKGROUND

Epithelioid angiosarcoma is a kind of vascular neoplasm that is among the most aggressive subtypes of sarcomas. Its involvement in the gastrointestinal tract is a rare situation.

CASE SUMMARY

Match Overview

1	Internet 25 words crawled on 24-Oct-2018 www.thieme-connect.com	2%
2	Crossref 15 words Jae Pil Hwang, Sang Moo Lim. "Uterine Epithelioid Angiosarcoma on F-18 FDG PET/CT", <i>Nuclear Medicine and Molecular I</i>	1%
3	Crossref 13 words Chi-Ming Tai, Chao-Ming Hung, Tsung-Chun Lee, Hong-Cheng Chang, Hsiu-Po Wang. "Primary Gastric Angiosarcoma Pre...	1%
4	Crossref 13 words Kenji Matsuda, Katsunari Takifuji, Tsukasa Hotta, Shozo Yokoyama et al. "Angiosarcoma involving colon and bone success...	1%
5	Internet 13 words crawled on 09-Dec-2019 wjso.biomedcentral.com	1%
6	Internet 12 words crawled on 29-Apr-2019 www.ijcrisurgery.com	1%



Multifocal gastrointestinal epithelioid angiosarcomas dia



ALL

IMAGES

VIDEOS

2,490 Results

Any time ▾

Including results for multifocal gastrointestinal epithelioid **angiosarcoma** diagnosed by endoscopic mucosal resection an extremely rare case report.

Do you want results only for Multifocal gastrointestinal epithelioid angiosarcomas diagnosed by endoscopic mucosal resection: an extremely rare case report ?

[PDF] [Case Report Multiple colonic epithelioid angiosarcoma: a ...](#)
www.ijcem.com/files/ijcem0071812.pdf

Abstract: Primary angiosarcoma of the large intestine is an extremely rare and aggressive malignancy. Epithelioid angiosarcoma (EAS) is a variant of angiosarcoma and tends to be deep-seated. Because of its rarity and morpho-logical similarity, EAS may be misdiagnosed as poorly-differentiated carcinoma, especially in limited tissue biopsy.

[Case Report: An unusual case of ... - PubMed Central \(PMC\)](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3669768>

May 22, 2013 - GOO as the primary manifestation of TB is rare. There are only isolated case reports of TB presenting with GOO from the west and the diagnosis in all was made postoperatively. 2-4 To our knowledge, this is the first report from the western literature where a patient has been treated with balloon dilation and chemotherapy resulting in a ...

Cited by: 4

Author: Hari Padmanabhan, Alexander Rothnie, P...

Publish Year: 2013

(PDF) [Duodenal gangliocytic paraganglioma - A rare case ...](#)

<https://www.researchgate.net/publication/318786346...>

In all cases, each lesion had a stalk that facilitated removal using an endoscopic approach.

Endoscopic mucosal resection is a feasible and safe treatment if the location, depth, and lymph node

...

[Upper GI endoscopy findings \(CTL\) - eRef, Thieme](#)

<https://eref.thieme.de/cockpits/cIEVideoEndoscopy0001/0/coCTL00001/4-626> ▾

Esophageal sebaceous glands diagnosed after endoscopic mucosal resection (1 p.) From: Endoscopy (2007) Diagnosis by endoscopic mucosal resection of a rare esophageal squamous cell carcinoma mimicking a subepithelial tumor (2 p.)

[Duodenal Leiomyosarcoma Presenting with Gastrointestinal ...](#)

国内版

国际版

Multifocal gastrointestinal epithelioid angiosarcomas diagnosed b



ALL

IMAGES

VIDEOS

3,190 Results

Any time ▾

[A gist of gastrointestinal stromal tumors: A review](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3708046>

Jun 15, 2013 · With the recent advent of **endoscopic resection** techniques, endoscopists can now remove **mucosal** or submucosal tumors **by endoscopic mucosal resection** (EMR). Complete **resection** of subepithelial tumors larger than 2 cm in size and those originating from the muscularis propria layer still remain difficult by EMR[30 - 32].

Cited by: 111

Author: Ashwin Rammohan, Jeswanth Sathyanes...

Publish Year: 2012

[Upper GI endoscopy findings \(CTL\) - eRef, Thieme](#)

<https://eref.thieme.de/cockpits/clEVideoEndoscopy0001/0/coCTL00001/4-379> ▾

Diagnosis by endoscopic mucosal resection of a rare esophageal squamous cell carcinoma mimicking a subepithelial tumor ... **Multifocal angiosarcoma** of the **gastrointestinal** tract (2 p.) From: Endoscopy (2008) ... **case report** and review of **endoscopic** treatments (2 p.) From: Endoscopy (2007)

...

[\(PDF\) A Case of Concurrent Ampullary Adenoma and ...](#)

<https://www.researchgate.net/publication/332382081...>

Endoscopic mucosal resection is a feasible and safe treatment if the location, depth, and lymph node status are all favorable and is also helpful for definite **diagnosis** of unknown duodenal mass.

[Endoscopic submucosal dissection of large gastrointestinal ...](#)

<https://www.researchgate.net/publication/233796969...>

ESD and endoscopic full-thickness resection (EFTR) are the two methods reported recently to having

Search To

Turn off Hover



Multifocal gastrointestinal epithelioid angiosarcomas diagnosed by endc



ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

3,340 Results

Any time ▾

[Upper GI endoscopy findings \(CTL\) - eRef, Thieme](#)

<https://eref.thieme.de/cockpits/clEVideoEndoscopy0001/0/coCTL00001/4-379>

Diagnosis by endoscopic mucosal resection of a rare esophageal squamous cell carcinoma mimicking a subepithelial tumor ... **Multifocal angiosarcoma** of the **gastrointestinal** tract (2 p.) From: Endoscopy (2008) ... **case report** and review of **endoscopic** treatments (2 p.) From: Endoscopy (2007)

[Endoscopic submucosal dissection of large gastrointestinal ...](#)

<https://www.researchgate.net/publication/233796969...>

ESD and endoscopic full-thickness resection (EFTR) are the two methods reported recently to having successfully treated the **GSTs**, including **cases** with large **lesions** which were completely resected.

[\[PDF\] A 62 year-old woman with a liver mass](#)

<https://indianapath.org/Resources/Documents/September Case of the Month.pdf>

endoscopic mucosal resection. World journal of gastroenterology : WJG. Jun 14 2012;18(22):2872-2876. 5. Giaccaglia V, Stefanuto A, Cavallotti C, Quintiliani A, Stipa F. Transanal excision of rectal pyogenic granuloma: **case report** and literature review. Surg Laparosc Endosc Percutan Tech. Apr 2011;21(2):e91-92. 6.

[Thieme E-Journals - Journal of Digestive Endoscopy / Full Text](#)

<https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0039-1694299>

Conventional **endoscopic** biopsy is insufficient for an accurate histopathological **diagnosis**, therefore, a EUS-guided or combined strip biopsy and bite-on-bite biopsy is necessary. On the occasion of EUS guided aspiration, partial **mucosal resection** or **endoscopic** submucosal dissection (ESD) might require.

Author: Abu Taiub Mohammed Mohiuddin Cho... **Publish Year:** 2019

[\(PDF\) Mucosal Schwann Cell Hamartoma in sigmoid colon – A ...](#)

<https://www.researchgate.net/publication/339606601...>

Mucosal Schwann Cell Hamartoma (MSCH) of the **gastrointestinal (GI)** tract is an incidental finding by