

1 / 26

14

Name of Journal: *World Journal of Clinical Cases*

Manuscript NO: 54946

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Endoscopic retrograde cholangiopancreatography in elderly patients:

5

Difficult cannulation and adverse events

Fatema Tabak, Hui-Shan Wang, Quan-Peng Li, Xian-Xiu Ge, Fei Wang,

Guo-Zhong Ji, Lin Miao

Abstract

BACKGROUND

Endoscopic retrograde cholangiopancreatography (ERCP) is a valuable therapeutic technique for pancreatobiliary diseases, and its application in the

Match Overview

1

Internet 117 words
crawled on 04-Nov-2019
link.springer.com

2%

2

Crossref 111 words
Fatema Tabak, Guo-Zhong Ji, Lin Miao. "Prospective evaluation of transpancreatic sphincterotomy comparing to nee..."

2%

3

Internet 99 words
crawled on 28-Jul-2019
e-sciencecentral.org

2%

4

Internet 83 words
crawled on 16-Jan-2020
clinicaltrials.gov

2%

5

Internet 72 words
crawled on 01-May-2020
www.preprints.org

1%

ERCP in super-aged patients considering difficult cannula



ALL

IMAGES

VIDEOS

12,500 Results

Any time ▼

ERCP in Super-aged Patients Considering Difficult ...

<https://clinicaltrials.gov/ct2/show/NCT03771547> ▼

Dec 11, 2018 · **ERCP in Super-aged Patients Considering Difficult Cannulation: Challenges and Adverse Events** The safety and scientific validity of this study is the responsibility of the study sponsor and investigators.

[PDF] ERCP in super-aged patients considering difficult ...

<https://www.preprints.org/manuscript/201909.0214/v1/download>

to evaluate the incidence, causes, and management of **difficult biliary cannulation** during **ERCP in super-aged patients** and the role of **difficult cannulation** as a risk factor for adverse events.

Author: Fatema Tabak, Hui-Shan Wang, Quan... **Publish Year:** 2019

ERCP in Super-Aged Patients Considering Difficult ...

<https://www.preprints.org/manuscript/201909.0214/v1> ▼

Population aging may increase the typical indications of **ERCP** and come with more complexity and **difficulties**, especially in **cannulation**. This study aimed to evaluate the incidence, causes, and management of **difficult biliary cannulation** during **ERCP in super-aged patients** and the role of

国内版

国际版

Endoscopic retrograde cholangiopancreatography in elderly patients: [



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确



13,000 条结果 时间不限 ▾

包含 endoscopic retrograde cholangiopancreatography in elderly patients difficult cannulation and **adverse** 的结果。

是否只需要 Endoscopic retrograde cholangiopancreatography in elderly patients: Difficult cannulation and advers 的结果？

Endoscopic Retrograde Cholangiopancreatography in ... 翻译此页

Cited by: 7

Author: Wen-Hsiung Chang, Wei-Yi Lei

Publish Year: 2007

Endoscopic retrograde cholangiopancreatography (ERCP) is effective in the investigation and treatment of pan-creatic and biliary disease. As the prevalence of bile duct stones and malignant disease and the risk of surgery rise with age, studies on the therapeutic success of ERCP in the elderly ...

<https://www.sciencedirect.com/science/article/pii/S1873959808700279>

ERCP in Super-Aged Patients Considering Difficult ... 翻译此页

Author: Fatema Tabak, Hui-Shan Wang, Quan-...

Publish Year: 2019

Endoscopic retrograde cholangiopancreatography (ERCP) is a routinely used therapeutic procedure for



Endoscopic retrograde cholangiopancreatography in eld



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

30,000 Results Any time ▾

ERCP in Super-Aged Patients Considering Difficult ...

<https://www.preprints.org/manuscript/201909.0214/v1>

Abstract. **Endoscopic retrograde cholangiopancreatography (ERCP)** is a routinely used therapeutic procedure for the biliary and pancreatic diseases. Population aging may increase the typical indications of ERCP and come with more complexity and **difficulties**, especially in **cannulation**. This study aimed to evaluate the incidence, causes, and management of **difficult biliary cannulation** during ERCP in **super-aged patients** and the role of **difficult cannulation** as a risk factor for **adverse events**.

Author: Fatema Tabak, Hui-Shan Wang, Quan... **Publish Year:** 2019

Efficacy and safety of therapeutic endoscopic retrograde ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6877921>

Nov 20, 2019 · Introduction. As aging populations continue to increase worldwide and the number of **elderly** persons with biliary disease increases, and the number of **elderly patients** undergoing therapeutic **endoscopic retrograde cholangiopancreatography (ERCP)** is also increasing 1).In **elderly patients**, the level of activities of daily living is often declining.

Author: Koji Takahashi, Takeshi Nihei, Yohei A... **Publish Year:** 2019

Endoscopic retrograde cholangiopancreatography-related ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4198404>

Oct 16, 2014 · INTRODUCTION. **Endoscopic retrograde cholangiopancreatography (ERCP)** is a procedure that should be performed by a skilled endoscopist to maximize the success rate and minimize complications, which occur in 5%-10% of cases[1,2].The most common complications are post-ERCP pancreatitis (1.0%-3.5% of cases)[3-5] and clinically significant post-**endoscopic** sphincterotomy ...

Cited by: 10 **Author:** Varayu Prachayakul, Pitulak Aswakul

Publish Year: 2014

[PDF] ERCP in super-aged patients considering difficult ...

<https://www.preprints.org/manuscript/201909.0214/v1/download>

Endoscopic retrograde cholangiopancreatography (ERCP) is a routinely used therapeutic procedure

Endoscopic Retrograde Cholangiopancreatography (ERCP)

Diagnostic Technique

An imaging test involving combination of endoscopy and X-rays for examination of the bile ducts and pancreas.

Type: Imaging

Duration: Usually 2-3 hours

Results available: Almost immediate

Is Invasive: Invasive

Conditions it may diagnose

[See all \(4+\)](#)

Bile Duct Cancer

Very rare

Cholangiocarcinoma, also known as bile duct cancer, is a type of cancer that ...

[Read more](#)

Gallstones

Very common

A gallstone is a stone formed within the gallbladder out of bile ...

[Read more](#)

Preparation

- Do not consume food, beverage or water before at least 8 hours of the test.
- Inform the doctor if you take any medications or supplements.
- Inform the doctor if you are pregnant.

During the test